

PRODUCT CATALOG

No. 3



65th Anniversary Edition Established 1948

broadcast | wireless | sports lighting | utility | wind | transportation

Thank you for your interest in ROHN Products

For over sixty five years the ROHN name has been a leader in the telecommunications industry. The company has used our expertise in structural design and fabrication to expand into additional markets. ROHN is proud to service the major utility and wind energy companies in North America. These markets are just two of the latest to join telecom, sports lighting, broadband, broadcast and the others that have been using ROHN Products to support their infrastructure projects for six decades.

We are proud to offer the latest version of the ROHN Products Catalog (No. 3). There

If you have any questions, comments or suggestions regarding this catalog or any ROHN products, we are just a phone call away. On the adjacent page we have listed contacts that can assist you with any questions.

ROHN is committed to providing you the best products in the industry. Our towers are standing on every continent and in nearly every country around the world. That is because we are recognized around the globe as the quality leader in structures. We strive to continue that tradition this year and in the years to come.

We appreciate your interest in our products and we appreciate your business.

Never Accept Second Best - Call ROHN 309-566-3000












The Industry Standard

The information contained in this catalog is intended to assist customers in selecting the appropriate ROHN product for specific applications. The information, drawings, etc. are not intended to be substituted for assembly drawings provided with a ROHN product. Dimensions and weights provided in this catalog are nominal. Refer to our website www.rohnnet.com for additional information and products. Due to continuous product improvement, all specifications and data are subject to change without notice or obligation. 2-2013 All Rights Reserved Copyright 2013

DOMESTIC SALES TERRITORIES



ORDERS ORIGINATING IN NORTHWESTERN UNITED STATES

Steve Larkin 309.566.3055 • steve.larkin@rohnnet.com

ORDERS ORIGINATING NORTHEASTERN UNITED STATES

Ken Cordrey 309.566.3054 • ken.cordrey@rohnnet.com

ORDERS ORIGINATING IN SOUTHWESTERN UNITED STATES

Bobby Tannery 309.566.3052• bobby.tannery@rohnnet.com

ORDERS ORIGINATING IN SOUTHEASTERN UNITED STATES

Mike Parrish 309.566.3056 • mike.parrish@rohnnet.com

INTERNATIONAL TELECOM & BROADCAST (Outside of U.S.)

Sabet Borairi 309.566.3053 • sabet.borairi@rohnnet.com

DOT/TRANSPORTATION & UTILITY/SPORTS LIGHTING

Jeff Arends 309.566.3004 • jeff.arends@rohnnet.com

NATIONWIDE CONSTRUCTION SERVICES

Ray Adams 309.566.3008 •ray.adams@rohnnet.com

DISTRIBUTOR SALES

Tim Rohn 309.566.3037 •tim.rohn@rohnnet.com

Company History	6
Industries We Serve	7-12
Understanding TIA-222 - Revision G	13-20



G-Series Towers 22-23 25G General Use & Features 24-25 Standard Designs (90mph 110mph 130mph) 26-36 Parts & Accessories 37-40 Grounding & Foundations 41-44 45G General Use & Features 46-47 Standard Designs (90mph 110mph 130mph) 48-62 Parts & Accessories 63-65 Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) 72-91 Parts & Accessories 92 Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) 102-114 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-13 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 114-142 Grounding & Foundations 147-149 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes	GUYED TOWERS	21-157
Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 41-44 45G General Use & Features Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 46-47 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) Parts & Accessories 92 Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155	G-Series Towers	22-23
Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 41-44 45G General Use & Features Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 66-69 Parts & Accessories Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155	25G General Use & Features	24-25
Parts & Accessories Grounding & Foundations 41-44 45G General Use & Features 46-47 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 92 Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features	•	26-36
Grounding & Foundations 41-44 45G General Use & Features 5tandard Designs (90mph 110mph 130mph) 48-62 Parts & Accessories Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) 72-91 Parts & Accessories Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) 102-114 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features		37-40
45G General Use & Features46-47Standard Designs (90mph 110mph 130mph)48-62Parts & Accessories63-65Grounding & Foundations66-6945GSR General Use & Features70-71Standard Designs (90mph 110mph 130mph)72-91Parts & Accessories92Grounding & Foundations93-9745GSR Meteorological Towers General Use & Features98-9955G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	Grounding & Foundations	41-44
Standard Designs (90mph 110mph 130mph) 48-62 Parts & Accessories 63-65 Grounding & Foundations 66-69 45GSR General Use & Features 70-71 Standard Designs (90mph 110mph 130mph) 72-91 Parts & Accessories 92 Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) 102-114 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155		46-47
Parts & Accessories63-65Grounding & Foundations66-6945GSR General Use & Features70-71Standard Designs (90mph 110mph 130mph)72-91Parts & Accessories92Grounding & Foundations93-9745GSR Meteorological Towers General Use & Features98-9955G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	•	48-62
45GSR General Use & Features Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features		63-65
45GSR General Use & Features70-71Standard Designs (90mph 110mph 130mph)72-91Parts & Accessories92Grounding & Foundations93-9745GSR Meteorological Towers General Use & Features98-9955G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	Grounding & Foundations	66-69
Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 93-97 45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 122-123 Standard Designs (90mph 110mph 130mph) Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features	•	70-71
Parts & Accessories92Grounding & Foundations93-9745GSR Meteorological Towers General Use & Features98-9955G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	•	72-91
45GSR Meteorological Towers General Use & Features 98-99 55G General Use & Features 100-101 Standard Designs (90mph 110mph 130mph) 102-114 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155		92
55G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	Grounding & Foundations	93-97
55G General Use & Features100-101Standard Designs (90mph 110mph 130mph)102-114Parts & Accessories115-116Grounding & Foundations117-12065G General Use & Features122-123Standard Designs (90mph 110mph 130mph)124-140Parts & Accessories141-142Grounding & Foundations143-146General Notes for G-Series Guyed Towers147G-Series Foundation General Notes147-149Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	45GSR Meteorological Towers General Use & Features	98-99
Standard Designs (90mph 110mph 130mph) 102-114 Parts & Accessories 115-116 Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 156-155	·	100-101
Grounding & Foundations 117-120 65G General Use & Features 122-123 Standard Designs (90mph 110mph 130mph) 124-140 Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 117-120	•	102-114
65G General Use & Features Standard Designs (90mph 110mph 130mph) Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details Assembly Bolt Installation 153 80 General Use & Features	Parts & Accessories	115-116
Standard Designs (90mph 110mph 130mph) Parts & Accessories Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers G-Series Foundation General Notes 147-149 Guy Arrangement Details Guy Connection Details Assembly Bolt Installation 153 80 General Use & Features	Grounding & Foundations	117-120
Parts & Accessories 141-142 Grounding & Foundations 143-146 General Notes for G-Series Guyed Towers 147 G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155	65G General Use & Features	122-123
Grounding & Foundations General Notes for G-Series Guyed Towers G-Series Foundation General Notes Guy Arrangement Details Guy Connection Details Assembly Bolt Installation 153 80 General Use & Features	Standard Designs (90mph 110mph 130mph)	124-140
General Notes for G-Series Guyed Towers G-Series Foundation General Notes Guy Arrangement Details Guy Connection Details Assembly Bolt Installation 153 80 General Use & Features	Parts & Accessories	141-142
G-Series Foundation General Notes 147-149 Guy Arrangement Details 150 Guy Connection Details 151-152 Assembly Bolt Installation 153 80 General Use & Features 154-155	Grounding & Foundations	143-146
Guy Arrangement Details150Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	General Notes for G-Series Guyed Towers	147
Guy Connection Details151-152Assembly Bolt Installation15380 General Use & Features154-155	G-Series Foundation General Notes	147-149
Assembly Bolt Installation 153 80 General Use & Features 154-155	Guy Arrangement Details	150
80 General Use & Features 154-155	Guy Connection Details	151-152
of General ose a readiles	Assembly Bolt Installation	153
90 General Use & Features 156-157	80 General Use & Features	154-155
	90 General Use & Features	156-157

BRACKETED TOWERS	159-163
G-Series Bracketed Towers General Use & Features	160
25G Bracketed Tower & Foundation	161
45G Bracketed Tower & Foundation	162
55G Bracketed Tower & Foundation	163
SELF-SUPPORTING TOWERS	165-201
G-Series Self-Supporting General Use & Features	166
G-Series Self-Supporting Loading Charts - No Ice [Rev F]	167
G-Series Self-Supporting Loading Charts - No Ice [Rev G]	168
Design Notes & Foundation Information	169-170
65G Camera Tower	172
Standard Foundation Details & Accessories	173
VG Camera Tower	174
Standard Foundation Details & Accessories	175
RSL General Use & Features	176
Ordering Info & Design Notes	177
Standard Designs (20' - 100')	178-183
Accessories	184-185
Grounding Information	185
Base Kits & Foundations	186
Optional Items	187
SSV Standard General Use & Features	188
Standard Loading Chart (90 MPH, 3/4" ICE)	189
Standard Loading Chart (100 MPH, 3/4" ICE)	190
SSV Heavy Duty General Use & Features	191-192
Heavy Duty Standard Loading Chart (90 MPH, 3/4" ICE)	193
Heavy Duty Standard Loading Chart (100 MPH, 3/4" ICE)	194
Heavy Duty Standard Loading Chart (110 MPH, 3/4" ICE)	194
SSV ANSI/TIA-222-G Standard Foundations	195
SSMW General Use & Features	196
Standard Section Detail	197
SSVSR General Use & Features	198
Standard Section Detail	199
RS General Use & Features	200
Standard Section Detail	201
TOWER & SITE ACCESSORIES	203-223
Side Arms	204
Leg Dish Mounts	205
Tie-Back Assemblies	206
Face Dish Mounts	207-208
Sector Mount	209

TABLE OF CONTENTS-

TOWER & SITE ACCESSORIES [continued]	203-223
Rotor Plate Assemblies	210
Safety Device & Safety Cable	211
Climbing Ladders	212
Waveguide Ladders	213-215
Waveguide Brackets	216-218
Waveguide Bridges	219-220
Pole Mounts	221-223
POLES	225-247
Direct Embed Poles General Use & Features	226
Standard Loading Charts	227-230
Accessories	231
Antenna Index	232
Pre-Engineered Utility Poles General Use & Features	233
Standard Loading Charts	234-239
Accessories	240
Utility Structure Information	242-243
Transportation Structure Information	244-245
Wind Turbine Structures	246-247
TELESCOPING MASTS	249-255
	250
General Description Mast Details	251
	252
H20 Typical Guy Layout	252
H30 Typical Guy Layout	253
H40 Typical Guy Layout	253
H50 Typical Guy Layout	254
9H50 Typical Guy Layout	255
Parts & Accessories	233
ROOF MOUNTS	257-279
Effective Wind Velocity Formula Sheet	258
FRM	259
JRM	260-262
	262 265
BRM4	263-265
BRM4 BRM6	266-269
BRM4 BRM6 NPPK	266-269 270
BRM4 BRM6 NPPK 25GBRM	266-269 270 271-272
BRM4 BRM6 NPPK 25GBRM AAGM	266-269 270 271-272 273-274
BRM4 BRM6 NPPK 25GBRM AAGM PRM6	266-269 270 271-272 273-274 275
BRM4 BRM6 NPPK 25GBRM AAGM	266-269 270 271-272 273-274

ROOF MOUNTS [continued]	257-279
SHRM	278
TRT	279
WALL MOUNTS	281-285
1LG	282
PWM	283
WM4 / WM212 / Extended Mounts	284
G-Series Wall Mounts	285
TOWER MODIFICATION MATERIAL	287-294
Guyed Towers	288-291
Self-Supporting Towers	292-293
Guy Anchor Selection Chart	294
GENERAL TOWER HARDWARE	295-308
Nuts, Bolts & Washers	296-301
Guy Material	300-303
Grounding	304
Steel Tubing & Mounting Pipe	305-306
Miscellaneous	307
TOWER LIGHTING GUIDELINES	309-314
Style "A"	310
Style "B"	311
Style "C"	312
Style "D" / Style "E"	313
Style "F"	314
INFORMATION	315-323
Construction Services	316
Considerations, Recommendations & Safety Information	317
Erection	318
Recommendations for Communication Tower Specifications	319
	319
Guidelines for Preparing a Geotechnical Report	320

HISTORY



Founded in 1948, in Peoria, Illinois by Dwight Rohn, the ROHN product quickly became the industry standard for towers. The need for ROHN structures grew out of the television industry and a need for homeowners to have small towers adjacent to their homes to enable signal reception. The demand grew quickly and the company's knowledge and capacity were forced to grow with it. Soon television reception towers grew into radio towers, microwave towers, lighting structures and more. When the cellular technology exploded in the U.S., ROHN was there to provide the towers to support the rapid growth. This growth was not just in markets but in geographies.



By 1980, ROHN had structures standing on every continent and in nearly every country on the globe. We continue to supply towers and poles to all of the communication giants and regional carriers. We support utilities and transportation in all of North America. We have wind turbine towers and meteorological towers across the globe. For over 60 years, our products have endured and our name continues to be recognized around the world as the industry standard.












BROADCAST SOLUTIONS

in a much wider geographic area.



When Americans turned on their first television sets, ROHN was there to improve fuzzy reception with our home antenna tower. During the 40's and 50's, a ROHN TV tower installed on a rooftop or in a backyard meant that family's TV reception was the best on the block, even if the picture was only black and white and the screen just 12 inches wide.

ROHN's business serves the broadcast side of TV as well. With the advent



ROHN towers are some of the tallest structures in the world, and we build each tower in accordance with our exacting standards for quality, performance and structural integrity. Our tall towers are helping change the way the world receives and views television signals. This innovation is nothing new for ROHN. Back in 1948 when we started our business, we were on the forefront of the television age. Today, we stand ready to serve the next wave of television broadcasting.



WIRELESS SOLUTIONS



ROHN has been supplying towers to the wireless industry since the industry was born. Whether the application is microwave, cellular, PCS or broadband, we have the towers in service supporting wireless communications.

When the first microwave towers were constructed in the United States, ROHN was the quality supplier of choice. We designed and fabricated to the most stringent standards for wind, ice and dish twist and sway requirements.

As the communication system progressed to cellular, then PCS, ROHN was again leading the market with our ROHN SSV towers serving as the industry preference for wireless sites.

ROHN continues to support wireless communication from microwave to broadband communications. Our structures are still the leaders in the industry.



ROHN also offers a variety of steel poles to meet your specific communication needs. Our tapered and flanged steel poles feature designs that are aesthetically pleasing and blend well into the environment while requiring minimum space for installation. All of our steel poles are hot-dip galvanized after fabrication to ensure years of corrosion free use. As one of the largest manufacturers of communication structures, with unmatched attention to detail and design, our steel poles provide an extremely efficient design. ROHN's steel poles meet the stringent demands of today's communication environment.



SPORTS LIGHTING SOLUTIONS



Whatever your application - from little league baseball to a major league sports stadium, ROHN has a steel pole to do the job. Poles are available with the traditional anchor base or for direct embedment. ROHN's engineering staff will select the proper pole based on your specific requirements, considering wind speed, luminaire size, weight and quantity.

For decades, ROHN has supplied sports lighting structures. ROHN towers support lights for the Anaheim Angels professional baseball team, the University of Illinois football team and the Peoria Chiefs, the local minor league baseball team near our plant location in Peoria, IL.




All poles and towers are hot-dip galvanized and our direct embed poles can be purchased with an extra subsurface corrosion resistant coating.



TRANSPORTATION SOLUTIONS



ROHN has been a trusted name in quality-engineered structures since 1948. We have the people, equipment and experience to provide the materials you need for your transportation structure projects. ROHN Mast Arms, Monotube Assemblies, Steel Strain Poles and Sign Structures are designed and manufactured to AASHTO standards. Our products can be supplied galvanized, painted over galvanizing or factory finished powder coated. We are dedicated to delivering quality products, on time at a competitive price; whether it is a single pole or multiple pole project.





ROHN uses specialized engineering software coupled with ROHN developed software for the design of tubular structures and foundations. This allows ROHN to optimize pole designs based on customer requirements, manufacturing efficiencies and material availability. Preliminary calculation packages are sent to our customers for review with bid packages.



UTILITY SOLUTIONS







ROHN can optimize pole designs based on customer requirements, manufacturing efficiencies and material availability. Preliminary calculation packages are sent to our customers for review and approval prior to manufacturing. Fabrication and erection drawings are produced in AutoCAD and accompany the structures we produce. Our commitment to the utility industry is to provide the highest quality products with the shortest lead time.

ROHN uses Power Line Systems software coupled with ROHN developed software for the design of tubular structures and foundations. This allows us to optimize the pole designs based on customer requirements.

ROHN's state of the art equipment and facility allows us to fabricate the most difficult projects with the accuracy and reliability that you deserve. After the pole shafts have been formed on our press brake, they pass through ROHN's custom built seam welder. The shafts are then completed in one of our numerous fit-up and weld-out stations. Automation also plays a key role in the manufacturing process for latticed towers with our CNC plate processors, machining center, anglematics and beam lines that can process angle up to 8" x 8" x 1 1/4".

ROHN's Quality Assurance/Quality Control program begins when the material is received at our plant, ensuring that all material meets the designated specifications. Components are inspected and verified throughout the manufacturing process to ensure that they are within the engineering and manufacturing tolerances. All full penetration base plate and seam welds are verified with Ultrasonic Testing performed in-house by our own certified inspectors.

Because of ROHN's commitment to customer service, the Inside Sales Manager assigned to your project will work closely with you to assure your order is designed and built to the highest standards and delivered just as you ordered it. We understand the importance of on-time delivery and constantly strive to exceed your expectations. Our plant is centrally located in Peoria, Illinois, which allows for competitive freight costs.

WIND ENERGY SOLUTIONS

minimum space for installation.



ROHN has extensive experience in manufacturing meteorological and turbine support structures for wind energy applications. Whatever the requirement, poles, towers or guyed masts, we have used our products to support this industry.

Our structures are used to support wind turbines ranging up to 50 kW. ROHN structures are hot-dip galvanized where the components are totally immersed in molten zinc, inside and out, to ensure years of corrosion protection. Our steel pole designs are aesthetically pleasing, while requiring



To ensure that ROHN meets the demand of today's wind energy customer, our steel poles offer extremely efficient designs and unmatched attention to detail. For over 60 years, ROHN has manufactured support structures with great care and design excellence.



UNDERSTANDING TIA-222 - REVISION G





UNDERSTANDING TIA-222 - REVISION G

What is Rev G?

Rev G is the latest revision of the TIA-222 Standard "Structural Standards for Antenna Supporting Structures and Antennas". The previous version of the Standard was Rev F. Rev G is based on a 3-second gust wind speed and Rev F is based on a fastest-mile wind speeds are not directly comparable and it is very important to define the basis of a wind speed when specifying wind loading requirements. For a given location, the 3-second gust wind speed represents the peak gust wind speed whereas the fastest-mile wind speed represents the average wind speed over the time required for one mile of wind to pass the site.

Rev G presents additional factors to be considered in the design of new structures and for the modification of existing structures. These factors are briefly discussed below. The reliability requirements of a structure can now be accounted for by assigning a classification to a structure (Class I, II or III). The wind speed can also be adjusted based on the type of terrain surrounding the site (Exposure B, C or D) and if the site is located on a hill, ridge or escarpment (Topographic Category 1-5).

Many tower profiles in this catalog now include antenna loading capacities for both Exposure B and Exposure C terrain conditions located on relatively flat sites (Topographic Category 1). Antenna loading capacities in accordance with Rev F are also provided for many tower profiles in the catalog. Please refer to the design notes in the catalog for each tower model series for further explanations. The Class of structure is stated in the design notes. Conditions other than stated may require a different tower profile than illustrated in this catalog. Quotes may be obtained for a specific application by contacting your ROHN representative.

Classification of Structures

Allows for the adjustment of wind, ice and earthquake loading to match the reliability requirements for a specific application. Three reliability classes have been established based on the type of service provided and on the structure's potential hazard to human life and property. Wind, ice and earthquake loading progressively increase from Class I to Class III structures.

Class I: Structures used for services where a delay in returning the service would be acceptable and the structure represents a low hazard to human life and/or property. Example services would be: residential wireless and conventional 2-way radio communications; television, radio and scanner reception; wireless cable, amateur and CB radio communications. Structures of this classification are exempt from ice and earthquake loading.

Class II: Structures used for services that may be provided by other means or structures that represent a significant hazard to human life and/or property. Example services would be: commercial wireless communications; television and radio broadcasting; cellular, PCS, CATV and microwave communications.

Class III: Structures specifically designed for essential communications or structures that represent a substantial hazard to human life and/or property. Examples of essential communications would be: civil or national defense; emergency, rescue or disaster operations; military and navigational facilities.

What is EPA?

EPA stands for Effective Projected Area. It is a standard way to define the "size" of an antenna regarding wind loading. Many antenna manufacturers provide data sheets that specify the EPA of their antennas. The TIA standard also defines a method to calculate the EPA of an antenna based on the size and type of the antenna components.

Generally, the EPA of an antenna, mount or accessory is equal to the summation of the projected areas of its components times appropriate drag factors defined in the TIA Standard. The EPA values listed in this catalog for standard tower designs represents the maximum EPA that may be supported unless otherwise indicated.



UNDERSTANDING TIA-222 - REVISION G

What is Exposure?

Exposure categories are used to adjust wind loading based on the type of terrain surrounding a site. Reduced wind loads are associated with rougher terrains that tend to slow the wind down. Three exposure categories have been defined based on terrain roughness. Wind loading is increased as the exposure designation changes from Exposure B (roughest terrain) to Exposure D (smoothest terrain).

Exposure B: Urban, suburban or wooded areas. The wind load at ground level is reduced compared to Exposure C. This reduction diminishes with height, making the overall wind reduction less significant for taller structures. In order to qualify for the wind load reduction, the rough terrain must extend in all directions from the site at least twenty times the height of the structure, but not less than one-half mile.

Exposure C: Flat, open country and grasslands.

Exposure D: Flat, unobstructed shorelines exposed to wind flowing over open water, smooth mud flats, salt flats and other similar terrain. The wind load at ground level is increased compared to Exposure C.

Topographic Categories

Topographic categories are used to determine increases in wind loading for sites located on hills and other elevated locations (other than buildings). The shape and relative height (topography) of an elevated site determines the increase in wind load. Although many elevated sites have their own unique features, the intent is to idealize these sites into one of the standard topography categories described below.

The height of an elevated site above the surrounding terrain must be specified in order to determine the increase in wind loading. Height should not be confused with the elevation of the site. As described below, elevations of the site and the surrounding terrain must be used to determine the relative height of a site. For structures supported on buildings, it is only necessary to specify the height of the building and the surrounding exposure category.

Category 1: Flat or rolling terrain with no abrupt changes in general topography. No increase in wind loading is required for this category.

Category 2: Sites separated from a lower elevation by a gently sloping terrain (escarpment). Wind loads at the crest are 2.0 times the wind loads for a flat site and diminish with height depending on the height of the escarpment.

Height for an escarpment is the difference in elevation between the upper and lower levels. Increased wind loads do not apply for structures located in the lower half of the sloping terrain or located beyond 16 times the escarpment's height from the crest.

Category 3: Sites located at the top or within the upper half of a hill. Wind loads at the top of a hill are 2.3 times the wind loads for a flat site and diminish with height depending on the relative height of the hill.


Height for a hill is the difference in elevation between the top and bottom of the hill. For sites surrounded by other hills, height is the difference in the hill elevation at the site and the average elevation of the surrounding hills (within a 2-mile radius). In other words, height is the projection of the hill exposed to wind. When there are other hills surrounding the site, increased wind loads do not apply unless the height of the hill at the tower site is at least 2 times the average height of the surrounding hills. (Refer to sketch above.)

Topographic Categories continued on next page.





UNDERSTANDING TIA-222 - REVISION G



H = 2,150' - 1,550' = 600'


Wind speed-up must be considered when H exceeds 2 times the average height of surrounding features.

Category 4: Sites located on a ridge. Wind loads at the top of a ridge are 3 times the wind loads for a flat site and diminish with height depending on the height of the ridge.

Height for a ridge is the difference between the top and bottom elevations of the ridge.

Category 5: This category is reserved for sites where site-specific investigations are performed to determine wind loading. A site-specific investigation may result in either higher or lower wind loads compared to using one of the standard topographic categories.

REV G 3-SECOND BASIC WIND SPEED MAP



Notes:

- 1. Values are 3-second gust wind speeds in miles per hour (m/s) at 33 ft. (10 m) above ground for Exposure C terrain.
- 2. Linear interpolation between wind contours is permitted.
- 3. Islands and coastal areas outside last contour must use the last wind speed contour of the coastal area.
- 4. Mountainous terrain, gorges, ocean promontories, and special wind regions must be examined for unusual wind conditions.

The basic wind speed map is being used with permission from ASCE. This material may be used for personal use only.

Any other use requires prior permission of the American Society of Civil Engineers.

REV G WIND SPEEDS

The TIA-222-G Standard is based on the wind map published in the ASCE 7-02 Standard, "Minimum Design Loads for Buildings and Other Standards". The ASCE 7 standard is published by the American Society of Civil Engineers (ASCE) and represents the latest research and data available for wind speeds in the United States.

Subsequent to the release of the TIA-222-G Standard, ASCE has published 2 revisions to the ASCE-7 Standard. The first revision was published in 2005 and is designated as ASCE 7-05. There were no changes to the wind map. The second revision was published in 2010 and is designated as ASCE 7-10. There are changes to the wind map in this version.

The previous versions of ASCE 7 used a 50-year return wind speed map and relied on additional design factors to increase wind loads according to the reliability requirements of a structure. This resulted in structures being able to survive wind speeds of much higher return periods. The new wind maps in ASCE 7 -10 now include these design factors and now represent a much higher return period wind speed. A wind map is provided for each classification of structure. No additional factors have to be considered based on the classification of a structure when these wind speeds are used to calculate wind loads. The new maps can be thought of as "Factored" wind speeds, or in other words, wind speeds for which permanent deformation may occur in a structure, but the structure does not collapse.

The new ASCE 7-10 factored wind speeds can be easily converted for use with the TIA-222-G Standard using the following conversion table. If the conversion is not made, the design factors for determining wind loads will be "doubled up" resulting in much higher wind loads than intended. Eventually the TIA Standard and other similar structural standards will be upgraded to reflect the new ASCE 7-10 wind maps. Conversions for fastest-mile wind speeds used in Rev F and ASCE 7-93 are also included in the table.

Design Wind Speed Conversions, MPH

Rev F ASCE 7-93 (fastest-mile)	Rev G ASCE 7-02 & ASCE 7-05 (3-second gust)	Factored ASCE 7-10 (3-second gust)
71	85	110
76	90	115
85	100	126
90	105	133
95	110	139
104	120	152
114	130	164
123	140	177
128	145	183
133	150	190
152	170	215

Examples to determine appropriate Rev G design criteria:

- 1. Desire a 95 mph Rev F fastest-mile design. Use a 110 mph Rev G design.
- 2. Desire a 115 mph ASCE 7-10 design. Use a 90 mph Rev G design.



REV G GROUNDING REQUIREMENT FOR STRUCTURES

Rev G made significant changes regarding the grounding requirements for structures. A prescriptive approach to grounding was used in Rev F where providing specific grounding leads and ground rods were considered adequate to protect a structure. Rev G adopted a performance specification approach that requires providing a grounding system that will result in a maximum 10 ohm resistance to earth. Rev G also requires minimum ground lead and ground rod sizes that are greater than the Rev F prescriptive requirements.

Another change is that Rev G does not require specific grounding materials. Rev F required the use of galvanized ground rods with tinned copper leads. Rev G only requires that the leads and connections be compatible with the ground rods from a corrosion standpoint (i.e. minimize difference between metals connected).

Rev G does provide default grounding arrangements for various types of structures that are intended to meet the 10 ohm requirement for a wide variety of soil conditions. In accordance with Rev G, the actual resistance of a default grounding system must be verified based on site conditions. Additional ground rods or special grounding systems may be required.

It should be noted that the TIA-222 grounding requirements are meant to protect the structure and foundation from high fault currents. Other grounding requirements are often needed for the protection of antennas, radio equipment and other appurtenances.

REV G STANDARD FOUNDATIONS

Rev G has taken a different approach from Rev F regarding standard foundations and the term "Normal Soil" has been eliminated. A new term "Presumptive Soil" has been introduced. Rev G provides for two different types of presumptive soil, sand and clay. Generally the strength of Rev G presumptive soil is lower than the strength of Rev F normal soil.

The intent is to provide default design parameters that can be used to design foundations when a geotechnical report is not available for a site. In accordance with Rev G, clay is to be considered the default presumptive soil unless more information is known about a site. The values for clay presumptive soil have therefore been used for the generation of the standard foundations contained in this catalog.

It should be noted that in accordance with Rev G, actual site conditions must be investigated prior to the installation of a foundation that was designed using presumptive soil parameters. Modifications to the standard foundations contained in this catalog may be required. It should also be noted that Rev G requires a geotechnical investigation for all Class III structures.

One common cause for changes to a standard foundation is due to frost depth. The frost depth for Rev G presumptive soil is considered to be 3.5 feet. The standard foundations in this catalog are based on this frost depth. Special foundations may be required for sites in locations where frost depths exceed 3.5 feet and the local soil conditions are susceptible to frost heave.

Presumptive soil also assumes that the water table is below the foundation depth. For this condition, there is no concern for buoyant conditions that can significantly reduce the uplift capacity of a foundation. The standard foundations in this catalog are based on dry soil conditions and do not consider buoyant conditions. Special foundations may be required for sites where the water table may rise above the base elevation of the foundation.

In accordance with Rev G, presumptive soils are also considered to be non-corrosive. When local soil conditions are corrosive, anchors or direct embedded poles that are in direct soil contact may require corrosion protection in addition to hot dip galvanizing. Rev G provides guidance on various alternatives to consider in these situations.

Presumptive soils are also considered to be non-expansive. Locations known to have expansive soil require special considerations for foundation design. Modifications to the standard foundations in this catalog may be required in these cases.





REV G CLIMBING FACILITIES

Rev G has made significant additions addressing climber safety. Two classifications of climbers have been defined. An Authorized Climber (also called a Basic Climber) is an individual trained in climbing but may not have had previous climbing experience. These climbers are intended to be limited to climbing fixed access routes equipped with safety climb devices. A Competent Climber (also called a Skilled Climber) is a professional who is capable of climbing on structural members.

Rev G provides requirements for climbing facilities by defining two classes of climbing facilities, Class A and Class B. Class B requirements are similar to Rev F requirements and are intended for structures to be climbed by professional Competent Climbers. Class A requirements are more restrictive in comparison to Rev F and are intended for structures expected to be climbed by lesser qualified (Basic) climbers. In accordance with Rev G, Class B is considered to be the default climbing facility requirement for structures unless otherwise specified. Towers can be quoted to accomodate Class A climbing facilities when specified. All ROHN standard structures are intended to be climbed by Competent Climbers only.

Safety climb systems are now mandatory in accordance with Rev G for structures exceeding 10 feet in height that are intended to be climbed. Some structures are intended to be maintained by bucket trucks or other methods that do not involve climbing the structure. Safety climb systems, when required, must be ordered separately for all ROHN standard structures in this catalog.

GUYED TOWERS



G-SERIES TOWERS

ROHN began manufacturing the G-Series line of towers in the early 1950's. Starting with the ROHN No. 5 tower, there was an ever present drive for a superior tower design. The No. 5 soon led to the ROHN No. 6 and continued through the No.10, 11, 20, 25, 30, 40 and 50 towers. ROHN originally coated the lightweight towers with a hot-dipped enamel coating called RohnKote. The alternative to RohnKote was hot-dipped galvanizing. The galvanized option was identified by the now famous "G" suffix added to the tower model. The G-Series was born! The numbers have settled to the four models listed below and hot-dip galvanizing is the coating of choice for towers today.

ROHN's G-Series towers are designed for strength and versatility. The towers are constructed with high strength steel tubing or solid round legs. ROHN's exclusive Zig-Zag solid-rod bracing provides exceptional strength. As they were in the 1950's, each ROHN G-Series tower continues to be hot-dip galvanized for corrosion protection.

25G | 45G | 55G | 65G

The 25G is a light weight tubular tower with solid braces. The tower sections are most often guyed, but can also be used in bracketed and self-supporting applications. Standard sections are 10' in length, but are also available in a 7' length, which is UPS shippable. This tower model has several top options, as well as a variety of tower accessories. The 25G has several base options, including: base cast in concrete, base plate with anchor bolts and also a hinged base.



Guyed: Up to 190' Bracketed: Up to 100' Self-Supporting: Up to 40'



25G | **45**G | 55G | 65G


The 45G is a light weight tower, available with tubular or solid round legs with solid braces. The tower sections are most often guyed, but can also be used in bracketed and self-supporting applications. Standard sections are 10' in length, but are also available in a 20' length when ordering solid sections. This tower model has several top options, as well as a variety of tower accessories. The 45G has several base options, including: base cast in concrete, base plate with anchor bolts and also a hinged base. This tower is a true multi-use structure.

Standard Design Tower Heights

Guyed: Up to 300' [45G] and 350' [45GSR] Bracketed: Up to 100' Self-Supporting: Up to 45'

25G | 45G | 55G | 65G

The 55G is a tubular tower with solid braces that lends itself to a wide variety of uses, particularly where unusual wind loading and height requirements exist. The 55G was designed to provide excellent strength and rigidity. The tower sections are most often guyed, but can also be used in bracketed and self-supporting applications. Standard sections are 10' in length. This tower model has several top options, as well as a variety of tower accessories. The 55G is available with a base cast in concrete as well as a tapered base option.



Guyed: Up to 400' Bracketed: Up to 100' Self-Supporting: Up to 60'



25G | 45G | 55G | 6**5**G

The 65G is available with tubular or solid round legs with solid braces. The tower sections are most often guyed, but can also be used in self-supporting applications. Standard sections are 10' and 20' in length. This tower model has a variety of tower accessories, and is available with a base cast in concrete or a tapered base.

Standard Design Tower Heights

Guyed: Up to 500'

Self-Supporting: Up to 80'

The ROHN G-Series towers are assembled and installed quickly and are diverse enough for use by broadcasters, fire and police, military, ham and home use. The possibilities are endless with the G-Series towers. Over the long history of the G-Series, ROHN has developed a variety of options to improve the utility of each model. The G-Series has optional:

- Standard and Shortened Sections
- Guy Lug Sections
- Four Leg (Square) Design of 25G
- Double Braced Sections

- Double Braced Sections
- Torque Arms
- Roof Mounts
- Top Mounts

- House Brackets
- Base Options
- Side Arms



STANDARD 25G GUYED TOWER





25G



The 25G is available in the standard 10' section length and a 7' length which is UPS shippable. The 25G uses double bolted joints, proven to be the best method of joining tower sections for sturdiness and dependability. As a guyed structure, the 25G standard designs rise to a height of 190'.

FEATURES

- Completely hot-dip galvanized after fabrication
- Built on an 11 1/4" equilateral triangle design
- High strength tubular legs joined by Zig-Zag[®] cross members
- Each 7' or 10' section contains all required nuts and bolts shipped with section
- Continuous solid round steel bracing


CAUTION

Mixing copies of ROHN towers with ROHN towers is dangerous and voids all engineering and warranty data supplied by ROHN. Materials used by others are not the same quality and have not been tested or engineered by ROHN. Mixing ROHN tower sections with non-ROHN products may cause tower failure or injury.

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 40 for ordering information.





STANDARD 25G GUYED TOWER **SECTIONS**



QUICK REFERENCE


PARTS & ACCESSORIES PAGES 37-40 GROUNDING INFORMATION PAGE 41 FOUNDATION INFORMATION PAGES 41-44





STANDARD TOP SECTION 25AG2

Additional 25G top sections are shown on page 37.



CONCRETE BASE PLATE

BPC25G*

FOR USE WITH 3/4X12PP PIER PIN EMBEDDED IN CONCRETE.

Additional base sections are available, please see page 38.

OPTIONAL 7' SECTION 25G7 - 7' Section

STANDARD SECTION

25G - 10' Section


The 7' Section is UPS shippable.

^{*} Towers mounted on these bases must be bracketed or guyed at all times. Temporary steel guying may also be necessary during installation and dismantling.

BUYERS GUIDE STANDARD DESIGNS - 25G 90MPH REV. G [3-SECOND GUST]

70MPH REV. F [FASTEST MILE]

Design Criteria



This document is to serve as a guide for sizing and purchasing the 25G tower. Tower and foundation installations should be performed by qualified and experienced personnel using assembly drawings provided with each tower.

DESIGN NOTES:

- 1. Tower designs are in accordance with ANSI/TIA-222-F and ANSI/TIA-222-G, Class I Structures, Topographic Category 1.
- 2. Design assumes towers are installed on level ground. Lower EPA values will apply for roof mounted towers or for sites located on unusual terrain.
- 3. Designs assume two 1/2" diameter lines on each tower face.
- 4. Anchor radius is from tower base to intersection of anchor rod with ground.
- 5. Guy chord lengths shown are based on level ground. Initial tensions for guys are shown in () in pounds at 60° Fahrenheit.
- 6. Antenna and mounts are assumed symmetrically placed at the tower top.


PARTS LIST NOTES:

- 1. Items listed are required for complete guyed towers.
- 2. Base and anchor foundations listed refer to standard foundation designations.
- 3. Guys provided with each standard tower are based on level ground conditions with an additional 6% length.
- 4. Rev G anchor grounding (AGK1GGX) and base grounding (BGK3GGX) are included with the tower material.
- 5. Assembly drawings and a safety package (P/N: ACWS) are included with each tower.
- 6. Parts lists are subject to change based on availability or revised design criteria.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 41-44. FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.








	050	05400	DDOOLO	GA25GD	FDNS	
TOWER PARTS	25G	25AG2 BPC25G	GAZSGD	BASE ANCHOR		
INCLUDED	3	1	1	1	CB1G AB2	
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
INCLUDED	175'	6	6	3	3	
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP	
INCLUDED	3	1	3	3	1	

40' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R040



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	4	1	1	2	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	350'	12	12	6	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

50' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R050



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD		ONS ANCHOR
	5	1	1	2	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
INCLUDED	425'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP
GROUNDING INCLUDED	3	1	3	3		1

60' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R060



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	6	1	1	2	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	500'	12	12	6	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

70'	ROHN	25G
-----	-------------	-----

All parts shown in table are included when ordering Part No: 25G90R070




TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	7	1	1	3	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	800'	18	18	9	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

80' ROHN 25G

All parts shown in table are included when ordering Part No: 25G90R080






TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD		ONS ANCHOR	
	8	1	1	3	CB1G	AB2	
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSA	TBSAFETY	
CONNECTIONS INCLUDED	900'	18	18	9		3	
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	3/4x12PP	
GROUNDING INCLUDED	3	1	3	3		1	

90' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R090



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD		DNS ANCHOR
	9	1	1	3	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
INCLUDED	1000'	18	18	9		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP
GROUNDING INCLUDED	3	1	3	3		1

100' ROHN 25G


All parts shown in table are included when ordering Part No: 2590R100



	TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
		10	1	1	3	CB1G AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
	CONNECTIONS INCLUDED	1100'	18	18	9	3
		GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
	GROUNDING INCLUDED	3	1	3	3	1

110' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R110



		25G	25AG2	BPC25G	(= Δ 7 5 (= 1)		DNS
TC	WER PARTS	200	20/102	DI 0230	UA230D	BASE	ANCHOR
INCLUDED	11	1	1	4	CB1G	AB2	
00	GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
	INCLUDED	1575'	24	24	12		3
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
_		3	1	3	3		1

12	20'	RO	HN	25G	
----	-----	----	----	-----	--

All parts shown in table are included when ordering Part No: 25G90R120




		050	05400	DDCCC	040500	FI	FDNS		
	TOWER PARTS	25G	25AG2	BPC25G	25G GA25GD		ANCHOR		
	INCLUDED	12	1	1	4	CB1G	AB2		
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSA	AFETY		
	CONNECTIONS INCLUDED	1700'	24	24	12		3		
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP		
		3	1	3	3		1		

130' ROHN 25G

All parts shown in table are included when ordering Part No: 25G90R130






TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR	
INCLUDED	13	1	1	4	CB1G AB2	
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
CONNECTIONS INCLUDED	1825'	24	24	12	3	
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP	
GROUNDING INCLUDED	3	1	3	3	1	

140' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R140



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	14	1	1	5	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	2425'	30	30	15	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

150' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R150



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
	15	1	1	5	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	2600'	30	30	15	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

160' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R160



TOWER PARTS	25G	25AG2	BPC25G	GA25GD		D <mark>NS</mark> ANCHOR
INCLUDED	16	1	1	5	CB1G	AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSA	FETY
CONNECTIONS INCLUDED	2750'	30	30	15		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP
GROUNDING INCLUDED	3	1	3	3		1

170'	ROHN	25G
------	-------------	-----

All parts shown in table are included when ordering Part No: 25G90R170




		250	05400	BPC25G	GA25GD	F	DNS
	TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GAZSGD	BASE	ANCHOR
		17	1	1	5	CB1G	AB2
	GUYS & CONNECTIONS INCLUDED	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
		2925'	30	30	15		3
	ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4>	(12PP
	INCLUDED	3	1	3	3		1

180' ROHN 25G

All parts shown in table are included when ordering Part No: 25G90R180






	TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
	INCLUDED	18	1	1	5	CB1G AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
	CONNECTIONS INCLUDED	3075'	30	30	15	3
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
		3	1	3	3	1

190' ROHN 25G


All parts shown in table are included when ordering Part No: 25G90R190



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	3	1	1	1 1	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	175'	6	6	3	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

40' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R040



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
	4	1	1	2	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	350'	12	12	6	3
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
	3	1	3	3	1

50' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R050



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHO
	5	1	1	2	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	425'	12	12	6	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

60' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R060



TOWER PARTS	25G	25AG2	BPC25G	GA25GD		DNS ANCHOR
INCLUDED	6	1	1	2	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
INCLUDED	500'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP
GROUNDING INCLUDED	3	1	3	3		1

70' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R070




TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
	7	1	1	3	CB1G AB2
GUYS & CONNECTIONS	3/16 EHS	BG2142	5/16 THH	1/2TBE&J	TBSAFETY
INCLUDED	800'	18	18	9	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

80' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R080






TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	8	1	1	3	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	900'	18	18	9	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

90' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R090



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
	9	1	1	3	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	1000'	18	18	9	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

100' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R100



	25G	25AG2	BPC25G	GA25GD	F[DNS
TOWER PARTS	230	23G 23AG2 BFC2	BFC23G	GAZJGD	BASE	ANCHOR
INCLUDED	10	1	1	3	CB1G	AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
CONNECTIONS INCLUDED	1100'	18	18	9		3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4>	(12PP
GROUNDING INCLUDED	3	1	3	3		1

110' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R110



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHOR
INCLUDED	11	1	1	4	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	1575'	24	24	12	3
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
	3	1	3	3	1

120' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R120


	130' TOWER								
9.3 OR 7.5									
23	10.2								
93′	163' _3/16" EHS								
	140′ (399#)								
62′	121′								
	\X\								
31′	109'								
	104'								
F	P/N: 25G110R130								

	25G	05400	BPC25G	GA25GD	FDNS	
TOWER PAR	TOWER PARTS	25G 25AG	25AG2	BPC23G	GAZSGD	BASE ANCHOR
INCLUDED	12	1	1	4	CB1G AB2	
GUYS & CONNECTION	VIC.	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED		1700'	24	24	12	3
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
		3	1	3	3	1

130' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R130






TOWER PARTS INCLUDED	050	05400	BPC25G	GA25GD	FDNS	
	25G	25AG2			BASE ANCHOR	
	13	1	1	4	CB1G AB2	
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
INCLUDED	1825'	24	24	12	3	
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP	
GROUNDING INCLUDED	3	1	3	3	1	

140' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R140



TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	FDN BASE AN	
	14	1	1	5	CB1G	AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
CONNECTIONS INCLUDED	2425'	30	30	15	3	
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x1	2PP
GROUNDING INCLUDED	3	1	3	3	1	

150' ROHN 25G


All parts shown in table are included when ordering Part No: 25G110R150



	TOWER PARTS	25G	25AG2	BPC25G	GA25GD		ONS ANCHOR
	INCLUDED	15	1	1	5	CB1G	AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
	CONNECTIONS INCLUDED	2600'	30	30	15	3	
		GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	<12PP
	GROUNDING INCLUDED	3	1	3	3		1

160' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R160



	TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	BASE	INNE
		16	1	1	6	CB2G	AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFET	
	CONNECTIONS INCLUDED	2800'	36	36	18	6	
		GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x1	2PP
	GROUNDING INCLUDED	6	2	3	6	1	

170' ROHN 25G

OUTER ANCHOR

AB2

OUTER ANCHOR AB2

All parts shown in table are included when ordering Part No: 25G110R170


_							
1	180' TOWER						
L	← 8.6 OR 7.0						
176′	9.6						
145′	227′						
116′	204' / 3/16" EHS (399#)						
87′	185'						
58′	77						
29′	58'4						
$ \bot $	50′ 144′						
F	P/N: 25G110R180						

	TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	BASE	INNER
		17	1	1	6	CB2G	AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFET	
	CONNECTIONS INCLUDED	2925'	36	36	18	6	
	ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x ²	12PP
	INCLUDED	6	2	3	6	1	

180' ROHN 25G

All parts shown in table are included when ordering Part No: 25G110R180






TOWER PARTS INCLUDED	25G	25AG2	BPC25G	GA25GD	BASE	INNER ANCHO
	18	1	1	6	CB2G	AB2
GUYS & CONNECTIONS INCLUDED	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
	3100'	36	36	18	6	
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x1	12PP
GROUNDING INCLUDED	6	2	3	6		1

190' ROHN 25G All parts shown in table are included when ordering Part No: 25G110R190

OUTER ANCHOR

AB2






TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANC	HOR
INCLUDED	3	1	1	1	CB1G AE	32
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFE	TY
CONNECTIONS INCLUDED	175'	6	6	3	3	
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12F	PP
	3	1	3	3	1	

40' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R040



TOWER PARTS	25G	25AG2	BPC25G	GA25GD		DNS ANCHOR
INCLUDED	4	1	1	2	CB1G	AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
CONNECTIONS INCLUDED	350'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
GROUNDING INCLUDED	3	1	3	3		1

50' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R050



TOWER PARTS	25G	25AG2	BPC25G	GA25GD		DNS ANCHOR
INCLUDED	5	1	1	2	CB1G	
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
INCLUDED	425'	12	12	6		3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
GROUNDING INCLUDED	3	1	3	3		1

60' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R060



TOWER PARTS	25G	25AG2	BPC25G	GA25GD	FDNS BASE ANCHO
INCLUDED	6	1	1	2	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	500'	12	12	6	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

70' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R070



	050	05400	DDOOLO	040500	FI	DNS
TOWER PARTS	25G	25AG2	BPC25G	GA25GD	BASE	ANCHOR
INCLUDED	7	1	1	3	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
INCLUDED	800'	18	18	9		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
GROUNDING INCLUDED	3	1	3	3		1

80' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R080



TOWER PARTS	25G	25AG2	BPC25G	GA25GD		ONS ANCHOR
INCLUDED	8	1	1	3	CB1G	
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
CONNECTIONS INCLUDED	900'	18	18	9		3
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
	3	1	3	3		1

90' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R090




	TOWER PARTS	25G	25AG2	BPC25G	GA25GD		DNS ANCHOR
	INCLUDED	9	1	1	3	CB1G	AB2
	GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
	CONNECTIONS INCLUDED	1000'	18	18	9		3
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
		3	1	3	3		1


100' ROHN 25G


All parts shown in table are included when ordering Part No: 25G130R100







25AG1







TOP SECTION 25AG4 TOP PLATE HOLE PATTERN IS THE SAME AS BPL25G.




TOP SECTION 25AG5




BPL25G

LONG LEGS PROVIDE EXTRA CLEARANCE
FOR INSTALLATION OF EQUIPMENT.
BOLTS TO TOP OF STANDARD SECTION.
HOLE PATTERN FITS TB3 (2" O.D.) AND TB4
(3" O.D.) THRUST BEARINGS.

BEARING PLATE




TOP PLATE
APL25G
FOR MOUNTING BEACON
OR LIGHTNING ROD.




TOP MOUNT

25TDMKD - NO MAST
25TDM2S3KD - 2 3/8" O.D. MAST
25TDM25S3KD - 2 7/8" O.D. MAST
25TDM3S3KD - 3 1/2" O.D. MAST
25TDM35S3KD - 4" O.D. MAST
MOUNTING TUBE PROVIDED IS 7' LONG.




BEARING/ACCESSORY SHELF BAS25G

HOLE PATTERN FITS TB3 (2" O.D.) AND TB4 (3" O.D.) THRUST BEARINGS ON TOP PLATE. ACCESSORY SHELF DRILLED FOR MOUNTING MANY POPULAR ROTORS



LIGHTNING ROD LRCL

5' COPPER CLAD, MOUNTS TO APL25G.



CONCRETE BASE PLATE FOR GUYED & BRACKETED TOWERS BPC25G*

FOR USE WITH 3/4X12PP PIER PIN EMBEDDED IN CONCRETE.

CONCRETE BASE PLATE IS TO BE USED FOR BRACKETED AND GUYED APPLICATIONS ONLY.




PIER PIN

3/4X12PP

FOR USE WITH BPC25G EMBEDDED IN CONCRETE.


PIER PIN MUST BE ORDERED SEPARATELY, UNLESS BEING PURCHASED AS PART OF A COMPLETE TOWER KIT.



CONCRETE BASE PLATE

FOR SELF-SUPPORTING TOWERS 25GSSB


FOR USE WITH 5/8" x 12" (P/N: 260145G) BASE BOLTS (ORDERED SEPARATELY) IN SELF-SUPPORTING 25G TOWER APPLICATIONS.



BASE BOLT & TEMPLATE KH8175A

FOR USE WITH 25GSSB IN SELF-SUPPORTING 25G TOWER APPLICATIONS. KIT INCLUDES (1)

TEMPLATE & (4) BASE BOLTS.



HINGED BASE PLATE

BPH25G*

FOR USE WITH 1/2X12BB BASE BOLTS (ORDERED SEPARATELY). HINGED TO ALLOW TOWER TO BE ROTATED UP FROM BASE **DURING INSTALLATION.**

HINGED BASE PLATE IS TO BE **USED FOR BRACKETED AND GUYED** APPLICATIONS ONLY.



BASE BOLTS

1/2X12BB

FOR USE WITH BPH 25G

(6) REQUIRED, ORDERED SEPARATELY.



3'4" SHORT BASE SB25G

5' SHORT BASE SB25G5


FOR EMBEDMENT IN CONCRETE.



3'4" HINGED SHORT BASE SBH25G*


FOR EMBEDMENT IN CONCRETE.

HINGED SHORTBASE PLATE IS TO BE USED FOR BRACKETED AND GUYED APPLICATIONS ONLY.




TAPERED BASE 25TG*

CAN BE USED WITH A4197L BASE INSULATOR OR WITH 3/4x12PP, ORDERED SEPARATELY.




SINGLE DRIVE-IN BASE SDB25G*

TO BE DRIVEN DIRECTLY INTO GROUND.



PEAK ROOF MOUNT PR25G*

ADJUSTABLE HINGED FEET CONFORM TO NEARLY ANY ROOF PITCH. BOLTS TO ROOF SURFACE.




WALL MOUNT

25GWM **INCLUDES BASE PLATE TO** MOUNT 25G SECTION.

* TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.






FLAT ROOF MOUNT FR25G* BOLTS DIRECTLY TO FLAT ROOF SURFACE.



SIDE ARM MOUNT UHF25G FOR UHF & FM ANTENNAS.




FACE MOUNT DM25G2 - 2 3/8" O.D. 5' LONG



DBS ANTENNA MOUNT KY2068A16 - 1.66" O.D. KY2068A15 - 1.50" O.D. KY2068A2 - 2.38" O.D. MOUNTING TUBE PROVIDED IS 3' LONG.




SIDE ARM BRACKET SA253UA MOUNTING TUBE PROVIDED IS 3' LONG, 2 - 1/4" O.D.




ADJUSTABLE HOUSE BRACKET HB25AG 0-15"

HB25BG 0 - 24" HB25CG 0-36"




HEAVY DUTY UNIVERSAL HOUSE BRACKET

HBUTVRO ADJUSTABLE TO POSITION TOWER 18" - 36" FROM WALL.



UNIVERSAL EAVE BRACKET

EB2525G HINGED CONNECTION ALLOWS TOWER LEG CLAMPS TO REMAIN PERPENDICULAR TO GROUND WHILE BOLT DOWN SUPPORTS ROTATE TO LAY FLAT ALONG PITCHED ROOF OR FAVE.



TORQUE ARM STABILIZER ASSEMBLY


TA25

ANTI-TWIST DEVICE LOCATED IN THE AREA OF ANTENNAS. PROVIDES SIX-WAY GUYING. BOLTS TO TOWER AT ANY SECTION JOINT. ATTACHED WITH JOINT BOLTS. MUST BE INSTALLED AS SECTIONS ARE JOINED TOGETHER.



TORQUE BAR TB25D


OPTIONAL, FOR USE WITH GA25GD. REQUIRES (1) 3/8" SHACKLE FOR FACH BAR.



GUY BRACKET

GA25GD

MOUNTS TO TOWER AT ANY HORIZONTAL BRACE.



ACCESSORY SHELF

AS25G


FOR MOUNTING MANY POPULAR ROTORS. FIELD DRILLING MAY BE NECESSARY FOR SOME ROTORS.

^{*} TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.




\bigcirc

PARTS & ACCESSORIES




THRUST BEARING

TB3 - SUPPORTS UP TO 2" O.D. MAST. TB4 - SUPPORTS UP TO 3" O.D. MAST. MOUNTS TO BAS25G, BPL25G AND 25AG4.



TOWER BUSHING

TB50 - 1-1/4" I.D. X 2" O.D. FOR USE ON 25AG TOP SECTION



ROTOR POST

1.25" O.D. 1.08" I.D.



90° JOINTS

2590MM - BOTH ENDS SWAGED JOINTS ARE NOT DRILLED WHERE THEY SLIP FIT TO 25G SECTIONS. CAN BE FIELD DRILLED OR CUSTOM CONNECTED TO MEET PARTICULAR NEEDS.

convenience



90° JOINTS 2590FF - BOTH ENDS OPEN

JOINTS ARE NOT DRILLED WHERE THEY SLIP FIT TO 25G SECTIONS. CAN BE FIELD DRILLED OR CUSTOM CONNECTED TO MEET PARTICULAR NEEDS.



90° JOINTS 2590FM - ONE END SWAGED,

ONE OPEN

JOINTS ARE NOT DRILLED WHERE THEY SLIP FIT TO 25G SECTIONS. CAN BE FIELD DRILLED OR CUSTOM CONNECTED TO MEET PARTICULAR NEEDS.



ANTI-CLIMB PANELS

25ACL3

THREE ANTI-CLIMB PANELS BOLT TO STANDARD TOWER SECTION.



SAFETY RING

SR245

SNAPS INTO PLACE AT ANY LEVEL. NO BOLTS REQUIRED.



WORK PLATFORM WP25G

SNAPS INTO PLACE AT ANY LEVEL. NO BOLTS REQUIRED.



ERECTION FIXTURE

EF2545 - 2 1/2" SHEAVE WITH 3/8" I.D. GROOVE.

NOTE: ERECTION FIXTURES ARE FOR LIFTING ONE 10' SECTION AT A TIME AND ARE NOT INTENDED FOR THE LIFTING OF PERSONNEL.



CLIMBING HARNESS

TTFBH-4D JOURNEYMAN HARNESS TTFBH-C/P PROFESSIONAL HARNESS



SAFETY CABLE SLIDER WITH CARABINEER

TT-WG-500-W/SMC


SAFETY CABLE SYSTEM ORDERING INFORMATION


TOWER PART NUMBER 50' TT05025 100' TT15025 150' TT20025 200' TT20025


SAFETY CABLE SLIDER AND CLIMBING HARNESS MUST BE ORDERED SEPARATELY.




ANCHOR INFORMATION








STANDARD ANCHOR BLOCKS




Refer to page 43 for anchor rod installation angles.

Block	Anch	or Dim	ensio	ns (in.)	Horizontal Bars	Stirrup Size	Concrete Vol.
DIOCK	Α	В	C	D	(Qty. & Size)	& Spacing	(Cu. Yds.)
AB2	4' - 0"	1' - 6"	4' - 0"	6' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.33 Per Block 4.0 Total for 3
AB3	6' - 0"	1' - 6"	3' - 0"	6' - 0"	(4) #6 Bars, Top Layer (4) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.0 Per Block 3.0 Total for 3
AB4	6' - 0"	1' - 6"	4' - 0"	9' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#4 @ 12" O.C.	2.0 Per Block 6.0 Total for 3
AB5	8' - 0"	2' - 0"	3' - 0"	10' - 0"	(4) #7 Bars, Top Layer (4) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.22 Per Block 6.7 Total for 3
AB6	8' - 0"	2' - 0"	4' - 0"	10′ - 0″	(5) #7 Bars, Top Layer (5) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.96 Per Block 8.9 Total for 3

ANCHOR ROD INSTALLATION ANGLES






25G 90MPH							
Tower	Rod	Rod					
Height	Number	Angle					
40′	GAC3455TOP	48					
50′	GAC3455TOP	42					
60′	GAC3455TOP	42					
70′	GAC3455TOP	42					
80′	GAC3455TOP	39					
90′	GAC3455TOP	39					
100′	GAC3455TOP	39					
110′	GAC3455TOP	39					
120′	GAC3455TOP	38					
130′	GAC3455TOP	38					
140′	GAC3455TOP	38					
150′	GAC3455TOP	37					
160′	GAC3455TOP	37					
170′	GAC3455TOP	37					
180′	GAC3455TOP	37					
190′	GAC3455TOP	37					


	25G	110	МРН	
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle
40′	GAC3455TOP	48	-	-
50′	GAC3455TOP	41	-	-
60′	GAC3455TOP	41	-	-
70′	GAC3455TOP	41	-	-
80′	GAC3455TOP	38	-	-
90′	GAC3455TOP	38	-	-
100′	GAC3455TOP	39	-	-
110′	GAC3455TOP	38	-	-
120′	GAC3455TOP	37	-	-
130′	GAC3455TOP	37	-	-
140′	GAC3455TOP	37	-	-
150′	GAC3455TOP	36	-	-
160′	GAC3455TOP	36	-	-
170′	GAC3455TOP	40	GAC3455TOP	42
180′	GAC3455TOP	41	GAC3455TOP	42
190′	GAC3455TOP	43	GAC3455TOP	42

25G 130MPH								
Tower	Rod	Rod						
Height	Number	Angle						
40′	GAC3455TOP	50						
50′	GAC3455TOP	41						
60′	GAC3455TOP	41						
70′	GAC3455TOP	40						
80′	GAC3455TOP	38						
90′	GAC3455TOP	38						
100′	GAC3455TOP	38						

STANDARD BASE PIERS



ELEVATION VIEW



Base	A	В	Concrete Vol. (Cu. Yds.) Round Pier	Vertical Bars (No. & Size)
CB1G*	2' - 6"	4' - 0"	1.0	(8) #7
CB2G	3' - 0"	4' - 0"	1.2	(10) #7

^{*} Square pier option must be used for CB1G.

NOTES



STANDARD 45G GUYED TOWER





45G

GENERAL USE

The 45G is a true multi-use structure that provides excellent strength for applications up to 300′, It is offered with heavy steel round legs to satisfy a variety of needs under varied conditions.

FEATURES


- Completely hot-dip galvanized after fabrication
- Built on a 16 3/4" equilateral triangle design
- High strength tubular legs joined by Zig-Zag[®] cross members
- Each section contains all required nuts and bolts shipped with section
- Continuous solid round steel bracing

CAUTION

Mixing copies of ROHN towers with ROHN towers is dangerous and voids all engineering and warranty data supplied by ROHN. Materials used by others are not the same quality and have not been tested or engineered by ROHN. Mixing ROHN tower sections with non-ROHN products may cause tower failure or injury.

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 65 for ordering information.

STANDARD 45G GUYED TOWER **SECTIONS**





STANDARD SECTION

45G - 10' Section

QUICK REFERENCE


PARTS & ACCESSORIES PAGES 63-65 **GROUNDING INFORMATION** PAGE 66 FOUNDATION INFORMATION PAGES 66-69





STANDARD TOP SECTION 45AG2

Additional 45G top sections are shown on page 63.



CONCRETE BASE PLATE BPC45G*

FOR USE WITH 3/4X12PP PIER PIN EMBEDDED IN CONCRETE.


Additional base sections are available, please see page 64.

^{*}Towers mounted on these bases must be bracketed or guyed at all times. Temporary steel guying may also be necessary during installation and dismantling.

BUYERS GUIDE STANDARD DESIGNS - 45G

90MPH REV. G [3-SECOND GUST] 70MPH REV. F [FASTEST MILE]

Design Criteria



This document is to serve as a guide for sizing and purchasing the 45G tower. Tower and foundation installations should be performed by qualified and experienced personnel using assembly drawings provided with each tower.

DESIGN NOTES:


- 1. Tower designs are in accordance with ANSI/TIA-222-F and ANSI/TIA-222-G, Class I Structures, Topographic Category 1.
- 2. Design assumes towers are installed on level ground. Lower EPA values will apply for roof mounted towers or for sites located on unusual terrain.
- 3. Designs assume two 1/2" diameter lines on each tower face.
- 4. Anchor radius is from tower base to intersection of anchor rod with ground.
- 5. Guy chord lengths shown are based on level ground. Initial tensions for guys are shown in () in pounds at 60° Fahrenheit.
- 6. Antenna and mounts are assumed symmetrically placed at the tower top.

PARTS LIST NOTES:

- 1. Items listed are required for complete guyed towers.
- $2.\ Base\ and\ anchor\ foundations\ listed\ refer\ to\ standard\ foundation\ designations.$
- 3. Guys provided with each standard tower are based on level ground conditions with an additional 6% length.
- 4. Rev G anchor grounding (AGK1GGX) and base grounding (BGK3GGX) are included with the tower material.
- 5. Assembly drawings and a safety package (P/N: ACWS) are included with each tower.
- 6. Parts lists are subject to change based on availability or revised design criteria.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 66-69. FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.






	450	45400	DD0450	GA45GD	FDNS
TOWER PARTS	45G	45AG2	BPC45G	GA45GD	BASE ANCHOR
INCLUDED	3	1	1	1	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
INCLUDED	150'	6	6	3	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
INCLUDED	3	1	3	3	1

40' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R040



	TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCHOR
	INCLUDED	4	1	1	1	CB1G AB2
ĺ	GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
	INCLUDED	200'	6	6	3	3
		GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
	GROUNDING INCLUDED	3	1	3	3	1

50' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R050



TOWER PARTS	45G	45AG2 BPC45G		GA45GD	FDNS BASE ANCHOR
INCLUDED	5	1	1	1	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	225'	6	6	3	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

60' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R060



TOWER PARTS	45G 45AG2		BPC45G	GA45GD	FDNS BASE ANCHOR	
INCLUDED	6	1	1	2	CB1G	AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
CONNECTIONS INCLUDED	500'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4×	:12PP
GROUNDING INCLUDED	3	1	3	3		1

70' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R070




TOWER PARTS	45G	45AG2	BPC45G	GA45GD		NS ANCHOR
INCLUDED	7	1	1	2	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSA	FETY
INCLUDED	525'	12	12	6	(3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX CPC.5/.75		3/4x12PP	
GROUNDING INCLUDED	3	1	3	3		1

80' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R080






	45G 45AG2		BPC45G GA45GD		FDNS	
TOWER PARTS	.00	10/102	DI 0 100	0,11002	BASE ANCHOR	
INCLUDED	8	1	1	2	CB1G AB2	
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY	
INCLUDED	625'	12	12	6	3	
	GAC3455TOP	455TOP AGK1GGX BGK3GGX		CPC.5/.75	3/4x12PP	
GROUNDING INCLUDED	3	1	3	3	1	

90' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R090



	TOWER PARTS	45G		45AG2		BPC45G		GA4	5GD	BASE ANCHOR			
	INCLUDED	9	9		1		1		2		CB1	IG	AB2
	GUYS & CONNECTIONS	3/16EHS	1/4	EHS	BG214	12	BG2144	5/16	HHT	3/8TF	I H	1/2	2TBE&J
'	INCLUDED	300'	37	75'	6		6		6	6			6
		GAC3455	TOP	AGK	(1GGX	В	GK3GGX	CPC	C.5/.75	3/4x12	2PP	TB	SAFETY
	GROUNDING INCLUDED	3			1		3		3	1			3

100' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R100



TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCHO
INCLUDED	10	1	1	3	CB1G AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFET
INCLUDED	1100'	18	18	9	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PF
GROUNDING INCLUDED	3	1	3	3	1

110' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R110



TOWER PARTS	45G	45G		45AG2		BPC45G		GA4	5GD	BAS	-	ONS ANCHOR
INCLUDED	11			1		1	3		3	CB1	G	AB2
GUYS & CONNECTIONS	3/16EHS	1/4	EHS	BG214	2	BG2144	5/16	HHT	3/8TI	Н	1/2	2TBE&J
INCLUDED	700'	47	75'	12		6		12	6			9
ANCHORS &	GAC3455	TOP	AGK	(1GGX	BO	GK3GGX	CPC	0.5/.75	3/4x12	2PP	TB	SAFETY
GROUNDING INCLUDED	3			1		3		3	1			3

120' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R120




TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCHOR
INCLUDED	12	1	1	3	CB1G AB2
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	1325'	18	18	9	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

130' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R130





TOWER PARTS	45G	45	AG2	BPC45G	GA45GI)	DNS ANCHOR	R
INCLUDED	13		1	1	3	CB1G	AB2	
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12 BG2144	5/16THH	3/8THH	1/2TBE	& J
INCLUDED	850'	550'	12	6	12	6	9	
ANCHORS &	GAC3455TC	OP AGK	(1GGX	BGK3GG	CPC.5/.7	'5 3/4x1	2PP TE	SAFETY
GROUNDING INCLUDED	3		1	3	3		1	3

140' ROHN 45G All parts shown in table are included


table are included when ordering Part No: 45G90R140

	150' TOWER
Ιr	← 21.6 OR 17.4
145′	14.8
105′	188' F3/16" EHS
65′	136' (399#)
35′	125'
_	120′
	P/N: 45G90R150

TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCH	HOR
INCLUDED	14	1	1	4	CB1G AB	32
GUYS &	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSAFE	ΓΥ
CONNECTIONS INCLUDED	1950'	24	24	12	3	
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12P	P
GROUNDING INCLUDED	3	1	3	3	1	

150' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R150



TOWER PARTS	45G	45	45AG2		BPC45G	GA45GI	D	BASE	ONS ANCH	OR	
INCLUDED	15		1		1	4		CB1G	AB	2	
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	12	BG2144	5/16THH	3/	8THH	1/2T	BE&J	
INCLUDED	1425'	625'	18		6	18		6	1	2	
ANCHORS &	GAC3455TO	P AGK	1GGX	В	GK3GGX	CPC.5/.7	75	3/4x1	2PP	TBSAF	-ET
GROUNDING INCLUDED	3		1		3	3		1		3	

160' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R160



TOWER PARTS	45G	45G		45AG2		BPC45G		G GA45GD				ONS ANCHOR
INCLUDED	16		1			1	1		4		G	AB2
GUYS & CONNECTIONS	3/16EHS	IS 1/4EH		HS BG2142		BG2144	5/16	HHT	3/811	Н	1/2	2TBE&J
INCLUDED	1575'	70	00' 18			6		18	6			12
ANCHORS &	GAC3455	TOP	AGK	(1GGX	В	GK3GGX	CPC	2.5/.75	3/4x12	2PP	TB	SAFETY
GROUNDING INCLUDED	3			1		3	3		3 1			3

170' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R170

165′	180' TOWER (20.5) OR [16.7] (14.0) 219' -1/4" EHS
85′-	191' (665#) 167' \(\begin{array}{c} -3/16'' \text{ EHS} \\ (399#) \end{array}
45′	151' 144' P/N: 45G90R180

TOWER PARTS	45G	45	45AG2		BPC45G	GA45GI)	FI BASE	DNS ANCI	HOR	
INCLUDED	17		1		1	4		CB1G	AB	2	
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	12	BG2144	5/16THH	3/8	8THH	1/2T	BE&J	
INCLUDED	1625'	700'	18		6	18		6	,	12	
	GAC3455TO	AGK	1GGX	В	GK3GGX	CPC.5/.7	'5	3/4x1	2PP	TBSAI	FET
GROUNDING INCLUDED	3		1		3	3		1	1	3	}

180' ROHN 45G All parts shown in table are included when ordering


Part No: 45G90R180



TOWER PARTS	45G	45AG2	BPC45G	GA45GD		ONS ANCHOR
INCLUDED	18	1	1	5	CB1G	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBSA	AFETY
INCLUDED	3050'	30	30	15		3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP
GROUNDING INCLUDED	3	1	3	3		1

190' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R190



	45G	BP	C45G		APL45G	GA45GD			NS		
TOWER PARTS	100		0 100	<u> </u>	2.00	0/14002	B/	ASE	ANCH	OR	
INCLUDED	20		1		1	5	CE	31G	AB2	2	
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	42	BG2144	5/16THH	3/87	ГНН	1/2TE	BE&J	
INCLUDED	2375'	800'	24		6	24	(6	1	5	
	GAC3455T0	OP AG	(1GGX	В	GK3GGX	CPC.5/.7	'5 3	3/4x1	2PP	TBSA	FETY
GROUNDING INCLUDED	3		1		3	3		•	1	3	3

200' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R200



TOWER	R PARTS	45G	APL45G	BPC45G	GA45GD	BASE	INNER ANCHOR
INCL	UDED	21	1	1	5	CB2G	AB2
	YS & CTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY
	UDED	2900'	30	30	15		6
ANCH		GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4	x12PP
GROU! INCLU	JDED	6	2	3	6		1

210' ROHN 45G

OUTER ANCHOR

AB2

All parts shown in table are included when ordering Part No: 45G90R210

l	220' TOWER					
205	← 19.3 OR 16.0					
	11.0					
165′	270′ –1/4″ EHS					
	241' (665#)					
125′	_3/16" EHS					
85'	216' (399#)					
	113′					
45′	87′ 🗸					
	75′ 176′					
P/N: 45G90R220						

TOWER PARTS	45G	BP	C45G	F	APL45G	GA45GD	BASE	INNEF ANCHO	OUTER ANCHOR			
INCLUDED	22		1		1		1	5	5 CB2G		AB2	22
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG21	42	BG2144	5/16THH	3/87	THH 1	/2TBE&J	ta		
INCLUDED	2100'	875'	24		6	24	(6	15	Pa		
	GAC3455TC	P AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4	x12PF	TBSAFE	ΞΤΥ		
GROUNDING INCLUDED	6		2		3	6		1	6			

220' R	0	Н	N	4	5 G
All part	S	s h	o w	n	in
and the second			. 1	-1	1

table are included when ordering Part No: 45G90R220


	230' TOWER
225′	19.1 OR 15.8
185′	291′
145′	261′
105′	234' 73/16" EHS (399#)
65′	85′
35′	65′
	55' 184'
	P/N: 45G90R230

TOWER PARTS	45G	APL45G	BPC45G	GA45GD	BASE	INNER ANCHOR	OUTER ANCHOR
INCLUDED	23	1	1	6	CB2G	AB1	AB2
GUYS & CONNECTIONS	3/16EHS	BG2142	5/16THH	1/2TBE&J	TBS	AFETY	
INCLUDED	3675'	36	36	18	6		All
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x	12PP	are ir P
GROUNDING INCLUDED	6	2	3	6		1	·

230' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R230






TOWER PARTS	45G	BP	C45G		APL45G	GA45GD	BASE	INN	IER HOR	OUTER ANCHOR
INCLUDED	24		1		1	6	CB2G	AB	31	AB2
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	42	BG2144	5/16THH	3/8TI	НН	1/2	TBE&J
INCLUDED	2800'	950'	30		6	30	6			18
	GAC3455TC	DP AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4x12	2PP	TBS	SAFETY
GROUNDING INCLUDED	6		2		3	6	1			6

240' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R240



TOWER PARTS	45G	45G BP			APL45G	GA45GD	BASE	INN ANC	IER HOR	OUTER ANCHOR
INCLUDED	25		1		1	6	CB2G	AE	31	AB2
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG21	42	BG2144	5/16THH	3/8TI	НН	1/2	TBE&J
INCLUDED	3125'	1025'	30		6	30	6			18
ANCHORS &	GAC3455T0	OP AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4x12	2PP	TBS	SAFETY
GROUNDING INCLUDED	6		2		3	6	1			6

250' ROHN 45G


All parts shown in table are included when ordering Part No: 45G90R250



	TOWER PARTS	45G E		BPC45G		,	APL45G	GA45GD	BASE	INN ANC	IER HOR	OUTER ANCHOR
	INCLUDED	26		1			1	6	CB3G	3G AB		AB2
	GUYS & CONNECTIONS INCLUDED	3/16EHS	1/4	EHS	BG214	12	BG2144	5/16THH	3/8TI	ΗН	1/2	TBE&J
		3200'	10)25'	30		6	30	6			18
		GAC3455TC	OP A	AGK ²	IGGX	В	GK3GGX	CPC.5/.75	3/4x12	PP	TBS	SAFETY
	GROUNDING INCLUDED	6		2			3	6	1			6

260' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R260



	TOWER PARTS	45G E		BPC45G		APL45G	GA45GD	BASE INN		IER HOR	OUTER ANCHOR
	INCLUDED	27		1		1	7	CB3G	AE	32	AB2
	GUYS & CONNECTIONS INCLUDED	3/16EHS	1/4EHS	BG214	42	BG2144	5/16THH	3/8TH	ΗН	1/2	TBE&J
		3825'	1100'	36		6	36	6			21
		GAC3455TC)P AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4x12	PP	TBS	SAFETY
	GROUNDING INCLUDED	6		2		3	6	1			6

270'	RO	ΗN	45G


All parts shown in table are included when ordering Part No: 45G90R270

	280' TOWER								
265′	18.0 OR 15.2								
225′	347′ _{~1/4″} EHS								
185′	317' (665#)								
145′	291' / -3/16" EHS (399#)								
105′	138								
65' 35'	1111/								
33	97′ 90′ 224′								
P/N: 45G90R280									

	TOWER PARTS	45G	BP	BPC45G		APL45G	GA45GD	BASE	INN ANC	IER HOR	OUTER ANCHOR
	INCLUDED	28		1		1	7	CB3G	AB2		AB2
	GUYS &	3/16EHS	1/4EHS	BG214	42	BG2144	5/16THH	3/8TI	НН	1/2	TBE&J
	CONNECTIONS INCLUDED	3900'	1125'	36		6	36	6			21
	ANCHORS & GROUNDING INCLUDED	GAC3455TC	DP AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4x12	2PP	TBS	SAFETY
		6		2		3	6	1			6


280' ROHN 45G

All parts shown in table are included when ordering Part No: 45G90R280




TOWER PARTS	45G	BPG	C45G	P	APL45G	GA45GD	BASE ANC		ER IOR	OUTER ANCHOR
INCLUDED	29		1		1	7	CB3G AB		2	AB2
GUYS &	3/16EHS	1/4EHS	EHS BG214		BG2144	5/16THH	3/8THH		1/2	TBE&J
CONNECTIONS INCLUDED	4275'	1175'	36		6	36	6			21
	GAC3455TC	OP AGK	1GGX	ВС	GK3GGX	CPC.5/.75	3/4x12	PP	TBS	AFETY
GROUNDING INCLUDED	6		2		3	6	1			6

290' ROHN 45G All parts shown in table are included when ordering Part No: 45G90R290



TOWER PARTS	45G BPC		PC45G		APL45G	GA45GD	BASE	INN ANC	IER HOR	OUTER ANCHOR
INCLUDED	30		1		1	7	CB3G	AE	32	AB2
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	42	BG2144	5/16THH	3/8TI	ΗН	1/2	TBE&J
INCLUDED	4350'	1200'	36		6	36	6			21
	GAC3455TC)P AGK	1GGX	В	GK3GGX	CPC.5/.75	3/4x12	2PP	TBS	SAFETY
GROUNDING INCLUDED	6		2		3	6	1			6


300' ROHN 45G All parts shown in table are included when ordering Part No: 45G90R300



	450	45100	DDC450	0.4500	FDNS
TOWER PARTS	45G	45AG2	BPC45G	GA45GD	BASE ANCHOR
INCLUDED	3	1	1	1	CB1G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	150'	6	6	3	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

40' ROHN 45G All parts shown in table are included


when ordering Part No: 45G110R040




TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCHOR
INCLUDED	4	1	1	1	CB1G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	200'	6	6	3	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

50' ROHN 45G

All parts shown in table are included when ordering Part No: 45G110R050



TOWER PARTS	45G	45	AG2	BPC45G	GA45G	D		ONS ANCHOR					
INCLUDED	5		1	1	2	C	CB1G	AB2		ROHN 45G parts shown in			
GUYS & CONNECTIONS	3/16EHS	/4EHS	BG2142	BG2144	5/16THH	3/8	тнн	1/2TBE	&J tabl	table are included			
INCLUDED	175'	225'	6	6	6		6	6		hen ordering No: 45G110R060			
	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.	.75	3/4	x12PP	TBSAFETY				
GROUNDING INCLUDED	3		1	3	3			1	3				



TOWER PARTS 45		45	AG2	BPC45G	GA45GI		-DNS ANCHOR	70' ROHN 45G				
INCLUDED	6		1	1	2	CB1G	AB2	All p	arts shown in			
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	2 BG2144	5/16THH	3/8THH	1/2TBE	&J wh	e are included en ordering			
INCLUDED	225'	275'	6	6	6	6	6	Part N	lo: 45G110R070			
	GAC3455TOF	AGK	1GGX	BGK3GGX	CPC.5/.	75 3/4	1x12PP	TBSAFETY				
GROUNDING INCLUDED	3		1	3	3		1	3				

71'	80' TOWER 17.4 OR 13.4 17.4 96'
	73' (665#) 73' (73' (73' EHS (399#)
P.	/N: 45G110R080


TOWER PARTS			AG2	BPC45G	GA45GI			ONS ANCHOR	00/	DOUN 456
INCLUDED	7		1	1	2	(CB1G	AB2	All p	ROHN 45G Parts shown in
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	2 BG2144	5/16THH	3/8	зтнн	1/2TBE	&J wh	e are included ien ordering
INCLUDED	250'	325'	6	6	6		6	6	Part N	lo: 45G110R080
	GAC3455TOF	AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	TBSAFETY	
GROUNDING INCLUDED	3		1	3	3			1	3	

STANDARD DESIGN - 45G 110MPH REV. G, 90MPH REV. F


90' ROHN 45G

All parts shown in table are included


when ordering Part No: 45G110R090




TOWER PARTS	45G	45	AG2	Е	BPC45G	GA45GI	D	FDNS BASE ANCHOR			
INCLUDED	8		1		1	2	(CB1G	AB2		90 '
GUYS & CONNECTIONS	3/16EHS 1/	/4EHS	BG214	12	BG2144	5/16THH	3/8	BTHH	1/2TBE	&J	tabl
INCLUDED	275'	350'	6		6	6		6	6		Part
	GAC3455TO	PAGK	1GGX	В	GK3GGX	CPC.5/.	75	3/4	x12PP	ТВ	SAFETY
GROUNDING INCLUDED	3		1		3	3			1		3



TOWER PARTS	45G	45.	AG2	BPC45G	GA45GI	D -		ONS ANCHOR			
INCLUDED	9		1	1	3	C	CB1G	AB2			O' ROHN 45G parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8	THH	1/2TBE	&J	tab	le are included then ordering
INCLUDED	600'	400'	12	6	12		6	9			No: 45G110R100
	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	ТВ	SAFETY	
GROUNDING INCLUDED	3		1	3	3			1		3	



TOWER PARTS	45G	45.	AG2	BPC45G	GA45GI)		ONS ANCHOR			
INCLUDED	10		1	1	3	C	CB1G	AB2			O' ROHN 45G parts shown in
GUYS & CONNECTIONS	3/16EHS	I/4EHS	BG214	2 BG2144	5/16THH	3/8	THH	1/2TBE	&J	tab	le are included then ordering
INCLUDED	675'	450'	12	6	12		6	9			No: 45G110R110
ANCHORS & GROUNDING	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	TBS	SAFETY	
INCLUDED	3		1	3	3			1		3	




TOWER PARTS	45G	45	AG2	BPC45G	GA45G	D		ONS ANCH	OR		
INCLUDED	11		1	1	3		CB1G	AB2	2	_	120' ROHN 45G All parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8	8THH	1/2TE	3E&J		table are included when ordering
INCLUDED	725'	475'	12	6	12		6	9)	1	Part No: 45G110R120
ANCHORS & GROUNDING	GAC3455TO	PAGK	1GGX	BGK3GGX	CPC.5/.7	75	3/4x1	2PP	TBSA	AFETY	
INCLUDED	3		1	3	3		1			3	

	130' TOWER											
Ι,	150 TOWER 15.1 OR 12.0											
121′	14.8											
	160′											
78′	_1/4" EHS											
	130' (665#)											
35′	110' -3/16" EHS											
	(399#)											
	/X/											
	Y											
	104′											
P/	P/N: 45G110R130											


TOWER PARTS	45G	45	AG2	BPC45G	GA45G	D BA		ONS ANCHOR		
INCLUDED	12		1	1	3	СВ	31G	AB2		130' ROHN 45G All parts shown in
GUYS & CONNECTIONS	3/16EHS	/4EHS	BG214	2 BG2144	5/16THH	3/8TI	ΉΗ	1/2TBE	&J	table are included when ordering
INCLUDED	775'	525'	12	6	12	6	6	9		Part No: 45G110R130
ANCHORS &	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.7	75 3/4	4x12	2PP TE	SAFETY	
GROUNDING INCLUDED	3		1	3	3		1		3	





TOWER PARTS	45G	45	AG2	BPC45G		GA45GD		FDNS BASE ANCH		OR	
INCLUDED	13		1		1	4		CB1G	AB2	2	1
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12 BG	2144	5/16THH	3/8	зтнн	1/2TE	3E&J	t
INCLUDED	1275'	550'	18		6	18		6	1:	2	Pa
ANCHORS &	GAC3455TC	OP AGK	1GGX	BGK:	3GGX	CPC.5/.	75	3/4x ²	12PP	TBS	AFETY
GROUNDING INCLUDED	3		1		3	3		1			3

140' ROHN 45G All parts shown in table are included when ordering Part No: 45G110R140 Υ



TOWER PARTS	45G	45G 45AG2			BPC45G	GA45G	D	BASE ANCH		IOR	
INCLUDED	14		1		1	4	C	B1G	AB2	2	1 !
GUYS & CONNECTIONS	3/16EHS	1/4EH	S BG21	42	BG2144	5/16THH	3/8	THH	1/2TI	BE&J	
INCLUDED	1375'	600'	18		6	18		6	1	2	Pai
ANCHORS &	GAC3455T0	OP AG	K1GGX	В	GK3GGX	CPC.5/.7	75 3	3/4x1	2PP	TBS/	AFETY
GROUNDING INCLUDED	3		1		3	3		1			3

50' ROHN 45G All parts shown in ble are included

when ordering rt No: 45G110R150

l	160' TOWER						
 151'	← 14.2 OR 11.5						
'3'	13.8						
113'	198′						
'''	171′ [(665#)						
76'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						
/"	149' \3/16" EHS (399#)						
38'	134'						
	1 X//						
	128′						
P/N: 45G110R160							

TOWER PARTS	45G	4	45AG2		BPC45G	GA45G	D -		DNS ANCHO	OR	
INCLUDED	15		1	1		4		CB2G	AB2		16
GUYS & CONNECTIONS	3/16EHS	1/4EH\$	BG214	12	BG2144	5/16THH	3/8	THH	1/2TE	BE&J	tak
INCLUDED	1450'	650'	18		6	18		6	12	2	Part
ANCHORS &	GAC3455T0	OP AGI	K1GGX	В	GK3GGX	CPC.5/.	75	3/4x′	12PP	TBS	SAFETY
GROUNDING INCLUDED	3		1		3	3		1			3

0' ROHN 45G

ll parts shown in ble are included when ordering t No: 45G110R160


	170' TOWER
161′	14.0 OR 11.4
128′	211' 187' \(\begin{array}{c} \ 1/4'' \text{ EHS} \\ (605#) \end{array}
96′ 64′	166'
32'	140' (399#)
	136′
P,	/N: 45G110R170

TOWER PARTS	45G	45A	45AG2 E		PC45G	GA45GD		FDNS BASE ANCHOR		170	′ ROHN 45G			
INCLUDED	16	1	1		1	5 C		CB2G	AB3		All parts shown in table are included			
GUYS &	3/16EHS	1/4EHS	BG2	142	BG2144	5/16THH	3/8	THH	5/8TBE	~0	hen ordering No: 45G110R170			
CONNECTIONS INCLUDED	2050'	675'	24	ļ	6	24 6		6	15	raiti	10. 4301101170			
ANCHORS & GROUNDING	GAC5655TC	P AGK1	GGX	ВС	K3GGX	CPC1/1	.25	3/4	x12PP	TBSAFETY				
INCLUDED	3	1	1		3	3		1		3				

	180' TOWER							
172′	13.8 OR 11.2 13.2							
135′	224' _5/16" EHS							
99′	197' F5/16" EHS (1,120#)							
66′	158' \(\begin{picture}(3) 3/16" EHS (399#)							
33′	148'							
_	144′							
Р	P/N: 45G110R180							

TOWER PARTS	45G	4	45GL2* [BPC45G		GA45GD		5GD APL45G		FDNS BASE ANCHOR			
INCLUDED	17		1		1		5		1		B2G	AB3	180' ROHN 45G	
GUYS & CONNECTIONS	3/16EHS	14220	65 I	BG21	142	BG2146	5/16THH	7/1	6THH	5/8TI	3E&J		All parts shown in table are included	
INCLUDED	2175'	725	;	24		6	24		6 1		15		when ordering Part No: 45G110R180	
ANCHORS &	GAC5655TC	P AG	AGK1GGX		BGK3GGX		CPC1/1.25 3/4x		x12Pl	PP TBSAFET		1		
GROUNDING INCLUDED	3		1		3		3		1		3			

* 45GL2 Lug section required for 5/16" guy



TOWER PARTS	45G	45G	L2*	В	PC45G	GA45G	D	APL45G		BASE	FDNS ANCHOR	1
INCLUDED	18	1		1		5		1		CB20	AB3] ,
GUYS & CONNECTIONS	3/16EHS	142265	BG2	142	BG2146	5/16THH	7/10	6THH	5/87	TBE&	J	_
INCLUDED	2300'	725'	24	1	6	24		6		15		F
ANCHORS & GROUNDING	GAC5655TC	P AGK1	GGX	ВС	SK3GGX	CPC1/1	.25	3/4	x12F	PP T	BSAFET	Υ
INCLUDED	3	1			3	3		1			3	

190' ROHN 45G


All parts shown in table are included when ordering Part No: 45G110R190

_							
l	200' TOWER						
192'	← 13.4 OR 11.0						
192	10.6						
I ⊦	250′						
155'	-5/16" EHS						
115'	223' [(1,120#)						
1115	197'\\						
l,	(, W						
75′	177' \ \ \ \ \ \ \ \ \ \ \ \ \ \ (399#)						
	(333#)						
35′	164'						
	3///						
1							
l ⊥	160′						
P/N: 45G110R200							

TOWER PARTS	45G	45GI	5GL2*		PC45G	GA45G	D	APL45G		BASE	FDNS ANCHOR	
INCLUDED	19	1	1		1	5		1		CB20] :
GUYS &	3/16EHS	142265	BG2	142	BG2146	5/16THH	7/1	6THH	5/8	ГВЕ&	J	_
CONNECTIONS INCLUDED	2425'	800'	24	ļ	6	24		6		15		F
ANCHORS &	GAC5655TO	P AGK1	GGX	ВС	SK3GGX	CPC1/1	.25	3/4	x12F	PP T	BSAFET	Υ
GROUNDING INCLUDED	3	1			3	3		1			3	

200' ROHN 45G

All parts shown in table are included when ordering Part No: 45G110R200



TOWER PARTS	45G	BPC450		C45G 45GL2		APL45G	GA45GD	BASE	INNER ANCHOR	OUTER ANCHOR	
INCLUDED	20		1	1		1	6	CB3G	AB2	AB3	
	3/16EH	HS	142	265 E		G2142	BG2146	5/16THH			:
GUYS & CONNECTIONS	2550	,	85	50'		30	6	30			
INCLUDED	7/16TH	НН	1/2T	BE&J 5/		BTBE&J	TBSAFETY	3/4	x12PP		F
	6			6		12	6		1		
ANCHORS & GROUNDING	GAC5655	GAC5655TOP		455TOP	AG	K1GGX	BGK3GGX	CPC.5/.75		CPC1/	1.25
INCLUDED	3			3		2	3		3	3	

210' ROHN 45G


All parts shown in table are included when ordering Part No: 45G110R210

	220' TOWER
212'	13.0 OR 10.8
175′	276′
139′	248' 5/16" EHS (1,120#)
105′	73/16" EHS
69'	205' [35#] 1/4" EHS (665#)
35′	91' (603#)
\perp	60′ 176′
P	/N: 45G110R220


TOWER PARTS	45G	BP	C45G	45GL	2* APL450	GA45GD	BASE	INNER ANCHOR	OUTER ANCHOR			
INCLUDED	21		1	1	1	6	CB3G	AB2	AB3			
	3/16EI	HS	1/4	EHS	142265	BG2142	ВС	92144	BG214	6	220' ROHN All parts show	
GUYS & CONNECTIONS	1875	;'	80	00'	900'	24		6	6		table are inclu when order	
INCLUDED	5/16TI	НН	3/8	ТНН	7/16THH	1/2TBE&	J 5/8	TBE&J	TBSAFET	ΓΥ	Part No: 45G11	0R220
	24			6	6	6		12	6			
ANCHORS & GROUNDING	GAC565	5TOP	GAC3	455TOP	AGK1GGX	BGK3GG	X CPC	C.5/.75	CPC1/1	1.25	3/4X12PP	
INCLUDED	3			3	2	3		3	3		1	

^{* 45}GL2 Lug section required for 5/16" guy






TOWER PARTS	45G	BPC4	5G APL45G	GA45GD	45GL2*	BASE	INNER ANCHOR	OUTER ANCHOR			
INCLUDED	22	1	1	7	1	CB3G	AB2	AB3			
	3/16	EHS	1/4EHS	142265	BG2142	ВС	G2144	BG21	46	All parts sho	
GUYS & CONNECTIONS	24	75'	850'	925'	30		6	6		table are included when orde	
INCLUDED	5/16	тнн	3/8THH	7/16THH	1/2TBE&	J 5/8	TBE&J	TBSAF	ETY	Part No: 45G1	_
	3	30	6	6	9		12	6			_
ANCHORS & GROUNDING	GAC3	455TOP	GAC5655TOP	AGK1GGX	BGK3GGX	CPC	C.5/.75	CPC1/1	.25	3/4x12PP	
INCLUDED		3	3	2	3		3	3		1	




TOWER PARTS	45G	BPC4	5G APL45G	GA45GD	45GL2*	BASE	INNER ANCHOR	OUTER ANCHOR			
INCLUDED	23	1	1	7	1	CB3G	AB2	AB3			
	3/16	EHS	1/4EHS	142265	BG2142	ВС	G2144	BG21	46	240' ROHI	
GUYS & CONNECTIONS	25	25'	875'	975'	30		6	6		All parts sho table are inc	luded
INCLUDED	5/16	STHH	3/8THH	7/16THH	1/2TBE&	J 5/8	TBE&J	TBSAFE	ETY	when orde Part No: 45G1	
	3	30	6	6	9		12	6			
ANCHORS & GROUNDING	GAC3	455TOP	GAC5655TOP	AGK1GGX	BGK3GGX	CPC	C.5/.75	CPC1/1	.25	3/4x12PP	
INCLUDED		3	3	2	3		3	3		1	

 $^{^{*}}$ 45GL2 Lug section required for 5/16" guy




	450	45400	DDC450	CA 45CD	FDNS
TOWER PARTS	45G	45AG2	BPC45G	GA45GD	BASE ANCHOR
INCLUDED	3	1	1	1	CB1G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	150'	6	6	3	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

40' ROHN 45G All parts shown in table are included when ordering Part No: 45G130R040




TOWER PARTS	45G	45AG2	BPC45G	GA45GD	FDNS BASE ANCHOR
INCLUDED	4	1	1	1	CB1G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	200'	6	6	3	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	3/4x12PP
GROUNDING INCLUDED	3	1	3	3	1

50' ROHN 45G All parts shown in table are included when ordering Part No: 45G130R050




TOWER PARTS	45G	45	AG2	BPC45G	GA45GI	D		DNS ANCHOR			
INCLUDED	5		1	1	2	(CB1G	AB2			OHN 45G
GUYS & CONNECTIONS	3/16EHS 1	4EHS	BG214	2 BG2144	5/16THH	3/8	зтнн	1/2TBE	&J	table ar	e included ordering
INCLUDED	175'	250'	6	6	6		6	6			45G130R060
ANCHORS & GROUNDING	GAC3455TO	AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	TE	BSAFETY	
INCLUDED	3		1	3	3			1		3	




TOWER PARTS	45G	45	AG2	BPC45G	GA45GI	D		DNS ANCHOR			
INCLUDED	6		1	1	2		CB1G	AB2			OHN 45G
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	BG2144	5/16THH	3/8	втнн	1/2TBE	& J	table ar	e included ordering
INCLUDED	225'	275'	6	6	6		6	6			45G130R070
ANCHORS & GROUNDING	GAC3455TOF	AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	TE	BSAFETY	
INCLUDED	3		1	3	3			1		3	

75' - 35' -	80'TOWER (12.5) OR [9.6] (10.6) 99' 11/4" EHS (665#) 73'16" EHS (399#)
	/N: 45G130R080


TOWER PARTS	45G	45	AG2	BPC45G	GA45GI	D		DNS ANCHOR			
INCLUDED	7		1	1	2	(CB1G	AB2			OHN 45G
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	2 BG2144	5/16THH	3/8	зтнн	1/2TBE	&J		e included ordering
INCLUDED	250'	325'	6	6	6		6	6			45G130R080
	GAC3455TOF	AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4	x12PP	TE	BSAFETY	
GROUNDING INCLUDED	3		1	3	3			1		3	




TOWER PARTS	45G	45	AG2	BPC45G	GA45G	D -		DNS ANCHO		
INCLUDED	8		1	1	2	C	CB1G	AB2	_	O'ROHN 45G I parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8	THH	1/2TB	-&.J	ble are included when ordering
INCLUDED	275'	375'	6	6	6		6	6	Par	t No: 45G130R090
ANCHORS &	GAC3455TO	AGK	(1GGX	BGK3GGX	CPC.5/.	75	3/4×	12PP	TBSAFETY	
GROUNDING INCLUDED	3		1	3	3			1	3	



TOWER PARTS	45G	45	AG2	BPC45G	GA45G	D		DNS ANCHO)R		
INCLUDED	9		1	1	3		CB1G	AB2			100' ROHN 45G All parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8	8THH	1/2TB	E&J		table are included when ordering
INCLUDED	600'	400'	12	6	12		6	9			Part No: 45G130R100
ANCHORS &	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.	75	3/4x	12PP	TBSA	AFETY	
GROUNDING INCLUDED	3		1	3	3			1		3	



TOWER PARTS	45G	45	AG2	BPC45G	GA45GI	D	F BASE	DNS ANCH	OR		
INCLUDED	10		1	1	3	(CB1G	AB2	2		110' ROHN 45G All parts shown in
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	2 BG2144	5/16THH	3/8	втнн	1/2TI	BE&J		table are included when ordering
INCLUDED	675'	450'	12	6	12		6	(9		Part No: 45G130R110
ANCHORS &	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.7	75	3/4x1	2PP	TBSA	FETY	
GROUNDING INCLUDED	3		1	3	3			1	3	3	



TOWER PARTS	45G	450	GL5*	BPC45G	GA45GE	0	APL	15G		-DNS ANCHOR	
INCLUDED	11		1	1	3		1		CB1G	AB2	120' ROHN 45G
	3/16EHS	142265	BG214	2 BG2146	5/16THH	7/1	6THH	1/2TBI	E&J 5/	8TBE&J	All parts shown in table are included
CONNECTIONS INCLUDED	725'	500'	12	6	12		6	6		3	when ordering Part No: 45G130R120
	GAC3455TC	P AGK	1GGX	BGK3GGX	CPC.5/.7	75	3/4x	12PP	TBS	AFETY	
GROUNDING INCLUDED	3		1	3	3			1		3	

120' ROHN 45G					
All parts shown in					
table are included					
when ordering					

130' ROHN 45G All parts shown in table are included when ordering Part No: 45G130R130


TOWER PARTS	45G	45GL5*	BPC45G	GA45GD	APL45G		DNS ANCHOR	
INCLUDED	12	1	1	3	1	CB2G	AB3	
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG	2146	
GUYS & CONNECTIONS	350'	425'	525'	6	6		6	
INCLUDED	5/16THH	3/8THH	7/16THH	5/8TBE&J	TBSAFETY			
	6	6	6	9	3			
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	3/4x12PP			
GROUNDING INCLUDED	3	1	3	3	1			

* 45GL5 Lug section required for 5/16" guy

INCLUDED

3


STANDARD DESIGN - 45G 130MPH REV. G, 110MPH REV. F



TOWER PARTS	45G	45GL5*	BPC45G	GA45GD	APL45G		DNS ANCHOR
INCLUDED				_			
INOLODED	13	1	1	4	1	CB2G	AB3
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG	2146
GUYS & CONNECTIONS	800'	475'	575'	12	6		6
INCLUDED	5/16THH	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	12	6	6	12	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	3/4x12PP		
GROUNDING	2	4	2	3	1		

All parts shown in table are included when ordering

Part No: 45G130R140



	450	4ECL E*	DDC450	CAAECD	A DI 450	FDNS	
TOWER PARTS	45G	45GL5*	BPC45G	GA45GD	APL45G	BASE	ANCHOR
INCLUDED	14	1	1	4	1	CB2G	AB3
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG	2146
GUYS & CONNECTIONS	850'	525'	600'	12	6		6
INCLUDED	5/16THH	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	12	6	6	12	3		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	3/4x12PP		
GROUNDING							

150' ROHN 45G All parts shown in table are included when ordering

Part No: 45G130R150


1


3


3


1


^{* 45}GL5 Lug section required for 5/16" guy
















45AG5




BPL45G CONVERTS STANDARD SECTION TO A TOP SECTION. HOLE PATTERN FITS TB3 (2" O.D.) AND TB4 (3" O.D.) THRUST BEARINGS.

BEARING PLATE




TOP PLATE APL45G FOR MOUNTING BEACON OR LIGHTNING ROD.




TOP MOUNT

45TDMKD - NO MAST 45TDM2S3KD - 2 3/8" O.D. MAST 45TDM25S3KD - 2 7/8" O.D. MAST 45TDM3S3KD - 3 1/2" O.D. MAST 45TDM35S3KD - 4" O.D. MAST 45TDM4S3KD - 4 1/2" O.D. MAST MOUNTING TUBE PROVIDED IS 7' LONG.




ACCESSORY SHELF AS455G

FOR MOUNTING MANY POPULAR ROTORS. FIELD DRILLING MAY BE NECESSARY FOR SOME ROTORS.



LIGHTNING ROD

LRCL 5' COPPER CLAD MOUNTS TO APL45G.



CONCRETE BASE PLATE BPC45G*

FOR USE WITH 3/4X12PP PIER PIN EMBEDDED IN CONCRETE.


CONCRETE BASE PLATE IS TO BE USED FOR BRACKETED AND GUYED APPLICATIONS ONLY.



PIER PIN 3/4X12PP

FOR USE WITH BPC45G EMBEDDED IN CONCRETE.

PIER PIN MUST BE ORDERED SEPARATELY, UNLESS BEING **PURCHASED AS PART OF** A COMPLETE TOWER KIT.



HINGED BASE PLATE

BPH45G*

FOR USE WITH 5/8X12BB BASE BOLTS (ORDERED SEPARATELY). HINGED TO ALLOW TOWER TO BE ROTATED UP FROM BASE DURING INSTALLATION.

HINGED BASE PLATE IS TO BE USED FOR BRACKETED AND GUYED APPLICATIONS ONLY.



BASE BOLT

5/8X12BB


FOR USE WITH BPH45G

(6) REQUIRED, ORDERED SEPARATELY.




TAPERED BASE 45TG*

CAN BE USED WITH A4197L BASE INSULATOR OR WITH 3/4X12PP, ORDERED SEPARATELY.



5' SHORT BASE SB45G

FOR EMBEDMENT IN CONCRETE.



FLAT ROOF MOUNT

FR45G*

BOLTS DIRECTLY TO FLAT ROOF SURFACE.



SIDE ARM BRACKET

SA253UA


MOUNTING TUBE PROVIDED IS 3' LONG, 2 - 1/4" O.D.



DISH MOUNT

VY4311A2 - 23/8" O.D. VY4311A - 4 1/2" O.D.

MAST TUBE PROVIDED IS 5' LONG.




FACE MOUNT

DM45G2 - 23/8" O.D. 5' LONG DM454 - 4 1/2" O.D. 5' LONG

HEAVY DUTY UNIVERSAL HOUSE BRACKET

HBUTVRO

ADJUSTABLE TO POSITION TOWER 18" - 36" FROM WALL.




TORQUE ARM STABILIZER ASSEMBLY

TA45


ANTI-TWIST DEVICE LOCATED IN THE AREA OF ANTENNAS. PROVIDES SIX-WAY GUYING. BOLTS TO TOWER AT ANY SECTION JOINT. ATTACHED WITH JOINT BOLTS. MUST BE INSTALLED AS SECTIONS ARE JOINED TOGETHER.

* TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.







TORQUE BAR
TB45D
OPTIONAL, FOR USE WITH GA45GD.
REQUIRES (1) 3/8" SHACKLE
FOR EACH BAR.




GUY BRACKET
GA45GD
MOUNTS TO TOWER AT ANY
HORIZONTAL BRACE.




THRUST BEARING TB3 - SUPPORTS UP TO 2" O.D. MAST. TB4 - SUPPORTS UP TO 3" O.D. MAST. MOUNTS TO BPL45G AND 45AG4.




TOWER BUSHING TB50 - 1-1/4" I.D. X 2" O.D. FOR USE ON 45AG TOP SECTION






WORK PLATFORM
WP45G
SNAPS INTO PLACE AT ANY LEVEL.
NO BOLTS REQUIRED.



SAFETY RING SR245 SNAPS INTO PLACE AT ANY LEVEL. NO BOLTS REQUIRED.



EF2545 - 2 1/2" SHEAVE WITH 3/8" I.D. GROOVE. NOTE: ERECTION FIXTURES ARE FOR LIFTING ONE 10' SECTION AT A TIME AND ARE NOT INTENDED FOR THE LIFTING OF PERSONNEL.



TO STANDARD TOWER SECTION.

CLIMBING HARNESS TTFBH-4D JOURNEYMAN HARNESS TTFBH-C/P PROFESSIONAL HARNESS




SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC

SAFETY CABLE SYSTEM ORDERING INFORMATION


TOWER HEIGHT	PART NUMBER
50′	TT0504555
100′	TT1004555
150′	TT1504555
200'	TT2004555
250′	TT2504555
300′	TT3004555
350′	TT3504555


SAFETY CABLE SLIDER AND CLIMBING HARNESS MUST BE ORDERED SEPARATELY.




ASSEMBLY TOOL ROHNJACK Fits 25G, 45G, & 55G


ANCHOR INFORMATION







STANDARD ANCHOR BLOCKS





Refer to page 68 for anchor rod installation angles.

Block	Anchor Dimensions (in.)				Horizontal Bars	Stirrup Size	Concrete Vol.	
DIOCK	Α	В	C	D	(Qty. & Size)	& Spacing	(Cu. Yds.)	
AB1	3' - 0"	1'-0"	3' - 0"	4' - 0"	(8) #5 Bars, Total (4) #5 Bars Top & Bottom Layers (0) Additional Bar, Each Side	#3 @ 12" O.C.	.044 Per Block 1.3 Total for 3	
AB2	4' - 0"	1' - 6"	4' - 0"	6' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.33 Per Block 4.0 Total for 3	
AB3	6' - 0"	1′ - 6″	3' - 0"	6′ - 0″	(4) #6 Bars, Top Layer (4) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.0 Per Block 3.0 Total for 3	
AB4	6' - 0"	1' - 6"	4' - 0"	9' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#4 @ 12" O.C.	2.0 Per Block 6.0 Total for 3	
AB5	8' - 0"	2' - 0"	3' - 0"	10′ - 0″	(4) #7 Bars, Top Layer (4) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.22 Per Block 6.7 Total for 3	
AB6	8' - 0"	2' - 0"	4' - 0"	10′ - 0″	(5) #7 Bars, Top Layer (5) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.96 Per Block 8.9 Total for 3	



ANCHOR ROD INSTALLATION ANGLES






45G 90MPH								
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle				
40′	GAC3455TOP	45	-	-				
50′	GAC3455TOP	46	-	-				
60′	GAC3455TOP	43	-	-				
70′	GAC3455TOP	43	-	-				
80′	GAC3455TOP	41	-	-				
90'	GAC3455TOP	42	-	-				
100′	GAC3455TOP	42	-	-				
110′	GAC3455TOP	40	-	-				
120′	GAC3455TOP	39	-	-				
130′	GAC3455TOP	40	-	-				
140′	GAC3455TOP	39	-	-				
150′	GAC3455TOP	38	-	-				
160′	GAC3455TOP	37	-	-				
170′	GAC3455TOP	38	-	-				
180′	GAC3455TOP	38	-	-				
190′	GAC3455TOP	36	-	-				
200′	GAC3455TOP	36	-	-				
210′	GAC3455TOP	40	GAC3455TOP	44				
220′	GAC3455TOP	40	GAC3455TOP	44				
230′	GAC3455TOP	42	GAC3455TOP	42				
240′	GAC3455TOP	42	GAC3455TOP	41				
250′	GAC3455TOP	40	GAC3455TOP	43				
260′	GAC3455TOP	40	GAC3455TOP	42				
270′	GAC3455TOP	38	GAC3455TOP	43				
280′	GAC3455TOP	38	GAC3455TOP	43				
290′	GAC3455TOP	38	GAC3455TOP	44				
300′	GAC3455TOP	38	GAC3455TOP 43					


45G 110MPH								
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle				
40′	GAC3455TOP	45	-	-				
50′	GAC3455TOP	46	-	-				
60′	GAC3455TOP	41	-	-				
70′	GAC3455TOP	41	-	-				
80′	GAC3455TOP	41	-	-				
90'	GAC3455TOP	41	-	-				
100′	GAC3455TOP	39	-	-				
110′	GAC3455TOP	39	-	-				
120′	GAC3455TOP	39	-	-				
130′	GAC3455TOP	38	-	-				
140′	GAC3455TOP	38	-	-				
150′	GAC3455TOP	38	-	-				
160′	GAC3455TOP	38	-	-				
170′	GAC5655TOP	37	-	-				
180′	GAC5655TOP	37	-	-				
190′	GAC5655TOP	37	-	-				
200′	GAC5655TOP	37	-	-				
210′	GAC3455TOP	41	GAC5655TOP	42				
220′	GAC3455TOP	41	GAC5655TOP	42				
230′	GAC3455TOP	38	GAC5655TOP	43				
240′	GAC3455TOP	39	GAC5655TOP	43				

45G 130MPH							
Tower	Rod	Rod					
Height	Number	Angle					
40′	GAC3455TOP	48					
50′	GAC3455TOP	48					
60′	GAC3455TOP	40					
70′	GAC3455TOP	40					
80′	GAC3455TOP	40					
90′	GAC3455TOP	40					
100′	GAC3455TOP	38					
110′	GAC3455TOP	38					
120′	GAC3455TOP	38					
130′	GAC5655TOP	38					
140′	GAC5655TOP	37					
150′	GAC5655TOP	37					

STANDARD BASE PIERS



ELEVATION VIEW



PLAN VIEW

Base	Α	В	Concrete Vol. (Cu. Yds.) Round Pier	Vertical Bars (No. & Size)
CB1G*	2' - 6"	4' - 0"	1.0	(8) #7
CB2G	3' - 0"	4' - 0"	1.2	(10) #7
CB3G	3' - 6"	4' - 0"	1.6	(12) #7

^{*} Square pier option must be used for CB1G.



STANDARD 45GSR GUYED TOWER



45GSR

GENERAL USE

The 45GSR maintains the utility of the 45G and adds the strength of solid round steel legs. The 45GSR has a strong 4 bolt flange connection, giving connection joints superior strength over typical 1 bolt flange connection systems. The 45GSR is available in heights up to 340'.

FEATURES


- Completely hot-dip galvanized after fabrication
- Built on a 16 3/4" equilateral triangle design
- Heavy solid steel round legs joined by Zig-Zag[®] cross members
- Each section contains all required nuts and bolts shipped with section
- Continuous solid round steel bracing

CAUTION

Mixing copies of ROHN towers with ROHN towers is dangerous and voids all engineering and warranty data supplied by ROHN. Materials used by others are not the same quality and have not been tested or engineered by ROHN. Mixing ROHN tower sections with non-ROHN products may cause tower failure or injury.


Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 92 for ordering information.


STANDARD 45GSR GUYED TOWER SECTIONS



QUICK REFERENCE

PARTS & ACCESSORIES PAGE 92
GROUNDING INFORMATION PAGE 93
FOUNDATION INFORMATION PAGES 93-97






4.3' 45GSR SHORT BASE 45GSRSB

TO BE EMBEDDED IN CONCRETE.

STANDARD SECTION 45GSR10 - 10' Section **45GSR20** - 20' Section

BUYERS GUIDE STANDARD DESIGNS - 45GSR 90MPH REV. G [3 SECOND GUST]

Design Criteria



This document is to serve as a guide for sizing and purchasing the 45GSR tower. Tower and foundation installations should be performed by qualified and experienced personnel using assembly drawings provided with each tower.

DESIGN NOTES:

- 1. Tower designs are in accordance with ANSI/TIA-222-G, Class I Structures, Topographic Category 1.
- 2. Design assumes towers are installed on level ground. Lower EPA values will apply for roof mounted towers or for sites located on unusual terrain.
- 3. Designs assume two 7/8" diameter lines on each tower face.
- 4. Anchor radius is from tower base to intersection of anchor rod with ground.
- 5. Guy chord lengths shown are based on level ground. Initial tensions for guys are shown in () in pounds at 60° Fahrenheit.
- 6. Antenna and mounts are assumed symmetrically placed at the tower top.


PARTS LIST NOTES:

- 1. Items listed are required for complete guyed towers.
- $2.\ Base\ and\ anchor\ foundations\ listed\ refer\ to\ standard\ foundation\ designations.$
- 3. Guys provided with each standard tower are based on level ground conditions with an additional 6% length.
- 4. Rev G anchor grounding (AGK1GGX) and base grounding (BGK3GGX) are included with the tower material.
- 5. Assembly drawings and a safety package (P/N: ACWS) are included with each tower.
- 6. Parts lists are subject to change based on availability or revised design criteria.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 93-97.
FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.








P/N: 45GSR90R040

TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANC	HOR
INCLUDED	2	1	1	FB1G AB	2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&	TBSAFETY
INCLUDED	150'	6	6	3	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	5
INCLUDED	3	1	3	3	



40' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R040



TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		NS ANCHOR
INCLUDED	2	1	1	1	FB1G	AB2
GUYS &	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSA	FETY
CONNECTIONS INCLUDED	200'	6	6	3		3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75		
GROUNDING INCLUDED	3	1	3	3		

50' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R050



TOWER PARTS	45GSR20	45GSRSB	GA45GD	BASE	DNS ANCH	OR	
INCLUDED	3	1	1	FB1G	AB2	2	
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TB	BE&J	Т	BSAFE
INCLUDED	250'	6	6	3			3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.	5/.75		
INCLUDED	3	1	3	3			

60' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R060



TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		ONS ANCHOR
INCLUDED	3	1	1	2	FB1G	AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBS	AFETY
INCLUDED	500'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75		
GROUNDING INCLUDED	3	1	3	3		

70' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R070



TOWER PARTS	45GSR20	45GSRSB	GA45GD	BASE AN	
INCLUDED	4	1	2	FB1G A	B2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE8	J TBSAFETY
INCLUDED	550'	12	12	6	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.7	<mark>75</mark>
INCLUDED	3	1	3	3	

80' ROHN 45GSR






TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	FDNS BASE ANCHOR
INCLUDED	4	1	1	2	FB1G AB2
GUYS &	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	625'	12	12	6	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
GROUNDING INCLUDED	3	1	3	3	

45GSR SOLID ROD

90' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R090



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	OR
INCLUDED	5	1	2	FB1G AB2	2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	725'	12	12	6	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
GROUNDING INCLUDED	3	1	3	3	

100' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R100



	4500000	4500D40	4500D0D	GA45GD	FDNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE ANCHOR
INCLUDED	5	1	1	3	FB1G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	1100'	18	18	9	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
INCLUDED	3	1	3	3	

110' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR90R110



TOWER PARTS	45GSR20	45GSRSB	GA45GD	BASE .	DNS ANCHO	OR .
INCLUDED	6	1	3	FB1G	AB2	
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TB	E&J	TBSAFETY
INCLUDED	1200'	18	18	9		3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.	5/.75	
INCLUDED	3	1	3	3		

	. – –			
120	' RO	HN	45	GSR


All parts shown in table are included when ordering Part No: 45GSR90R120

	130' TOWER
118′	65.0 OR 49.8
85'	75/16" EHS (1,120#)
45′	113' (665#)
P	/N: 45GSR90R130

	4500D00	4500D40	4500000	CAAECD	FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE	ANCHOR
INCLUDED	6	1	1	3	FB1G	AB2
0111/0.0	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	800'	500'	12	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	1/2TBE&J		
	12	6	3	6		
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	TBS	AFETY
GROUNDING INCLUDED	3	1	3	3		3

130' ROHN 45GSR






TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	IOR
INCLUDED	7	1	3	FB1G AB2	2
	1/4EHS	142265	BG2144	BG2146	
GUYS& CONNECTIONS	875'	550'	12	6	
INCLUDED	3/8THH	7/16THH	5/8TBE&J	1/2TBE&J	
	12	6	3	6	
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	TBSAFETY
INCLUDED	3	1	3	3	3



140' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R140



	4500000	4=00040	4-00000	C 4 4 5 C D	FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE	ANCHOR
INCLUDED	7	1	1	4	FB1G	AB2
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	1350'	600'	18	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	1/2TBE&J		
	18	6	3	9		
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	TBS	AFETY
GROUNDING INCLUDED	3	1	3	3		3

150' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR90R150



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	IOR
INCLUDED	8	1	4	FB1G AB2	2
	1/4EHS	142265	BG2144	BG2146	
GUYS & CONNECTIONS	1450'	625'	18	6	
INCLUDED	3/8THH	7/16THH	5/8TBE&J	1/2TBE&J	
	18	6	3	9	
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	TBSAFETY
GROUNDING INCLUDED	3	1	3	3	3

160' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R160

	170′ TOWER → (59.9) OR [46.4]
158′	39.9 OR 40.4
125′	208'
85'	(1,120#)
45'	160' 1/4" EHS (665#)
	136' /N: 45GSR90R170

TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE ANCH	
INCLUDED	8	1	1	4	FB1G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	1575'	675'	18	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		ě
	18	6	12	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
GROUNDING INCLUDED	3	1	3	3		

170' ROHN 45GSR






TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANC	HOR
INCLUDED	9	1	4	FB1G AE	33
	1/4EHS	142265	BG2144	BG2146	
GUYS & CONNECTIONS	1675'	725'	18	6	
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY	′
	18	6	12	3	
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	
GROUNDING INCLUDED	3	1	3	3	

180' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R180



	4ECCD20	45CCD40	4FCCDCD	GA45GD	FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE	ANCHOR
INCLUDED	9	1	1	5	FB1G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	2300'	750'	24	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	24	6	15	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
GROUNDING INCLUDED	3	1	3	3		

190' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R190



	45GSR20	45GSRSB	GA45GD	APL4A		DNS
TOWER PARTS	43031120	43031130	G/ (100B	711 = 171	BASE	ANCHOR
INCLUDED	10	1	5	1	FB1G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	2425'	800'	24	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	24	6	15	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
GROUNDING INCLUDED	3	1	3	3		

200'	ROHN	45GSR
------	-------------	-------


All parts shown in table are included when ordering Part No: 45GSR90R200



TOWER PARTS	45GSR20	45GSRSB	GA45GD	APL4A		ONS ANCHOR
INCLUDED	11	1	5	1	FB1G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	2725'	875'	24	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	24	6	15	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
GROUNDING INCLUDED	3	1	3	3		

220' ROHN 45GSR






TOWER PARTS	45GSR20	45GSRSB	GA4	GA45GD APL4A		BASE	ASE INNER ANCHOR		OUTER ANCHOR
INCLUDED	12	1	(6 1		FB1G	AB2		AB2
	1/4EHS	1422	65	BG:	2144	BG214	6	•	
GUYS & CONNECTIONS	2850'	950)'	30		6			
INCLUDED	3/8THH	7/16T	6THH 5/8TBE&J		1/2TBE	&J			
	30	6			3	15			
ANCHORS & GROUNDING	GAC3455T0	OP AGK10	3GX	BGK	3GGX	CPC.5/.	.75	TBS	SAFETY
INCLUDED	6	5 2			3	6			6



240' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R240



TOWER PARTS	45GSR20	45GSRSB	GA45GD APL4A		BASE	INNER ANCHOR		OUTER ANCHOR	
INCLUDED	13	1		6 1		FB1G	Α	B2	AB2
	1/4EHS	S 142265 BG2144 BG2146							
GUYS & CONNECTIONS	3250'	105	0'	30 6					
INCLUDED	3/8THH	THH 7/16THH 5/8TBE&J 1/2TBE		1/2TBE	&J				
	30	6			3	15			
ANCHORS &	GAC3455TC	OP AGK10	GGX	BGK	3GGX	CPC.5/	.75	TBS	AFETY
GROUNDING INCLUDED	6	2			3	6			6

260' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R260



TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4	A BASE		NER CHOR	OUTER ANCHOR
INCLUDED	14	1	1 7		1	FB1G	Α	B2	AB3
	1/4EHS	1/4EHS 142265		5 BG2144		BG2146		3/8THH	
GUYS & CONNECTIONS	4050' 1125'		5'	36		6		36	
INCLUDED	7/16THF	5/8TBI	E&J	1/2T	BE&J	CPC.5/.	75	CPC	C1/1.25
	6	12	12		9	3			3
ANCHORS & GROUNDING	GAC3455T0	OP GAC565	5TOP	AGK	(1GGX	BGK3GGX		GX TBSAFE	
INCLUDED	3	3			2	3			6


280' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR90R280



TOWER PARTS	45GSR20	450	GSRSB	GA4	5GD	APL4	BASE	INI	NER CHOR	OUTER ANCHOR
INCLUDED	15		1	-	7	1	FB1G	Α	B2	AB3
	1/4EHS		14220	65	BG	2144	BG21	46	3/	8THH
GUYS & CONNECTIONS	4525'		1200)'	3	36	6			36
INCLUDED	7/16THH	1	5/8TB	E&J	1/2T	BE&J	CPC.5/	.75	CPO	C1/1.25
	6		12			9	3			3
ANCHORS & GROUNDING	GAC3455T0	OP (GAC5658	STOP	AGK1GGX		BGK3G	GX	TBS	SAFETY
INCLUDED	3		3			2	3			6

300' ROHN 45GSR




TOWER PARTS	45GSR20	45GSRSB		GA4	5GD	APL4	BASE	INI ANC	NER CHOR	OUTER ANCHOR
INCLUDED	16		1	8	3	1	FB1G	Α	B2	AB3
	1/4EHS	/4EHS 1		142265		BG2144		16	3/	8ТНН
GUYS & CONNECTIONS	5450'	5450' 1275		5'	2	12	6			42
INCLUDED	7/16THH	1	5/8TB	E&J	1/2T	BE&J	CPC.5/.	75	CPO	C1/1.25
	6		12		•	12	3			3
ANCHORS &	GAC3455T0	OP	GAC5658	STOP	AGK	1GGX	BGK3G	GΧ	TBS	SAFETY
GROUNDING INCLUDED	3		3			2	3			6



320' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR90R320




TOWER PARTS	45GSR20	45GSRSB	GA4	I5GD	APL4	A BASE	INI	NER CHOR	OUTER ANCHOR
INCLUDED	17	1		3	1	FB1G	Α	B2	AB3
	1/4EHS	1422	65	BG:	2144	BG21	46	3/	8THH
GUYS & CONNECTIONS	5975'	137	375' 42		12	6			42
INCLUDED	7/16THF	1 5/8TB	E&J	1/2T	BE&J	CPC.5/	.75	CPC	C1/1.25
	6	12			12	3			3
ANCHORS & GROUNDING	GAC3455T0	OP GAC565	БТОР	AGK	(1GGX	BGK3G	GX	TBS	SAFETY
INCLUDED	3	3			2	3			6

340' ROHN 45GSR








TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	IOR
INCLUDED	2	1	1	FB2G AB	2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	150'	6	6	3	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
INCLUDED	3	1	3	3	

40' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R040



TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	FDNS BASE ANCHOR
INCLUDED	2	1	1	1	FB2G AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	200'	6	6	3	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
GROUNDING INCLUDED	3	1	3	3	

50' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R050



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	OR
INCLUDED	3	1	1	FB2G AB2	2
GUYS &	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
CONNECTIONS INCLUDED	250'	6	6	3	3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
GROUNDING INCLUDED	3	1	3	3	

60' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R060



TOWER PARTS	45GSR	20 45GSR1	0 45GSRS	B GA45GD		DNS ANCHOR
INCLUDED	3	1	1	2	FB2G	AB2
GUYS &	1/4EH	S BG2144	3/8THF	1/2TBE&J	TBS	AFETY
CONNECTIONS	500'	12	12	6		3
ANCHORS &	GAC3455	TOP AGK1GG	X BGK3GG	GX CPC.5/.75		
GROUNDING INCLUDED	3	1	3	3		

70' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R070



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCHOR		
INCLUDED	4	1	2	FB2G A	AB2	
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE	&J T	BSAFETY
INCLUDED	550'	12	12	6		3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.	75	
INCLUDED	3	1	3	3		

80' ROHN 45GSR






TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		ONS ANCHOR
INCLUDED	4	1	1	2	FB2G	AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBS	AFETY
INCLUDED	625'	12	12	6		3
	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75		
GROUNDING INCLUDED	3	1	3	3		

45GSR SOLID ROD

90' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R090



TOWER PARTS	45GSR20	45GSRSB	GA45GD		DNS	0.0
TOWER PARTS INCLUDED	5	1	2	BASE FB2G	ANCH AB2	
	1/4EHS	142265	3/8THH	1/2TE	BE&J	5/8TBE&J
GUYS & CONNECTIONS	325'	400'	6	3		3
INCLUDED	7/16THH	BG2144	BG2146	TBSAI	FETY	
	6	6	6	3		
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.	5/.75	
GROUNDING INCLUDED	3	1	3	3		

100' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R100



	4FCCD00	4ECCD40	45GSRSB	CAAFOD	FI	DNS
TOWER PARTS	45GSR20	45GSR10	43G3K3B	GA45GD	BASE	ANCHOR
INCLUDED	5	1	1	3 FE		AB2
	1/4EHS	142265	3/8THH	1/2TBE&	J 5/8	TBE&J
GUY WIRE & CONNECTION	650'	425'	12	6		3
INCLUDED	7/16THH	BG2144	BG2146	TBSAFET	Υ	
	6	12	6	3		
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.7	<mark>5</mark>	
INCLUDED	3	1	3	3		

110' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR110R110




TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANC	HOR
INCLUDED	6	1	3	FB2G AE	32
	1/4EHS	142265	3/8THH 1/2TBE&J		J 5/8TBE&J
GUYS & CONNECTIONS	725'	475'	12	6	3
INCLUDED	7/16THH	BG2144	BG2146	TBSAFET	Y
	6	12	6	3	
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.7	5
INCLUDED	3	1	3	3	

120' ROHN 45GSR








	45GSR20	45GSR10	45GSRSB	GA45GD	F	DNS	
TOWER PARTS	43031120	45G5K10	4303130	GA40GD	BASE	ANCHOR	
INCLUDED	6	1	1	1 3 F		AB2	
	1/4EHS	142265	3/8THH 1/2TBE&J		J 5/8	5/8TBE&J	
GUYS & CONNECTIONS	800'	500'	12 6			3	
INCLUDED	7/16THH	BG2144	BG2146	TBSAFET	Y		
	6	12	6	3			
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.7	<mark>′5</mark>		
INCLUDED	3	1	3	3			



130' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R130



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	OR
INCLUDED	7	1	3	FB2G AB2	2
	1/4EHS 14		3/8THH	1/2TBE&J	5/8TBE&J
GUYS & CONNECTIONS	875'	550'	12	6	3
INCLUDED	7/16THH	BG2144	BG2146	BG2146 TBSAFETY	
	6	12	6	3	
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
INCLUDED	3	1	3	3	

140' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R140



TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		DNS ANCHOR
INCLUDED	7	1	1	4	FB2G	AB3
	1/4EHS	142265	3/8THH	5/8TBE&	J	
GUYS & CONNECTIONS	1350'	600'	18	12		
INCLUDED	7/16THH	BG2144	BG2146	TBSAFET	Y	
	6	18	6	3		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.2	25	
GROUNDING INCLUDED	3	1	3	3		

150' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R150



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	OR	
INCLUDED	8	1	4	FB2G AB3	3	
GUYS & CONNECTIONS	1/4EHS	142265	3/8THH	5/8TBE&J		
	1450'	625'	18	12		
INCLUDED	7/16THH	BG2144	BG2146	TBSAFETY		
	6	18	6	3		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
INCLUDED	3	1	3	3		

160' ROHN 45GSR






TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		ONS ANCHOR
INCLUDED	8	1	1	4	FB2G	AB3
GUYS & CONNECTIONS	1/4EHS	142265	3/8THH	5/8TBE&	J	
	1575'	675'	18	12		
INCLUDED	7/16THH	BG2144	BG2146	TBSAFE1	Υ	
	6	18	6	3		
ANCHORS & GROUNDING	G. 100000 . G. 7 . G. 1 . G		BGK3GGX CPC1		25	
INCLUDED	3	1	3	3		



170' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R170



	45CCD20	4500D0D	GA45GD	FI	DNS
TOWER PARTS	45GSR20	45GSRSB	GA45GD	BASE	ANCHO
INCLUDED	9	1	4	FB2G	AB3
	1/4EHS	142265	3/8THH	5/8TE	BE&J
GUYS & CONNECTIONS	1675' 725' 18		1:	2	
INCLUDED	7/16THH	BG2144	BG2146	TBSAFET	
	6	18	6	3	
ANCHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	
GROUNDING INCLUDED	3	1	3	3	

180' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR110R180



	TOWER PARTS	4FCCD00	4ECCD40	45GSRSB	CAAECD	FDNS		
TOV	WER PARTS	45GSR20	45GSR10	43G3K3B	GA45GD	BASE	ANCHOR	
11	NCLUDED	9	1	1	5	FB2G	AB3	
		1/4EHS	142265	3/8THH	5/8TBE&	J	1	
	GUYS & INECTIONS	2300'	750'	24	15			
	ICLUDED	7/16THH	BG2144	BG2146	TBSAFET	Υ		
		6	24	6	3			
	ICHORS &	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.2	25		
GROUNDING INCLUDED		3	1	3	3			

190' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR110R190


	200' TOWER
188′	34.6 OR 26.6
155′	247' -5/16" EHS
115′	223' (1,120#)
75′	177' 1/4" EHS (665#)
35′	164'
	160′
L P/	N: 45GSR110R200

	45CSD20	15	CSDSD	GA4	ECD.	ΛDI 4Λ	FI	DNS	
TOWER PARTS	43G3N20	45GSR20 45GSRS		OA430D		AFL4A	BASE	ANCHO	
INCLUDED	10		1	5	;	1	FB2G	AB4	
GUYS & CONNECTIONS	1/4EHS		142265		3/8THH		5/8TBE&J		
	2425'		800'		24		15		
INCLUDED	7/16THH		BG2144		BG2146		TBSAFETY		
	6		24		6		3		
ANCHORS &	GAC5655TOP		AGK1GGX		BGK3GGX		CPC1/1.25		
GROUNDING INCLUDED	3		1		3		3		

200' ROHN 45GSR








	4ECCD00	151	CCDCD	C A 4	ECD	ΛDI 4Λ	FI	DNS	
TOWER PARTS	45GSR20	450	JOROD	GA4	3GD	APL4A	BASE	ANCH	OF
INCLUDED	11		1	5		1	FB2G	B2G AB4	
	1/4EHS		142265 3/		3/	8THH	5/8TBE&J		
GUYS & CONNECTIONS	2725'		875'			24	15	5	
INCLUDED	7/16THH		BG2144		BG2146		TBSAFETY		
	6		24		6		3		
ANCHORS &	GAC5655TOP		AGK1GGX		BGK3GGX		CPC1/1.25		
GROUNDING INCLUDED	3		1			3	3		



220' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R220



TOWER PARTS	45GSR20	45GSRSB	GA45GD		APL4	BASE	INN	NER HOR	OUTER ANCHOR
INCLUDED	12	1	(6	1	FB2G	AE	32	AB3
	1/4EHS	/4EHS 14226		BG2144		BG2146		3/8THH	
GUYS & CONNECTIONS	2850'	950	950'		30			30	
INCLUDED	7/16THH	5/8TBI	5/8TBE&J		BE&J	CPC.5/.75		CPC	C1/1.25
	6	9			9	3		3	
ANCHORS & GROUNDING	GAC3455TC	OP GAC565	5TOP AGK		1GGX	BGK3G	GX	TBS	AFETY
INCLUDED	3	3 3		2		3			6

240' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR110R240



TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4	A BASE	INI ANC	NER HOR	OUTER ANCHOR
INCLUDED	13	1	(6	1	FB2G	AE	32	AB3
	1/4EHS	1422	142265		2144	BG2146		3/8THH	
GUYS & CONNECTIONS	3250'	3250' 1050		' 30		6			30
INCLUDED	7/16THF	5/8TB	E&J	1/2T	BE&J	CPC.5/	.75	CPC	21/1.25
	6	9			9	3	3		3
ANCHORS & GROUNDING	GAC3455T0	OP GAC565	5TOP	AGK	1GGX	BGK3GGX		TBS	AFETY
INCLUDED	3	3			2	3			6

260' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R260

1	280' TOWER
268′	30.4 OR 24.0
235′	349' –5/16" EHS
195′	325' (1,120#)
155′	1/4" EHS (665#)
115'	150
35'	122'
	96' 224' 'N: 45GSR110R280
L'	14. 45051(1101(200

TOWER PARTS	45GSR20	45	GSRSB	GA4	5GD	APL4A	BASE INI		NER CHOR	OUTER ANCHOR
INCLUDED	14		1	7	7	1	FB2G	Αŀ	32	AB4
	1/4EHS	14220		65 BG		2144	BG214	6	3/8THH	
GUYS & CONNECTIONS	4050')' 112		5'	3	36	6			36
INCLUDED	7/16THH		5/8TBE&J		1/2T	BE&J	CPC.5/	.75	CPC	C1/1.25
	6		12			9	3			3
	G. 150 150 15		GAC5658	ТОР	AGK	1GGX BGK30		GX	TBS	SAFETY
GROUNDING INCLUDED	3		3			2 3				6

280' ROHN 45GSR






TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4	BASE	INI ANC	NER HOR	OUTER ANCHOR
INCLUDED	15	1	-	7	1	FB2G	Αŀ	32	AB4
	1/4EHS	1422	142265		2144	BG214	16	3/8THH	
GUYS & CONNECTIONS	3400'	2300	2300'		30	12			30
INCLUDED	7/16THF	5/8TB	E&J	1/2T	BE&J	CPC.5/	.75	CPC	C1/1.25
	12	12			9	3			
	GAC3455T0	OP GAC565	5TOP	AGK	1GGX	BGK3GG		TBS	SAFETY
GROUNDING INCLUDED	3	3			2	2 3			6

300' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR110R300



	TOWER PARTS	45GSR20	45	GSR	SB	GA4	5GD	AF	L4A	BASE		INN	JER HOR	OUTER ANCHOR
	INCLUDED	15		1		7		1		FB2	2G	ΑE	33	AB4
		1/4EHS	142	42265 1		2261	e1 BG21		ВG	BG2146		321	47	5/8S
	GUYS & CONNECTIONS INCLUDED	4225'	1200'		13	300'	36	6		6		6		3
		1/2THH	3/8THH		7/1	6TH	5/8 ⁻	TBE	&J	5/8	S	45	GSF	R20L82*
		6	3	86		6		24		3				1
	ANCHORS &	GAC56557	ЮP	AGK	(10	GX	BGK	3G	GX	X CPC1		1/1.25 TE		AFETY
	GROUNDING INCLUDED	6			2			3		6				6

320' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR110R320




TOWER PARTS	45GSR20	45GSR	SB	GA4	5GD	AF	L4A	BAS	SE ANG	NER CHOR	OUTER ANCHOR
INCLUDED	16	1		-	7		1	FB2	2G A	ВЗ	AB4
	1/4EHS	142265	14	2261	BG2	144	BG	2146	BG2	147	5/8S
GUYS & CONNECTIONS	4700'	1275'	1:	375'	36	6		6	6		3
INCLUDED	1/2THH	3/8THH	7/1	6TH	5/8 ⁻	TBE	& J	5/88	3 45	GSR	20L82*
	6	36		6		24		3		•	1
ANCHORS & GROUNDING	GAC56557	TOP AG	K10	GGX	BGK	3GGX C		CPC1	/1.25	TBS	AFETY
INCLUDED	6		2			3		6	6		6

* Guy lug sections required for 3/8" guys.

340' ROHN 45GSR








TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	HOR
INCLUDED	2	1	1	FB2G AB	2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBSAFETY
INCLUDED	150'	6	6	3	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
INCLUDED	3	1	3	3	

40' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR130R040



TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		ONS ANCHOR
INCLUDED	2	1	1	1	FB2G	AB2
GUYS & CONNECTIONS	1/4EHS	BG2144	3/8THH	1/2TBE&J	TBS	AFETY
INCLUDED	200'	6	6	3		3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75		
INCLUDED	3	1	3	3		

50' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR90R050



TOWER PARTS	45GSR20	45GSRSB	GA45GD	FDNS BASE ANCH	OR
INCLUDED	3	1	1	FB2G AB2	2
GUYS &	142265	BG2146	7/16THH	5/8TBE&J	TBSAFETY
CONNECTIONS INCLUDED	225'	6	6	3	3
ANCHORS &	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75	
GROUNDING INCLUDED	3	1	3	3	

60' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR90R060



INCLUDED

	4500000	4500040	4-00000	C 4 4 5 C D	FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE	ANCHOR
INCLUDED	3	1	1	2	FB2G	AB2
	1/4EHS	142265	BG2144	BG2146	3/8	BTHH
GUYS & CONNECTIONS	225'	275'	6	6		6
INCLUDED	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY		
	6	3	3	3		
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.5/.75		
GROUNDING						

1

3

3


70' ROHN 45GSR



ANCHORS &

GROUNDING INCLUDED

STANDARD DESIGN - 45GSR 130MPH REV. G




TOWER PARTS	45GSR20	45GSRSB	GA45GD		ONS ANCH	OR	
INCLUDED	4	1	2	FB2G	AB2	2	
	1/4EHS	142265	BG2144	BG2	146	3/8	8ТНН
GUYS & CONNECTIONS	250'	300'	6	6	6		6
INCLUDED	7/16THH	1/2TBE&J	5/8TBE&J	TBSA	ETY		
	6	3	3	3	,		
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.	5/.75		
INCLUDED	3	1	3	3			



80' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R080



	4500D00	4500D40	4500000	GA45GD	FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD	BASE	ANCHOR
INCLUDED	4	1	1	2	FB2G	AB2
	1/4EHS	142265	BG2144	BG2146	3/8	THH
GUYS & CONNECTIONS	275'	350'	6	6		6
INCLUDED	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY		ā
	6	3	3	3		


GAC3455TOP AGK1GGX BGK3GGX CPC.5/.75

3

3

90' ROHN 45GSR

All parts shown in table ire included when ordering Part No: 45GSR130R090




					EL	DNS		
	TOWER PARTS	45GSR20	45GSRSB	GA45GD				
	INCLUDED	5	1	2	FB2G	FB2G AB2		
		1/4EHS	142265	BG2144	BG2	BG2146		втнн
	GUYS & CONNECTIONS	325'	400'	6	6			6
	INCLUDED	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY			
		6	3	3	3			
	ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK3GGX	CPC.	5/.75		
	INCLUDED	3	1	3	3			

1

3

100' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R100




	45GSR20	45GSR10	45GSRSB	GA45GD	FI	DNS	
TOWER PARTS	43G3K20	43G3K10	45G5K5B	OA430D	BASE	ANCHOR	
INCLUDED	5	1	1	3	FB2G	AB3	
	1/4EHS	142265	BG2144	BG2146			
GUYS & CONNECTIONS	650'	425'	12	6			
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		a	
	12	6	9	3			
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25			
INCLUDED	3	1	3	3			

110' ROHN 45GSR



STANDARD DESIGN - 45GSR 130MPH REV. G




TOWER PARTS	45GSR20	45GSRSB	GA45GD	BASE ANCH		OF
INCLUDED	6	1	3	FB2G AB		3
	1/4EHS	142265	BG2144	BG2	146	
GUYS & CONNECTIONS	725' 475' 12		12	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	12	6	9	3		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
INCLUDED	3	1	3	3		



120' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR130R120



	45GSR20	45GSR10	45GSRSB	GA45GD		DNS
TOWER PARTS	10001120	10001110	4000110B	0,11002	BASE	ANCHOR
INCLUDED	6	1	1	3	FB2G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	800'	500'	12	6		F
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY	ar	
	12	6	9	3		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25		
INCLUDED	3	1	3	3		

130' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R130



	45GSR20	45GSRSB	GA45GD		DNS
TOWER PARTS	43001\20	4300100	CATTOOL	BASE	ANCHO
INCLUDED	7	1	3	FB2G AB	
	1/4EHS	142265	BG2144	BG2	146
GUYS & CONNECTIONS	875'	550'	12	6	G AB3 G2146 6 AFETY 3 C1/1.25
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY	
	12	6	9	3	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK3GGX	CPC1/1.25	
INCLUDED	3	1	3	3	


140' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R140

1	150' TOWER
Ι,	← (24.7) OR [18.0]
138′	
105′	183'
	159' (1,120#)
65′	136' \1/4" EHS (665#)
35′	125'
	120′
P/I	N: 45GSR130R150

	45GSR20	45GSR10	45GSRSB	GA45GD		DNS		
TOWER PARTS	10001120	10001110	10001100	0/11002	BASE	ANCHOR		
INCLUDED	7	1	1	4	FB2G	AB4		
	1/4EHS	142265	BG2144	BG2146		_		
GUYS & CONNECTIONS	1350'	600'	18	6		F		
INCLUDED	3/8THH	7/16THH	3/4TBE&J	TBSAFETY		are F		
	18	6	12	3				
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK3GGX	CPC1.5/2				
INCLUDED	3	1	3	3				


150' ROHN 45GSR



TOWER PARTS	45GSR20	45GSRSB	GA45GD		ONS ANCHOF
INCLUDED	8	1	4	FB2G A	
	1/4EHS	142265	BG2144	BG2	146
GUYS & CONNECTIONS	1450'	625'	18	6	2146 6 AFETY 3 C1.5/2
INCLUDED		3/4TBE&J	TBSAFETY		
	18	6	12	3	
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK3GGX	CPC′	1.5/2
INCLUDED	3	1	3	3	

160' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR130R160



					FI	DNS
TOWER PARTS	45GSR20	45GSR10	45GSRSB	GA45GD		
INCLUDED	8	1	1	4	FB2G	AB4
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	1575'	675'	18	6		
INCLUDED	3/8THH	7/16THH	3/4TBE&J	TBSAFETY		
	18	6	12	3		
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK3GGX	CPC1.5/2		
INCLUDED	3	1	3	3		

170' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR130R170



ı		45GSR20	45GSRSB	GA45GD	FI	DNS	
ı	TOWER PARTS	45G5R20	45G5K5B	GA45GD	BASE	ANCHO	
	INCLUDED	9	1	4	FB2G	FB2G AB4	
		1/4EHS	142265	BG2144	BG2	146	
	GUYS & CONNECTIONS	1675'	725'	18	6		
	INCLUDED	3/8THH	7/16THH	3/4TBE&J	J TBSAFET		
		18	6	12	3	3	
	ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK3GGX	X CPC1.5/2		
	INCLUDED	3	1	3	3		

180' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R180




	45GSR20	45GSR10	45GSRSB	GA45GD	F	DNS
TOWER PARTS	45G5K20	45GSI(20 45GSI(10		OA430D	BASE	ANCHOR
INCLUDED	9	1	1	5	FB2G	AB4
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	2300'	750'	24	6		
INCLUDED	3/8THH	7/16THH	3/4TBE&J	TBSAFETY		
	24	6	15	3		
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK3GGX	CPC1.5/2		
INCLUDED	3	1	3	3		

190' ROHN 45GSR








	TOWER PARTS	45GSR20	45	GSRSB	GA4	5GD	APL4A	FI BASE	ONS ANCH	OF
	INCLUDED	10		1	5		1	FB2G	AB4	1
		1/4EHS		14226	265 BC		S2144	BG2146		
	GUYS & CONNECTIONS	1725'		1500	1500'		18	12		
	INCLUDED	3/8THH		7/16TH	THH 3/4 ⁻		BE&J	TBSAF	ETY	
		18		12		15		3		
	ANCHORS & GROUNDING	GAC5755TC	ЭP	AGK1G	GX	BGł	(3GGX	CPC'	1.5/2	
	INCLUDED	3		1			3	3		



200' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R200



TOWER PARTS	45GSR20	450	GSRSB	GA4	5GD	APL4A	FI BASE	ONS ANCH	IOR	
INCLUDED	10		1	4	4	1	FB2G	AΒ	4	
	1/4EHS		14226	35	14	2261	BG2	144	450	GSR20L82*
	1950'		775'		875'		18	18		1
GUYS & CONNECTIONS	BG2146		BG21	47	7/1	6ТНН	1/2T	НН		
INCLUDED	6		6			6	6	;		a
	3/8THH		5/85	3	3/47	ГВЕ&Ј	TBSAI	FETY		u
	18		3			15	3	3		
ANCHORS & GROUNDING	GAC5755TC	OP.	AGK1G	GX	BGł	(3GGX	CPC′	1.5/2		
GROUNDING										


1

3

3

220' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R220



TOWER PARTS	45GSR20	45GSRSB	GA4	I5GD	APL4A	BASE	INNE ANCH	R IOR	OUTER ANCHOR
INCLUDED	11	1		5	1	FB2G	AB	3	AB4
	1/4EHS	1422	65	14	2261	BG2	144	450	GSR20L82*
	1500'	1325	5'	Ş	950'	1	8		1
GUYS & CONNECTIONS	BG2146	BG21	47	7/1	6ТНН	1/2T	HH		
INCLUDED	12	6			12	6	;		
	3/8THH	5/85	3	5/87	ГВЕ&Ј	TBSA	FETY		ä
	18	3			18	6	6		
ANCHORS & GROUNDING	GAC5655TC	OP AGK10	GX	BGł	(3GGX	CPC1	/1.25		
INCLUDED	6	2			3	6			


3

INCLUDED

* Guy lug section required for 3/8" guys.

240' ROHN 45GSR






TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4A	BASE	INNE ANCH	R OR	OUTER ANCHOR
INCLUDED	12	1		5	1	FB2G AB		3	AB4
	1/4EHS		142265		142261		BG2144		SR20L82*
	1750'	1500)'	1	050'	1	8		1
GUYS & CONNECTIONS	BG2146	BG21	47	7/1	6ТНН	1/2T	ΉΗ		
INCLUDED	12	6			12	6	6		
	3/8THH	5/85	3	5/87	ГВЕ&Ј	TBSAI	FETY		
	18	3	3		18	6			
ANCHORS & GROUNDING	GAC5655TC	P AGK10	GX	BGł	(3GGX	CPC1	/1.25		
INCLUDED	6	2			3	6	6		

45GSR SOLID ROD

260' ROHN 45GSR


All parts shown in table are included when ordering Part No: 45GSR130R260



TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4A	BASE	INNE ANCH	R OR	OUTER ANCHOR
INCLUDED	13	1	1 6		5 1		AB3	3	AB5
	1/4EHS	1422	65	14	2261	BG2	144	45C	SR20L82*
	1200'	2800)'	1	125'	1	8		1
GUYS & CONNECTIONS	BG2146	BG21	BG2147		6THH	1/2THH			
INCLUDED	18	6			18	6	;		
	3/8THH	5/85	3	3/4TBE&J		TBSAFETY			
	18	3			21	6	5		
ANCHORS & GROUNDING	GAC5755TC	P AGK10	GX	BGł	K3GGX	CPC ²	1.5/2		
INCLUDED	6	2			3	6			

280' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R280



TOWER PARTS	45GSR20	15GSRSB	GA4	5GD	APL4A	BASE	INNI ANCH	ER IOR	OUTER ANCHOR
INCLUDED	14	1	6		1	FB3G	AB:	3	AB5
	1/4EHS	1422	65	14	2261	BG2	144	45C	SR20L82*
	1425'	3050)'	1	200'	1	8		1
GUYS & CONNECTIONS	BG2146	BG21	47	7/1	6THH	1/2T	ΉΗ		
INCLUDED	18	6			18	6	6		
	3/8THH		5/8S		3/4TBE&J		TBSAFETY		
	18	3	3		21	6	6		
ANCHORS & GROUNDING	GAC5755TC	P AGK10	GX	BGł	K3GGX	CPC′	1.5/2		
INCLUDED	6	2			3	6	i		


^{*} Guy lug section required for 3/8" guys.

300' ROHN 45GSR All parts shown in table

are included when ordering Part No: 45GSR130R300








					_				
TOWER PARTS	45GSR20	45GSRSB	GA4	5GD	APL4A	BASE	INNE Anch	R IOR	OUTER ANCHOR
INCLUDED	14	1	(6	1	FB3G	AB	3	AB5
	1/4EHS	1422	142265		142261		144	450	SR20L82*
	1450'	2750)'	2	475'	18	8		2
GUYS & CONNECTIONS	BG2146	BG21	47	7/10	6THH	1/2THH			
INCLUDED	18	12			18	12	2		
	3/8THH	5/85	3	3/4TBE&J		TBSAFETY			
	18	6			24	6	5		
ANCHORS & GROUNDING	GAC5755TC	P AGK10	GX	BGk	(3GGX	CPC′	1.5/2		
INCLUDED	6	2			3	6			



320' ROHN 45GSR

All parts shown in table are included when ordering Part No: 45GSR130R320




TOWER PARTS	45GSR20	45GSRSB	GA45	5GD	APL4A	BASE	INNE Anch	R OR	OUTE ANCHO
INCLUDED	14	1	5	5	1	FB3G	AB4	4	AB5
	1/4EHS	14220	65	14	2261	BG2	144	450	SR20L
	1675'	1800)'	3	800'	18	8		3
GUYS & CONNECTIONS	BG2146	BG21	47	7/10	6ТНН	1/2T	HH		
INCLUDED	12	18			12	18	3		
	3/8THH	5/85	3	3/47	BE&J	TBSAI	ETY		
	18	9			24	6	5		
ANCHORS & GROUNDING	GAC5755TC	P AGK10	GX	BGk	(3GGX	CPC′	1.5/2		
INCLUDED	6	2			3	6			

^{340&#}x27; ROHN 45GSR

^{*} Guy lug section required for 3/8" guys.

PARTS & ACCESSORIES




LEG MOUNTED BEACON PLATE KIT APL4A

FOR MOUNTING BEACON OR LIGHTNING ROD. BOLTS TO TOP OF STANDARD SECTION. INCLUDES BEACON PLATE, (2) CAP PLATES, NUTS AND BOLTS.




LIGHTNING ROD PLATE KIT

VW132 INCLUDES: LIGHTNING ROD PLATE, NUTS AND BOLTS.




TAPERED BASE 45GSRTBPP*

FOR USE WITH PIER PIN (3/4X12PP) AND BEARING PLATE (BP6) SOLD SEPARATELY.




3' SIDE ARM WITH (2) TIE BACKS

KY1653A MOUNTING TUBE PROVIDED IS 3' LONG, 2 - 3/8" O.D.







4.3' SHORT BASE45GSRSB
FOR EMBEDMENT IN CONCRETE.

Refer to pages 63-65 for the following accessories that also fit the 45GSR tower:


- Pier Pin (3/4x12PP)
- Side Arm Bracket (SA253UA)
- Dish Mount (VY4311A2 & VY4311A)
- Face Mount (DM45G2 & DM454)
- Universal House Bracket (HBUTVRO)
- Torque Bar (TB45D)
- Guy Bracket (GA45GD)

- Anti-Climb Panels (ACL455)
- Work Platform (WP45G)
- Safety Ring (SR245)
- Climbing Harness (TTFBH-4D & TTFBH-C/P)
- Safety Cable Slider (TT-WG-500-W/SMC)
- Safety Cable System (See page 65 for P/N)

* TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.





ANCHOR INFORMATION















STANDARD ANCHOR BLOCKS




Refer to pages 95-96 for anchor rod installation angles.

Block	Anch	or Dim	ensior	ns (in.)	Horizontal Bars	Stirrup Size	Concrete Vol.
DIOCK	Α	В	C	D	(Qty. & Size)	& Spacing	Concrete Vol. (Cu. Yds.)
AB2	4' - 0"	1' - 6"	4' - 0"	6' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.33 Per Block 4.0 Total for 3
AB3	6' - 0"	1' - 6"	3' - 0"	6' - 0"	(4) #6 Bars, Top Layer (4) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.0 Per Block 3.0 Total for 3
AB4	6' - 0"	1' - 6"	4' - 0"	9' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#4 @ 12" O.C.	2.0 Per Block 6.0 Total for 3
AB5	8' - 0"	2' - 0"	3' - 0"	10' - 0"	(4) #7 Bars, Top Layer (4) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.22 Per Block 6.7 Total for 3
AB6	8' - 0"	2' - 0"	4' - 0"	10' - 0"	(5) #7 Bars, Top Layer (5) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.96 Per Block 8.9 Total for 3

ANCHOR ROD INSTALLATION ANGLES






45GSR 90MPH										
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle						
40'	GAC3455TOP	48	-	-						
50′	GAC3455TOP	49	-	-						
60′	GAC3455TOP	49	-	-						
70′	GAC3455TOP	44	-	-						
80′	GAC3455TOP	43	-	-						
90′	GAC3455TOP	44	-	-						
100′	GAC3455TOP	44	-	-						
110′	GAC3455TOP	42	=	-						
120′	GAC3455TOP	42	-	-						
130′	GAC3455TOP	42	-	-						
140′	GAC3455TOP	42	-	-						
150′	GAC3455TOP	40	-	-						
160′	GAC3455TOP	40	-	-						
170′	GAC5655TOP	40	-	-						
180′	GAC5655TOP	41	-	-						
190′	GAC5655TOP	40	=	-						
200′	GAC5655TOP	40	-	-						
220′	GAC5655TOP	40	-	-						
240′	GAC3455TOP	38	GAC3455TOP	46						
260′	GAC3455TOP	40	GAC3455TOP	46						
280′	GAC3455TOP	38	GAC5655TOP	44						
300′	GAC3455TOP	40	GAC5655TOP	44						
320′	GAC3455TOP	37	GAC5655TOP	45						
340′	GAC3455TOP	38	GAC5655TOP	45						


	45GSR 110MPH									
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle						
40′	GAC3455TOP	48	-	-						
50′	GAC3455TOP	49	-	-						
60′	GAC3455TOP	49	-	-						
70′	GAC3455TOP	43	-	-						
80′	GAC3455TOP	42	-	-						
90′	GAC3455TOP	43	-	-						
100′	GAC3455TOP	44	-	-						
110′	GAC3455TOP	41	-	-						
120′	GAC3455TOP	41	-	-						
130′	GAC3455TOP	41	-	-						
140′	GAC3455TOP	42	=	-						
150′	GAC5655TOP	40	-	-						
160′	GAC5655TOP	40	-	-						
170′	GAC5655TOP	40	-	-						
180′	GAC5655TOP	40	-	-						
190′	GAC5655TOP	40	=	-						
200′	GAC5655TOP	40	-	-						
220′	GAC5655TOP	40	-	-						
240′	GAC3455TOP	39	GAC5655TOP	45						
260′	GAC3455TOP	40	GAC5655TOP	45						
280′	GAC3455TOP	39	GAC5655TOP	43						
300′	GAC3455TOP	40	GAC5655TOP	44						
320′	GAC5655TOP	40	GAC5655TOP	44						
340′	GAC5655TOP	40	GAC5655TOP	44						

See the following page for $45GSR \mid 130mph$ anchor rod slopes.




ANCHOR ROD INSTALLATION ANGLES





	45GSI	MPH		
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle
40′	GAC3455TOP	48	-	-
50′	GAC3455TOP	48	-	-
60′	GAC3455TOP	45	-	-
70′	GAC3455TOP	42	-	-
80′	GAC3455TOP	42	-	-
90′	GAC3455TOP	43	-	_
100′	GAC3455TOP	43	-	-
110′	GAC5655TOP	40	-	-
120′	GAC5655TOP	40	-	-
130′	GAC5655TOP	41	-	-
140′	GAC5655TOP	41	-	-
150′	GAC5755TOP	39	-	-
160′	GAC5755TOP	38	-	-
170′	GAC5755TOP	39	-	-
180′	GAC5755TOP	39	-	-
190′	GAC5755TOP	37	-	-
200′	GAC5755TOP	38	-	-
220′	GAC5755TOP	38	-	-
240′	GAC5655TOP	40	GAC5655TOP	45
260′	GAC5655TOP	41	GAC5655TOP	45
280′	GAC5755TOP	38	GAC5755TOP	42
300′	GAC5755TOP	39	GAC5755TOP	43
320′	GAC5755TOP	37	GAC5655TOP	43
340′	GAC5755TOP	38	GAC5655TOP	43

STANDARD MAT FOUNDATION FOR 45GSR TOWERS




Base	Mat Width (W)	Concrete Vol. (Cu. Yds.)
FB1G	4' - 6"	3.0
FB2G	5'-3"	4.1
FB3G	6'-3"	5.8

STANDARD METEOROLOGICAL TOWERS

Complete Kit Includes:

- Assembly and foundation drawings
- All necessary tower sections
- Tower short base
- All guy wire and connectors
- All guy anchors
- Base and anchor grounding kits

60 m



60MMET 4 Guy Elevations

1 Fixed Base Foundation 1 Anchor Radius


	Boom		EPA/WT.
	Height	(no ice)	(3/4" radial ice)
	40 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.
			25.00 sq. ft. / 600 lbs.
Ì	60 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.

ANSI/TIA-222-G

110 MPH - 3 Second Gust (No Ice) 50 MPH - 3 Second Gust (3/4" Radial Ice) Structure Class II **Exposure Category C**

Topographic Category I

80 m



80MMET


5 Guy Elevations 1 Fixed Base Foundation 1 Anchor Radius

Boom		EPA/WT.
Height	(no ice)	(3/4" radial ice)
60 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.
		25.00 sq. ft. / 600 lbs.
80 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.

ANSI/TIA-222-G

110 MPH - 3 Second Gust (No Ice) 50 MPH - 3 Second Gust (3/4" Radial Ice) Structure Class II Exposure Category C Topographic Category I

100 m



100MMET

6 Guy Elevations 1 Fixed Base Foundation 2 Anchor Radii

Boom	EPA/WT.	EPA/WT.
Height		(3/4" radial ice)
50 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.
75 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.
100 m	9.00 sq. ft. / 200 lbs.	25.00 sq. ft. / 600 lbs.


ANSI/TIA-222-G


110 MPH - 3 Second Gust (No Ice) 50 MPH - 3 Second Gust (3/4" Radial Ice) Structure Class II Exposure Category C Topographic Category I



Tower design assumes (1) elevator track over height of structure.

STANDARD 45GSR METEOROLOGICAL TOWER






Tower Height (m)	Guy Radius (ft.) 120° separation	Base Foundation No.	Anchor Foundation No.
60	156	FB2G	AB4
80	210	FB3G	AB5
100	106 / 264	FB3G	AB2 / AB6

Refer to page 288 for anchor rod details.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 94 & 97. FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.



4.3' 45GSR SHORT BASE 45GSRSB

TO BE EMBEDDED IN CONCRETE.

STANDARD 55G GUYED TOWER





55G



GENERAL USE

The 55G lends itself to a wide variety of uses, particularly where unusual wind loading and height requirements exist. The 55G was designed to provide excellent strength in heights up to 400'.

FEATURES


- Completely hot-dip galvanized after fabrication
- Built on a 17" equilateral triangle design
- High strength tubular legs joined by Zig-Zag[®] cross members
- Each section contains all required nuts and bolts shipped with section
- Continuous solid round steel bracing

CAUTION

Mixing copies of ROHN towers with ROHN towers is dangerous and voids all engineering and warranty data supplied by ROHN. Materials used by others are not the same quality and have not been tested or engineered by ROHN. Mixing ROHN tower sections with non-ROHN products may cause tower failure or injury.


Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 116 for ordering information.

STANDARD 55G GUYED TOWER SECTIONS



QUICK REFERENCE

PARTS & ACCESSORIES PAGES 115-116
GROUNDING INFORMATION PAGES 117-120
FOUNDATION INFORMATION PAGES 117-120




STANDARD SECTION 55G - 10' Section

^{*} Towers mounted on these bases must be bracketed or guyed at all times. Temporary steel guying may also be necessary during installation and dismantling.

BUYERS GUIDE STANDARD DESIGNS - 55G

90MPH REV. G [3 SECOND GUST] 70MPH REV. F [FASTEST MILE]

Design Criteria



This document is to serve as a guide for sizing and purchasing the 55G tower. Tower and foundation installations should be performed by qualified and experienced personnel using assembly drawings provided with each tower.

DESIGN NOTES:

- 1. Tower designs are in accordance with ANSI/TIA-222-F and ANSI/TIA-222-G, Class I Structures, Topographic Category 1.
- 2. Design assumes towers are installed on level ground. Lower EPA values will apply for roof mounted towers or for sites located on unusual terrain.
- 3. Designs assume two 1/2" diameter lines on each tower face.
- 4. Anchor radius is from tower base to intersection of anchor rod with ground.
- 5. Guy chord lengths shown are based on level ground. Initial tensions for guys are shown in () in pounds at 60° Fahrenheit.
- 6. Antenna and mounts are assumed symmetrically placed at the tower top.


PARTS LIST NOTES:

- 1. Items listed are required for complete guyed towers.
- 2. Base and anchor foundations listed refer to standard foundation designations.
- 3. Guys provided with each standard tower are based on level ground conditions with an additional 6% length.
- 4. Rev G anchor grounding (AGK1GGX) and base grounding (BGK2GGX) are included with the tower material.
- 5. Assembly drawings and a safety package (P/N: ACWS) are included with each tower.
- 6. Parts lists are subject to change based on availability or revised design criteria.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 117-120.
FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.




STANDARD DESIGN - 55G 90 MPH REV. G, 70MPH REV. F



							DNS	1
TOWER PARTS	55G	BP	C55G	APL55G	GA55GD		ANCHOR	
INCLUDED	10		1	1	2	CB1G	AB2	1
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	2 BG2144	5/16THH	3/8THH	1/2TBE	t.
INCLUDED	300'	375'	6	6	6	6	6	P
	GAC3455T0	OP AGK	1GGX	BGK2GGX	CPC.5/.7	75 TBS	AFETY	3/4x12PP
GROUNDING INCLUDED	3		1	3	3		3	1

All parts shown in table are included when ordering Part No: 55G90R100


100' ROHN 55G



TOWER PARTS	55G	BP	C55G		APL55G	GA55G	D		ONS ANCHOR	2	_
INCLUDED	11		1		1	2	(CB1G	AB2		. 1
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12	BG2144	5/16THH	3/8	STHH	1/2TBE	E&J	1
INCLUDED	325'	425'	6		6	6		6	6		F
	GAC3455T	OP AGK	1GGX	В	GK2GGX	CPC.5/.	75	TBS	AFETY	3/4	x12PP
GROUNDING INCLUDED	3		1		3	3			3		1

110' ROHN 55G All parts shown in

All parts shown in table are included when ordering Part No: 55G90R110



TOWER PARTS	55G	BP	C55G	Д	APL55G	GA55G	D		ONS ANCHOR	2	_
INCLUDED	12		1		1	3	(CB1G	AB2		1
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12 I	BG2144	5/16THH	3/8	THH	1/2TBE	&J	t.
INCLUDED	725'	475'	12		6	12		6	9		P
ANCHORS & GROUNDING	GAC3455T0	OP AGK	1GGX	ВС	GK2GGX	CPC.5/.	75	TBS	AFETY	3/4>	k12PP
INCLUDED	3		1		3	3			3		1

120' ROHN 55

All parts shown in table are included when ordering Part No: 55G90R120

115′	130' TOWER 36.1 OR 28.7 29.8				
76′	155' -3/16" EHS (399#) -1/4" EHS (665#)				
38′	111'				
	P/N: 55G90R130				

TOWER PARTS	55G	BP	C55G	,	APL55G	GA55G	D		DNS ANCHOF	3	_
INCLUDED	13		1		1	3	(CB1G	AB2		1
GUYS &	3/16EHS	1/4EHS	BG214	12	BG2144	5/16THH	3/8	3THH	1/2TBE	&J	t
CONNECTIONS INCLUDED	775'	500'	12		6	12		6	9		P
	GAC3455T0	OP AGK	1GGX	В	GK2GGX	CPC.5/.	75	TBS	AFETY	3/4	k12PP
GROUNDING INCLUDED	3		1		3	3			3		1

130' l	ROH	N 5	5 G
All par	rts sh	nown	in
table a	re in	clud	ed

when ordering Part No: 55G90R130


	140' TOWER
125′	35.4 OR 28.3 29.0
83'	168' 73/16" EHS (399#)
41′	139' 14" EHS (665#)
	P/N: 55G90R140

	55G	RD	C55G	APL55G	GA55GD	F	DNS	
TOWER PARTS	55G	DF	0000	AFLOOG	GASSGD	BASE	ANCHOR	
INCLUDED	14		1	1	3	CB1G	AB2	-
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	2 BG2144	5/16THH 3	8/8THH	1/2TBE	& J
INCLUDED	825'	550'	12	6	12	6	9	F
	GAC3455T0	OP AGK	(1GGX	BGK2GGX	CPC.5/.7	5 TBS	AFETY	3/4x12PF
GROUNDING INCLUDED	3		1	3	3		3	1


140' ROHN 55G
All parts shown in table are included when ordering

Part No: 55G90R140


STANDARD DESIGN - 55G 90MPH REV. G, 70MPH REV. F



TOWER PARTS	55G	BP	C55G	APL55G	GA55GE)	DNS ANCHOR	3	150
INCLUDED	15		1	1	3	CB2G	AB2		All tabl
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	BG2144	5/16THH	3/8THH	1/2TBE	E&J	w
INCLUDED	900'	600'	12	6	12	6	9		Fait
	GAC3455TC	PAGK	1GGX	BGK2GGX	CPC.5/.7	5 TBS	AFETY	3/4	1x12PP
GROUNDING INCLUDED	3		1	3	3		3		1



TOWER PARTS	55G		BPC	C55G		APL55G	GA55G	D		DNS ANCHOR	3	160
INCLUDED	16			1		1	3		CB2G	AB2		All
GUYS & CONNECTIONS	3/16EHS	1/4	EHS	BG214	12	BG2144	5/16THH	3/8	зтнн	1/2TBE	E&J	tabl w
INCLUDED	950'	6	325'	12		6	12		6	9		Part
	GAC3455TC	ЭP	AGK	1GGX	В	GK2GGX	CPC.5/.	75	TBS	AFETY	3/4	x12PP
GROUNDING INCLUDED	3			1		3	3			3		1




150' ROHN 55G

All parts shown in


table are included

when ordering


Part No: 55G90R150



TOWER PARTS	55G	BP	C55G	APL55G	GA55GI	D -		ONS ANCHOR	R	1	
INCLUDED	17		1	1	4	C	CB2G	AB2		Allpa	ROHN 55G arts shown in
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	BG2144	5/16THH	3/8	HHT	1/2TBE	&J		are included en ordering
INCLUDED	1525'	675'	18	6	18		6	12		Part N	o: 55G90R170
	GAC3455TOF	AGK	1GGX	BGK2GGX	CPC.5/.	75	TBS	AFETY	3/4	x12PP	
GROUNDING INCLUDED	3		1	3	3			3		1	




TOWER PARTS	55G	BP	C55G	APL55G	GA55GE)	DNS ANCHOR	R		
INCLUDED	18		1	1	4	CB2G	AB2			ROHN 55G orts shown in
GUYS & CONNECTIONS	3/16EHS 1/	4EHS	BG214	BG2144	5/16THH	3/8THH	1/2TBE	E&J		are included n ordering
INCLUDED	1625'	700'	18	6	18	6	12		Part N	o: 55G90R180
ANCHORS & GROUNDING	GAC3455TOF	AGK	1GGX	BGK2GGX	CPC.5/.7	75 TBS	AFETY	3/4>	k12PP	
INCLUDED	3		1	3	3		3		1	




TOWER PARTS	55G	BP	C55G	APL55G	GA550	3D		D <mark>NS</mark> ANCHOR		100'	ROHN 55G
INCLUDED	19		1	1	4		CB2G	AB3		All pa	arts shown in are included
GUYS & CONNECTIONS	3/16EHS 1	42265	BG214	2 BG2146	5/16THH	7/1	6THH	5/8TBE	E&J	whe	en ordering
INCLUDED	1700'	750'	18	6	18		6	12		Part N	o: 55G90R190
	GAC5655TO	AGK	(1GGX	BGK2GG	X CPC1/1	1.25	TBSA	FETY	3/4	x12PP	
GROUNDING INCLUDED	3		1	3	3			3		1	

STANDARD DESIGN - 55G 90MPH REV. G, 70MPH REV. F




TOWER PARTS	55G	BP	C55G	APL55G	GA55G	11)	FDNS ANCHOI	R	
INCLUDED	20		1	1	4	CB20	G AB3		2
GUYS & CONNECTIONS	3/16EHS	142265	BG2142	2 BG2146	5/16THH	7/16TH	H 5/8TBI	E&J	t
INCLUDED	1800'	800'	18	6	18	6	12		Р
ANCHORS &	GAC5655TC	OP AGK	1GGX	BGK2GGX	CPC1/1	.25 TBS	SAFETY	3/4	x12PP
GROUNDING INCLUDED	3		1	3	3		3		1

200' ROHN 55G All parts shown in table are included when ordering Part No: 55G90R200



TOWER PARTS	55G	BPO	C55G		APL55G	GA55G	D		DNS ANCHOI	R	
INCLUDED	22		1		1	5		CB2G	AB3		2
GUYS & CONNECTIONS	3/16EHS	142265	BG214	12	BG2146	5/16THH	7/1	6THH	3/4TBI	E&J) /
INCLUDED	2650'	875'	24		6	24		6	15		P
ANCHORS &	GAC5755TC	OP AGK	1GGX	В	GK2GGX	CPC1.5	5/2	TBSA	AFETY	3/4	x12PP
GROUNDING INCLUDED	3		1		3	3			3		1

20' ROHN 55G All parts shown in able are included when ordering art No: 55G90R220




	TOWER PARTS	55G	BP	C55G	Α	PL55G	GA55G	D		DNS ANCHO	R	
	INCLUDED	24		1		1	5	(CB3G	AB3		2
	GUYS & CONNECTIONS	3/16EHS	142265	BG214	12 E	3G2146	5/16THH	7/10	6THH	3/4TBI	E&J] ,
	INCLUDED	2900'	950'	24		6	24		6	15		P
Ī	ANCHORS & GROUNDING	GAC5755TC	OP AGK	1GGX	BG	SK2GGX	CPC1.5	5/2	TBSA	FETY	3/4x	(12PP
	INCLUDED	3		1		3	3			3		1

240' ROHN 55G
All parts shown in
table are included
when ordering
Part No: 55G90R240


	260' TOWER
245	29.6 OR 24.8
202	22.2
162'	321' 290' F 5/16" EHS
122	(1,120#) 264' -3/16" EHS
82'	241' (399#)
	100'
42'	₹7°. / \
\perp	64' 208'
F	P/N: 55G90R260

TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOR	OUTER ANCHOR	
INCLUDED	26	1	1	6	CB3G	AB2	AB3	
	3/16EHS	142265	BG2142	BG2146	5/1	6THH		0' ROHN 55G
GUYS & CONNECTIONS	3125'	1025'	30	6		30		parts shown in le are included
INCLUDED	7/16THH	1/2TBE&J	5/8TBE&J	CPC.5/.75	CPC	21/1.25		when ordering t No: 55G90R260
	6	6	12	3		3		_
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	TBS	AFETY	3/4x12PF	0
INCLUDED	3	3	2	3		6	1	


STANDARD DESIGN - 55G 90MPH REV. G, 70MPH REV. F




TOWER PARTS INCLUDED	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOF	OUTER ANCHOR				
	28	1	1	6	CB4G	AB2	AB3				
GUYS & CONNECTIONS INCLUDED	3/16EHS	142265	BG2142	BG2146	5/16	5/16THH 2		80' ROHN 55G			
	3350	1125'	30	6	30			All parts shown in table are included			
	7/16THH	1/2TBE&J	5/8TBE&J	CPC.5/.75	CPC ⁻	1/1.25	Р	when ordering Part No: 55G90R280			
	6	6	12	3		3		_			
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	TBSA	FETY	3/4x12PF	•			
	3	3	2	3		6	1				




	TOWER PARTS INCLUDED	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOF	OUTER ANCHOR			
		30	1	1	7	CB4G	AB2	AB3			
	GUYS & CONNECTIONS INCLUDED	3/16EHS	142265	BG2142	BG2146	5/16THH			00' ROHN 55G		
		4275'	1200'	36	6	3	36		All parts shown in		
		7/16THH	1/2TBE&J	5/8TBE&J	CPC.5/.75	CPC	1/1.25		table are included when ordering		
		6	9	12	3		3	F	Part No: 55G90R300		
	ANCHORS & GROUNDING INCLUDED	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	TBSA	FETY	3/4x12PI	D		
		3	3	2	3		6	1			




TOWER PARTS INCLUDED	55G	BPC55G	APL55G	GA55GD	BASE INNER ANCHOI	OUTER ANCHOR		
	32	1	1	7	CB4G AB2	AB3		
GUYS & CONNECTIONS INCLUDED	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG2146	320' ROHN	1 55G
	2250'	2250'	1275'	24	12	6	All parts shown in table are included	
	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY		when ordering Part No: 55G90R320
	24	12	6	9	12	6	Turcito. 33 day	011320
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC.5/.75	CPC1/1.25	3/4x12PP	
	3	3	2	3	3	3	1	




TOWER PARTS INCLUDED	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOR	OUTER ANCHOR			
	34	1	1	8	CB4G	AB2	AB3			
GUYS & CONNECTIONS INCLUDED	3/16EHS	1/4EHS	142265	BG2142	BG2	2144	BG214	16	340′ ROF	IN 55G
	3325'	2425'	1350'	30	1	2	6		All parts shown in table are included	
	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J		TBSAFE	ETY when order		
	30	12	6	9	1	5	6			
ANCHORS & GROUNDING INCLUDED	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC	.5/.75	CPC1/1	.25	3/4x12PP	
	3	3	2	3	;	3	3		1	




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	APL1258UM	BASE	INNER ANCHOR	OUTER ANCHOR	
INCLUDED	36	1	1	8	2	CB5G	AB2	AB4	
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG	2146	360′ R	OHN 55G
GUYS & CONNECTIONS	3475'	2575'	1450'	30	12		6		s shown in e included
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBS	AFETY		ordering 55G90R360
	30	12	6	9	15		6	T die No.	3347011300
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC.5/.75	CPC	21/1.25		
INCLUDED	3	3	2	3	3		3		



TOWER PARTS	55G	BPC55G	APL55G	GA55GD	APL1258UM	BASE INNE	R OUTER OR ANCHOR	
INCLUDED	38	1	1	8	2	CB5G AB2	AB4	
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG2146	380′ RO	HN 55G
GUYS & CONNECTIONS	3175'	3275'	1525'	24	18	6		shown in included
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFET		ordering 5G90R380
	24	18	6	9	15	6	Tart No. 3	_
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC.5/.75	CPC1/1.25	3/4x12PF	<u> </u>
INCLUDED	3	3	2	3	3	3	1	




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	APL1258UM	BASE	INNER ANCHOF	OUTER ANCHOR	
INCLUDED	40	1	1	8	2	CB5G	AB2	AB4	
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG	2146	400′ RC)HN 55G
GUYS & CONNECTIONS	2075'	4700'	1600'	18	24		6		shown in
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBSA	FETY	when o	ordering 55G90R400
	18	24	6	9	15		6	Part NO: 3	_
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC.5/.75	CPC	1/1.25	3/4x12PF	o
INCLUDED	3	3	2	3	3	(3	1	




TOWER PARTS	55G	BP	C55G	А	APL55G	GA55GI	D-		ONS ANCHOR	R	
INCLUDED	10		1		1	3	C	B1G	AB2		1 (
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12 I	BG2144	5/16THH	3/8	тнн	1/2TBE	&J	t a
INCLUDED	600'	400'	12		6	12		6	9		Pa
ANCHORS &	GAC3455TC	OP AGK	1GGX	ВС	GK2GGX	CPC.5/.	75	TBS.	AFETY	3/4	x12PP
GROUNDING INCLUDED	3		1		3	3			3		1

00' ROHN 55G All parts shown in able are included when ordering art No: 55G110R100




TOWER PARTS	55G	BP	C55G	APL55G	GA55G		-DNS ANCHOR	R	
INCLUDED	11		1	1	3	CB10	AB2	1	10' ROHN 55G All parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8THF	1/2TBE	&J t	able are included when ordering
INCLUDED	675'	450'	12	6	12	6	9	Pa	art No: 55G110R110
ANCHORS &	GAC3455TO	PAGK	1GGX	BGK2GGX	CPC.5/.	.75 TBS	SAFETY	3/4x12PP	
GROUNDING INCLUDED	3		1	3	3		3	1	

PP



TOWER PARTS	55G	BP	C55G	APL55G	GA55G	D E		ONS ANCHOR			
INCLUDED	12		1	1	3	С	B2G	AB2			20' ROHN 55G
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	2 BG2144	5/16THH	3/8	ТНН	1/2TBE	& J	ta	able are included when ordering
INCLUDED	725'	500'	12	6	12		6	9		Pa	rt No: 55G110R120
ANCHORS & GROUNDING	GAC3455TO	AGK	1GGX	BGK2GGX	CPC.5/.	75	TBS	AFETY	3/4x1	2PP	
INCLUDED	3		1	3	3			3	1		



TOWER PARTS	55G	BP	C55G		APL55G	GA55G	D		ONS ANCHOR	2	
INCLUDED	13		1		1	3	(CB2G	AB2		1 3
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12	BG2144	5/16THH	3/8	тнн	1/2TBE	&J	ta
INCLUDED	800'	525'	12		6	12		6	9		Par
ANCHORS &	GAC3455TC	OP AGK	1GGX	В	GK2GGX	CPC.5/.	75	TBS.	AFETY	3/4	x12PP
GROUNDING INCLUDED	3		1		3	3			3		1


130′	ROH	N 55G
Allpa	arts sho	own in
table	are inc	habul

ıble are included when ordering rt No: 55G110R130

1	140' TOWER
135	23.6 OR 18.9
135	17.2
101	175′
	151′ Γ ^{1/4″} EHS (665#)
67'	
	131' 3/16" EHS (399#)
34'	117'
	112'
	P/N: 55G110R140


TOWER PARTS	55G	ВР	C55G	1	APL55G	GA55G	D		ONS ANCHOR		
INCLUDED	14		1		1	4	(CB2G	AB2		1 ·
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12	BG2144	5/16THH	3/8	ТНН	1/2TBE	&J	tā
INCLUDED	1275'	575'	18		6	18		6	12		Pa
ANCHORS &	GAC3455TC	OP AG	(1GGX	В	GK2GGX	CPC.5/.	75	TBS	AFETY	3/4	x12PP
GROUNDING INCLUDED	3		1		3	3			3		1

140' ROHN 55G All parts shown in table are included when ordering Part No: 55G110R140




TOWER PARTS	55G	BP	C55G	A	APL55G	GA55G	D		DNS ANCHOR		
INCLUDED	15		1		1	4	C	CB2G	AB3		1
GUYS & CONNECTIONS	3/16EHS	1/4EHS	BG214	12	BG2144	5/16THH	3/8	THH	5/8TBE	&J	t
INCLUDED	1375'	600'	18		6	18		6	12		Pa
ANCHORS & GROUNDING	GAC5655TC	OP AGK	1GGX	В	GK2GGX	CPC1/1.	25	TBS.	AFETY	3/4	(12PP
INCLUDED	3		1		3	3			3		1

150' ROHN 55G All parts shown in table are included when ordering Part No: 55G110R150



TOWER PARTS	55G	BP	C55G	APL55G	GA55G	D		DNS ANCHO	R		
INCLUDED	16		1	1	4		CB2G	AB3			160' ROHN 55G All parts shown in
GUYS &	3/16EHS 1	42265	BG214	2 BG2146	5/16THH	7/1	6THH	5/8TBI	E&J		table are included when ordering
CONNECTIONS INCLUDED	1475'	650'	18	6	18		6	12		Р	art No: 55G110R160
	GAC5655TC	PAGK	1GGX	BGK2GGX	CPC1/1	.25	TBS	AFETY	3/4x	12PP	
GROUNDING INCLUDED	3		1	3	3			3		1	


1	
•	170' ROHN 55G
	All parts shown in



TOWER PARTS	55G	BP	C55G	APL55G	GA55G	D		ONS ANCHOR	R	
INCLUDED	17		1	1	4	(CB2G	AB3		170' ROHN 55G All parts shown in
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG2142	2 BG2144	5/16THH	3/8	зтнн	5/8TBE	&J	table are included when ordering
INCLUDED	975'	1275'	12	12	12		12	12		Part No: 55G110R170
ANCHORS & GROUNDING	GAC5655TC	PAGK	1GGX	BGK2GGX	CPC1/1.	.25	TBS	AFETY	3/4x12	2PP
INCLUDED	3		1	3	3			3	1	

180'	ROHN	55G
Allna	arts show	wn in

able are included when ordering rt No: 55G110R180



TOWER PARTS	55G	BP	C55G	APL55G	GA55G	D		ANCHOR	2	
INCLUDED	18		1	1	5	C	B3G	AB3		18 Al
GUYS & CONNECTIONS	3/16EHS 1	/4EHS	BG214	BG2144	5/16THH	3/8	THH	5/8TBE	&J	tal
INCLUDED	1550'	1375'	18	12	18		12	15		Par
ANCHORS &	GAC5655TC	P AGK	1GGX	BGK2GG	CPC1/1	.25	TBS.	AFETY	3/4	<12PP
GROUNDING INCLUDED	3		1	3	3	3		3		1


	190′ T	OWER
185′	_	OR 17.8 (15.6)
148′	239′	
111′ 74′ 37′	212' 188' 169',	-3/16" EHS (399#) 5/16" EHS (1,120#) -1/4"EHS (665#)
F	P/N: 55G	110R190

								_
т.	NACED DARES	55G	BPC55G	APL55G	GA55GD		DNS	
	OWER PARTS				0.1000	BASE	ANCHOR	
	INCLUDED	19	1	1	5	CB3G	AB3	
	GUYS & CONNECTIONS	3/16EHS	1/4EHS	142265	BG2142	ВС	G2144	
CC		1650'	675'	775'	18		6	
	INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8	5/8TBE&J	
		6	18	6	6		15	
	NCHORS &	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBS	AFETY	3/4x12
_	ROUNDING NCLUDED	3	1	3	3		3	
		1						

190' ROHN 55G All parts shown in table are included when ordering

Part No: 55G110R190






TOWER PARTS	55G	BPC55G	APL55G	GA55GD	FDNS BASE ANCHOR	R
INCLUDED	20	1	1	5	CB3G AB3	20
	3/16EHS	1/4EHS	142265	BG2142	BG2144	All
GUYS & CONNECTIONS	1750'	725'	825'	18	6	v Part
INCLUDED	BG2146	5/16THH	5/16THH 3/8THH 7/16THH 5/8TBE&		5/8TBE&J	
	6	18	6	6	15	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	3/4x12PF
INCLUDED	3	1	3	3	3	1


200' ROHN 55G

All parts shown in table are included when ordering Part No: 55G110R200


1




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOR	OUTER ANCHOR		
INCLUDED	22	1	1	6	CB4G	AB2	AB3		
	3/16EHS	1/4EHS	142265	BG2142	ВС	G2144	BG2146	220' RO	HN 55G
GUYS & CONNECTIONS	1925'	825'	900'	24		6 6		All parts s table are i	
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8	TBE&J	TBSAFET	Y when or	
	24	6	6	6		12	6		
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	СР	C.5/.75	CPC1/1.2	5 3/4x12PP	
INCLUDED	3	3	2	3		3	3	1	




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOR	OUTER ANCHOR				
INCLUDED	24	1	1	7	CB4G	AB2	AB3				
	3/16EHS	1/4EHS	142265	BG2142	ВС	92144	BG214	16	240′ ROI	IN 55G	
GUYS & CONNECTIONS	1775'	1700'	975'	24		12	2 6		All parts shown in table are included		
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8	TBE&J	TBSAFE	ETY	when or Part No: 550		
	24	12	6	9		12	6				
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CP	C.5/.75	CPC1/1	.25	3/4x12PP		
INCLUDED	3	3	2	3		3	3		1		




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE INNER ANCHOR	OUTER ANCHOR		
INCLUDED	26	1	1	7	CB5G AB2	AB3		
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG2146	260' ROHN 55G	
GUYS & CONNECTIONS	1500'	2300'	1050'	18	18	6	All parts shown in table are included	
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY	when ordering Part No: 55G110R260	
	18	18	6	9	12	6		
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	GX BGK2GGX CPC.5/.75 CPC1		CPC1/1.25	3/4x12PP	
INCLUDED	3	3	2	3	3	3	1	



TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE INNER ANCHOR	OUTER ANCHOR	
INCLUDED	28	1	1	8	CB5G AB2	AB4	
	3/16EHS	1/4EHS	142265	BG2142	BG2144	BG2146	280' ROHN 55G
GUYS & CONNECTIONS	2825'	2025'	1150'	30	12	6	All parts shown in table are included
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8TBE&J	TBSAFETY	when ordering Part No: 55G110R280
	30	12	6	9	15	6	
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CPC.5/.75	CPC1/1.25	3/4x12PP
INCLUDED	3	3	2	3	3	3	1




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE	INNER ANCHOR	OUTER ANCHOR				
INCLUDED	30	1	1	8	CB5G	AB2	AB4				
	3/16EHS	1/4EHS	142265	BG2142	ВС	G2144	BG214	46	300' RO	HN 55G	
GUYS & CONNECTIONS	1675'	2500'	2350'	18		18	12			All parts shown in table are included	
INCLUDED	5/16THH	3/8THH	7/16THH	1/2TBE&J	5/8	ГВЕ&Ј	TBSAFE	TY	when or		
	18	18	12	9		15	6				
ANCHORS & GROUNDING	GAC3455TOP	GAC5655TOP	AGK1GGX	BGK2GGX	CP	C.5/.75	CPC1/1	.25	3/4x12PP		
INCLUDED	3	3	2	3		3	3		1		



TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	10	1	1	3	CB2G	AB2	
	3/16EHS	1/4EHS	142265	BG2142	BG	2144	
GUYS & CONNECTIONS	300'	325'	400'	6	6		
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	1/2T	BE&J	5/8TBE&J
	6	6	6	6		6	3
ANCHORS & GROUNDING	GAC3455TOP	AGK1GGX	BGK2GGX	CPC.5/.75	TBS	AFETY	3/4x12PP
INCLUDED	3	1	3	3		3	1


100' ROHN 55G All parts shown in table are included when ordering Part No: 55G130R100



							_
TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	11	1	1	3	CB2G	AB3	
	3/16EHS	1/4EHS	142265	BG2142	ВС	92144	
GUYS & CONNECTIONS	325'	375'	450'	6	6		
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8	TBE&J	
	6	6	6	6		9	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBS	AFETY	3/4x12PF
INCLUDED	3	1	3	3		3	1

110' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R110



TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	12	1	1	3	CB2G	AB3	
	3/16EHS	1/4EHS	142265	BG2142	BG	2144	
GUYS & CONNECTIONS	350'	400'	500'	6	6		
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8T	BE&J	
	6	6	6	6		9	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBS	AFETY	3/4x12P
INCLUDED	3	1	3	3		3	1

120' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R120


	130' TOWER
125′	17.3 OR 13.8 12.0
83′	5/16" EHS (1120#) -1/4" EHS (665#)
42'	112'
F	P/N: 55G130R130

TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHO
INCLUDED	13	1	1	3 (CB2G	AB3
	1/4EHS	142265	BG2144	BG2146		
GUYS & CONNECTIONS	800'	525'	12	6		
INCLUDED	3/8THH	7/16THH	5/8TBE&J	TBSAFETY		
	12	6	9	3		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	3/4x	12PP
INCLUDED	3	1	3	3		1

130' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R130






	TOWER PARTS	55G	BPC55G	APL55G	GA55GD	FDNS BASE ANCHOR	
	INCLUDED	14	1	1	4	CB3G AB3	
		3/16EHS	1/4EHS	142265	BG2142	BG2144	
	GUYS & CONNECTIONS	375'	900'	575'	6	12	
	INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8TBE&J	
		6	6	12	6	12	
	ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	3/4x12P
	INCLUDED	3	1	3	3	3	1

140' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R140



TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	15	1	1	4	CB3G	AB3	
	3/16EHS	1/4EHS	142265	BG2142	ВС	G2144	
GUYS & CONNECTIONS	400'	975'	600'	6	12		
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8	ГВЕ&Ј] ,
	6	6	12	6		12	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBS	AFETY	3/4x12PP
INCLUDED	3	1	3	3		3	1

150' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R150

	160' TOWER
Ιг	← 16.3 OR 13.2
155′	9.8
116′	201′ 5/16″ EHS (1120#)
78'	150' 73/16" EHS (665#) 150' 73/16" EHS (399#)
39′	134'
-	P/N: 55G130R160
<u> </u>	/14. 33013011100

TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	16	1	1	4	CB3G	AB3	
	3/16EHS	1/4EHS	142265	BG2142	ВС	G2144	
GUYS & CONNECTIONS	450'	1050'	650'	6		12	
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	5/8	ГВЕ&Ј	F
	6	6	12	6		12	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBS	AFETY	3/4x12PP
INCLUDED	3	1	3	3		3	1

160' ROHN 55G

All parts shown in table are included when ordering Part No: 55G130R160

	170' TOWER
	← 16.0 OR 13.0
165′	9.6
124′	214′ 5/16″ EHS (1120#)
83′	159' r3/16" EHS
41′	142' (399#)
1 —	136′
	P/N: 55G130R170


TOWER PARTS		55G	BPC55G	APL55G	GA55GD		DNS ANCHOR
	INCLUDED	17	1	1	4	CB3G	AB4
		3/16EHS	1/4EHS	142265	BG2142	ВС	G2144
	GUYS & CONNECTIONS	475'	1100'	700'	6		12
	INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	3/4	TBE&J
		6	6	12	6		12
	ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBS	AFETY
	INCLUDED	3	1	3	3		3

170' ROHN 55G

All parts shown in table are included when ordering


Part No: 55G130R170

1



TOWER PARTS	55G	BPC55G	APL55G	GA55GD		DNS ANCHOR	
INCLUDED	18	1	1	5	CB3G	AB4	
	3/16EHS	1/4EHS	142265	BG2142	BG	32144	180 All
GUYS & CONNECTIONS	1000'	1225'	725'	12		12	table
INCLUDED	BG2146	5/16THH	3/8THH	7/16THH	3/47	ГВЕ&Ј	Part
	6	12	12	6		15	
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBS	AFETY	3/4x12PP
INCLUDED	3	1	3	3		3	1

180' ROHN 55G All parts shown in table are included when ordering Part No: 55G130R180




TOWER PARTS	55G	BPC55G	APL55G	GA55GD	BASE ANCH				
INCLUDED	19	1	1	5	CB4G AI	B4			
	1/4EHS	142265	BG2144	BG2146					
GUYS & CONNECTIONS	2350'	775'	24	6					
INCLUDED	3/8THH	7/16THH	3/4TBE&J	TBSAFETY					
	24	6	15	3					
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	3/4x12PF	>			
INCLUDED	3	1	3	3	1				


190' ROHN 55G All parts shown in table are included when ordering

Part No: 55G130R190

PARTS & ACCESSORIES




TOP PLATE APL55G FOR MOUNTING BEACON OR LIGHTNING ROD.



BEARING PLATE BPL55G

CONVERTS STANDARD SECTION TO A TOP SECTION. HOLE PATTERN FITS TB3 (2" O.D.) AND TB4 (3" O.D.) THRUST BEARING.




ACCESSORY SHELF

AS455G


FOR MOUNTING MANY POPULAR ROTORS. FIELD DRILLING MAY BE NECESSARY FOR SOME ROTORS.



TOP MOUNT 55TDMKD - NO MAST 55TDM2S3KD - 2 3/8" O.D. MAST 55TDM25S3KD - 27/8" O.D. MAST 55TDM3S3KD - 3 1/2" O.D. MAST 55TDM35S3KD - 4" O.D. MAST 55TDM4S3KD - 4 1/2" O.D. MAST MOUNTING TUBE PROVIDED IS 7'.



LIGHTNING ROD LRCL 5' COPPER CLAD, MOUNTS TO APL55G.



CONCRETE BASE PLATE

BPC55G*

FOR USE WITH 3/4X12PP PIER PIN EMBEDDED IN CONCRETE.

CONCRETE BASE PLATE IS TO BE USED FOR BRACKETED AND **GUYED APPLICATIONS ONLY.**



PIER PIN 3/4X12PP

FOR USE WITH BPC55G EMBEDDED IN CONCRETE.

PIER PIN MUST BE ORDERED SEPARATELY, UNLESS BEING PURCHASED AS PART OF A COMPLETE TOWER KIT.




TAPERED BASE*

55TG - STANDARD

55TGIA - USE WITH A4197L BASE INSULATOR


55TGIAA - USE WITH A4722B BASE INSULATOR

INSULATOR AND PIER PIN MUST BE ORDERED SEPARATELY.



5' SHORT BASE SB55G

FOR EMBEDMENT IN CONCRETE.



FLAT ROOF MOUNT

FR55G*


BOLTS DIRECTLY TO FLAT ROOF SURFACE.



SIDE ARM BRACKET

SA253UA

MOUNTING TUBE PROVIDED IS 3' LONG, 2 - 1/4" O.D.




FACE MOUNT

DM55G2 - 2 3/8" O.D. 5' LONG DM554 - 4 1/2" O.D. 5' LONG


^{*} TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.

PARTS & ACCESSORIES



HEAVY DUTY UNIVERSAL HOUSE BRACKET

HBUTVRO
ADJUSTABLE TO POSITION TOWER
18"- 36" FROM WALL.



TORQUE ARM STABILIZER ASSEMBLY TA55


ANTI-TWIST DEVICE LOCATED IN THE AREA OF ANTENNAS. PROVIDES SIX-WAY GUYING. BOLTS TO TOWER AT ANY

SECTION JOINT. ATTACHED WITH JOINT BOLTS. MUST BE INSTALLED AS SECTIONS ARE JOINED TOGETHER.



TORQUE BAR

TB55D OPTIONAL, FOR USE WITH GA55GD. REQUIRES (1) 3/8" SHACKLE FOR EACH BAR.



GUY BRACKET

GA55GD

MOUNTS TO TOWER AT ANY HORIZONTAL BRACE.



THRUST BEARING

TB3 - SUPPORTS UP TO 2" O.D. MAST. TB4 - SUPPORTS UP TO 3" O.D. MAST. MOUNTS TO BPL55G.



ANTI-CLIMB PANELS ACL455


THREE ANTI-CLIMB PANELS BOLT TO STANDARD TOWER SECTION.



WORK PLATFORM

WP55G

SNAPS INTO PLACE AT ANY LEVEL. NO BOLTS REQUIRED.



SAFETY RING

SR55

SNAPS INTO PLACE AT ANY LEVEL. NO BOLTS REQUIRED.



CLIMBING HARNESS

TTFBH-4D JOURNEYMAN HARNESS TTFBH-C/P PROFESSIONAL HARNESS



SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC


SAFETY CABLE SYSTEM ORDERING INFORMATION


TOWER HEIGHT	PART NUMBER
50′	TT0504555
100′	TT1004555
150′	TT1504555
200′	TT2004555
250'	TT2504555
300′	TT3004555
350′	TT3504555
400'	TT4004555

SAFETY CABLE SLIDER AND CLIMBING HARNESS MUST BE ORDERED SEPARATELY.




ANCHOR INFORMATION








STANDARD ANCHOR BLOCKS




Refer to page 119 for anchor rod installation angles.

Block	Anch	or Dim	ensio	ns (in.)	Horizontal Bars	Stirrup Size	Concrete Vol.
DIOCK	Α	В	C	D	(Qty. & Size)	& Spacing	Concrete Vol. (Cu. Yds.)
AB2	4' - 0"	1' - 6"	4' - 0"	6' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.33 Per Block 4.0 Total for 3
AB3	6' - 0"	1' - 6"	3' - 0"	6' - 0"	(4) #6 Bars, Top Layer (4) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.0 Per Block 3.0 Total for 3
AB4	6' - 0"	1' - 6"	4' - 0"	9' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#4 @ 12" O.C.	2.0 Per Block 6.0 Total for 3
AB5 8' - 0" 2' - 0" 3' - 0" 10		10' - 0"	(4) #7 Bars, Top Layer (4) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.22 Per Block 6.7 Total for 3		
AB6	8' - 0"	2' - 0"	4' - 0"	10' - 0"	(5) #7 Bars, Top Layer (5) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.96 Per Block 8.9 Total for 3

ANCHOR ROD INSTALLATION ANGLES






	55G	90N	1PH	
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle
100′	GAC3455TOP	42	-	-
110′	GAC3455TOP	42	-	-
120′	GAC3455TOP	40	-	-
130′	GAC3455TOP	40	-	-
140′	GAC3455TOP	40	-	-
150′	GAC3455TOP	39	-	-
160′	GAC3455TOP	39	-	-
170′	GAC3455TOP	38	-	-
180′	GAC3455TOP	38	-	-
190′	GAC5655TOP	40	-	-
200′	GAC5655TOP	40	-	-
220′	GAC5755TOP	38	-	-
240′	GAC5755TOP	37	-	-
260′	GAC3455TOP	43	GAC5655TOP	42
280′	GAC3455TOP	42	GAC5655TOP	42
300′	GAC3455TOP	39	GAC5655TOP	43
320′	GAC3455TOP	40	GAC5655TOP	43
340′	GAC3455TOP	40	GAC5655TOP	42
360′	GAC3455TOP	40	GAC5655TOP	42
380′	380' GAC3455TOP		GAC5655TOP	42
400′	GAC3455TOP	38	GAC5655TOP	42

	55G	1101	ИР Н	
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle
100′	GAC3455TOP	41	-	-
110′	GAC3455TOP	40	-	-
120′	GAC3455TOP	40	-	-
130′	GAC3455TOP	40	-	-
140′	GAC3455TOP	38	-	-
150′	GAC5655TOP	38	-	-
160′	GAC5655TOP	39	-	-
170′	GAC5655TOP	38	-	-
180′	GAC5655TOP	38	-	-
190′	GAC5655TOP	38	-	-
200′	GAC5655TOP	38	-	-
220′	GAC3455TOP	42	GAC5655TOP	43
240′	GAC3455TOP	40	GAC5655TOP	44
260′	GAC3455TOP	41	GAC5655TOP	44
280′	GAC3455TOP	40	GAC5655TOP	43
300′	GAC3455TOP	39	GAC5655TOP	43

5	5G 130MPH	1
Tower	Rod	Rod
Height	Number	Angle
100′	GAC3455TOP	41
110′	GAC5655TOP	40
120′	GAC5655TOP	40
130′	GAC5655TOP	40
140′	GAC5655TOP	40
150′	GAC5655TOP	40
160′	GAC5655TOP	40
170′	GAC5755TOP	38
180′	GAC5755TOP	38
190′	GAC5755TOP	37




STANDARD BASE PIERS



Base	Α	В	С	D	E	F	Concrete Vol. (Cu. Yds.) Round Pier	Vertical Bars (No. & Size)	Horiz. Bars in Pad (No. & Size)
CB1G*	2' - 6"	2' - 6"	N/A	4' - 0"	N/A	N/A	1.0	(8) #7	NONE
CB2G	3' - 0"	3' - 0"	N/A	4' - 0"	N/A	N/A	1.2	(10) #7	NONE
CB3G	3' - 6"	3' - 6"	N/A	4' - 0"	N/A	N/A	1.6	(12) #7	NONE
CB4G	4' - 0"	4' - 0"	N/A	4' - 0"	N/A	N/A	2.1	(12) #8	NONE
CB5G	2' - 0"	4' - 0"	1' - 0"	4' - 0"	3' - 3"	1' - 3"	1.1	(8) #6	(5) #5 (Total of 10)



NOTES



STANDARD 65G GUYED TOWER





65**G**

GENERAL USE

The 65G is designed to provide excellent rigidity and strength in applications up to 500'. This high strength design covers a wide variety of communication uses. The 65G is completely pre-fabricated in welded sections, allowing for quick and convenient installation.

FEATURES


- Completely hot-dip galvanized after fabrication
- Built on a 24 1/4" equilateral triangle design
- High strength tubular legs joined by Zig-Zag[®] cross members
- Each section contains all required nuts and bolts shipped with section
- Continuous solid round steel bracing

CAUTION

Mixing copies of ROHN towers with ROHN towers is dangerous and voids all engineering and warranty data supplied by ROHN. Materials used by others are not the same quality and have not been tested or engineered by ROHN. Mixing ROHN tower sections with non-ROHN products may cause tower failure or injury.


Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 142 for ordering information.

STANDARD 65G GUYED TOWER SECTIONS




QUICK REFERENCE

PARTS & ACCESSORIES PAGES 141-142 GROUNDING INFORMATION PAGE 143 FOUNDATION INFORMATION PAGES 143-146



STANDARD SECTION 65G - 10' Section **6520G** - 20' Section




TAPERED BASE 65TGH - 10' Section

BUYERS GUIDE STANDARD DESIGNS - 65G

90MPH REV. G [3 SECOND GUST] 70MPH REV. F [FASTEST MILE]

Design Criteria



This document is to serve as a guide for sizing and purchasing the 65G tower. Tower and foundation installations should be performed by qualified and experienced personnel using assembly drawings provided with each tower.

DESIGN NOTES:


- 1. Tower designs are in accordance with ANSI/TIA-222-F and ANSI/TIA-222-G, Class I Structures, Topographic Category 1.
- 2. Design assumes towers are installed on level ground. Lower EPA values will apply for roof mounted towers or for sites located on unusual terrain.
- 3. Designs assume two 7/8" diameter lines on each tower face.
- 4. Anchor radius is from tower base to intersection of anchor rod with ground.
- 5. Guy chord lengths shown are based on level ground. Initial tensions for guys are shown in () in pounds at 60° Fahrenheit.
- 6. Antenna and mounts are assumed symmetrically placed at the tower top.

PARTS LIST NOTES:

- 1. Items listed are required for complete guyed towers.
- 2. Base and anchor foundations listed refer to standard foundation designations.
- 3. Guys provided with each standard tower are based on level ground conditions with an additional 6% length.
- 4. Rev G anchor grounding (AGK1GGX) and base grounding (BGK2GGX) are included with the tower material.
- 5. Assembly drawings and a safety package (P/N: ACWS) are included with each tower.
- 6. Parts lists are subject to change based on availability or revised design criteria.

FOR FOUNDATION INFORMATION, PLEASE SEE PAGES 143-146.
FOR GENERAL INSTALLATION INFORMATION, PLEASE SEE PAGES 147-153.






TOWER PARTS	65G		65	TGH		6520G	GA650	GA65GD		_4HA	BASE ANCHO		
INCLUDED	1			1		4	2			1	CB2	2G A	AB2
GUYS & CONNECTIONS	142265	3/16	6EHS	BG214	12	BG2146	5/16THH	7/1	6ТНН	5/8TBI	E&J	1/2TI	3E&.
INCLUDED	400'	3	00'	6		6	6		6	3		3	3
ANCHORS & GROUNDING	GAC3455	TOP	AGK	1GGX	В	GK2GGX	CPC.5/	.75	TBSA	FETY	15/1	16x16	PP
INCLUDED	3			1		3	3		3		1		

100' ROHN 65G All parts shown in


All parts shown in table are included when ordering Part No: 65G90R100



TOWER PARTS	65TGI	65TGH		20G	APL4HA	١	GA65GD			ONS ANCHO)R	
INCLUDED	1			5	1		2		CB2G	AB2		
GUYS & CONNECTIONS	142265	3/16	SEHS	BG214	2 BG2146	5/	16THH	7/16	THH	5/8TBE	&J	1/2TBE&
INCLUDED	425'	3	25'	6	6		6	6	6	3		3
	GAC3455	TOP	AGK	1GGX	BGK2GG	Χ	CPC.5	/.75	TBSA	AFETY	15/	16x16PP
GROUNDING INCLUDED	3			1	3		3			3		1

110' ROHN 65G


All parts shown in table are included when ordering Part No: 65G90R110



TOWER PARTS	65G		65	TGH	6520G		GA650	GD	API	L4HA		FDNS E ANCHO	P
INCLUDED	1			1	5		2			1	CB2		IX
GUYS & CONNECTIONS	142265	3/16	SEHS	BG214	2 BG2146	5	/16THH	7/16	STHH	5/8TBI	E&J	1/2TBE	ķĴ
INCLUDED	475'	3	75'	6	6		6		6	3		3	
	GAC3455	TOP	AGK	1GGX	BGK2GG	X	CPC.5/	.75	TBSA	FETY	15/1	6x16PP	
GROUNDING INCLUDED	3			1	3		3			3		1	

120' ROHN 65G

All parts shown in table are included when ordering Part No: 65G90R120



TOWER PARTS	65TGH		6520G			GA65GD)	APL4	НА		ANCHO)R		
INCLUDED	1			6		2		1		CB20	AB2			
GUYS & CONNECTIONS	142265	3/16	SEHS	BG214	12	BG2146	5/	16THH	7/16	THH	5/8TBE	E&J	1/2TBE8	ŝЈ
INCLUDED	525'	4	00'	6		6		6		6	3		3	
ANCHORS & GROUNDING	GAC3455	TOP	AGK	1GGX	В	GK2GG	X	CPC.5	/.75	TBS	AFETY	15/	16x16PP	
INCLUDED	3			1		3		3			3		1	

130'	ROHN	l 65G
All n	arte cho	wn in


All parts shown in table are included when ordering Part No: 65G90R130

129′	140′ TOWER (70.7) OR 56.6 (62.2)									
86′	171' 73/16" EHS (399#) 75/16" EHS									
43'	120'									
P/N: 65G90R140										


TOWER PARTS	65G		65TGH			6520G		APL4H		GA	GA65GD		FDNS E ANCHOF
INCLUDED	1			1		6		1		3		CB2	G AB2
GUYS & 142265 3/		3/16	SEHS	BG214	42	BG2146	5/1	I6THH	7/16	STHH	5/8TB	E&J	1/2TBE&
INCLUDED	550'	8	50'	12		6		12		6	3		6
	GAC3455	TOP AGK		1GGX E		GK2GGX	CPC.5/		.75	TBS	TBSAFETY		6x16PP
GROUNDING INCLUDED	3			1		3		3			3		1

140' ROHN 65G

All parts shown in table are included when ordering Part No: 65G90R140




TOWER PARTS	65TG	Н	65	520G	APL4HA		GA65	GD		-DNS ANCHO)R		
INCLUDED	1			7	1		3		CB20	AB2	2		150' ROHN 65G
GUYS & CONNECTIONS	142265	3/16	EHS	BG2142	BG2146	5/	/16THH	7/16	тнн	5/8TB	E&J	1/2TBE&	J All parts shown in table are included
INCLUDED	600'	90	00'	12	6		12		6	3		6	when ordering Part No: 65G90R150
	GAC345	TOP	AGK	1GGX	BGK2GG	X	CPC.5	/.75	TBS	AFETY	15/	16x16PP	_
GROUNDING INCLUDED	3			1	3		3			3		1	



TOWER PARTS	650	65G		TGH	6520G		APL4HA		GA65GD		BAS	FDNS E ANCHO
INCLUDED	1			1	7		1			3	CB2	G AB3
GUYS & CONNECTIONS	142265	3/16	EHS	BG214	2 BG2146	5/	/16THH	7/16	ТНН	5/8TBE	E&J	·
INCLUDED	650'	97	75'	12	6		12		6	9		
	GAC5655	TOP	AGK	1GGX	BGK2GG	Χ	CPC1/	1.25	TBS	AFETY	15/1	6x16PP
GROUNDING INCLUDED	3			1	3		3		3			1

160' ROHN 65G


All parts shown in table are included when ordering Part No: 65G90R160



TOWER PARTS	65TGH		65	6520G		APL4HA		GA65	GD		DNS ANCHO)R	
INCLUDED	1	1		8		1		3		CB3G	AB3		
GUYS & CONNECTIONS	142265	3/16	EHS	BG214	2	BG2146	5/	/16THH	7/16	ТНН	5/8TBE	&J	
INCLUDED	675'	10	25'	12		6		12	6	6	9		
	GAC5655	TOP	AGK	1GGX	Е	BGK2GG	X	CPC1/	1.25	TBSA	AFETY	15/1	16x16PP
GROUNDING INCLUDED	3			1		3		3			3		1

170' ROHN 65G
All parts shown in
table are included
1 1 1

when ordering Part No: 65G90R170



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		NS ANCHOR
INCLUDED	1	1	8	1	3	CB3G	AB3
	142265	1/4EHS	3/16EHS	BG2142	BG2144		
GUYS & CONNECTIONS	725'	600'	500'	6	6		
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH		
	6	9	6	6	6		
ANCHORS &	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x	16PP
GROUNDING INCLUDED	3	1	3	3	3	1	

180' ROHN 65G All parts shown in table are included when ordering Part No: 65G90R180


190' ROHN 65G

All parts shown in


table are included when ordering

Part No: 65G90R190


STANDARD DESIGN - 65G 90MPH REV. G, 70MPH REV. F




						_
TOWER PARTS	65TGH	6520G	APL4HA	GA65GD	BASE INNER ANCHOR	R
INCLUDED	1	9	1	3	CB3G AB3	190
	142265	1/4EHS	3/16EHS	BG2142	BG2144	All p
GUYS & CONNECTIONS	750'	625'	525'	6	6	wh Part I
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH	
	6	9	6	6	6	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP
INCLUDED	3	1	3	6	3	1




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	FDNS BASE ANCI	HOR		
INCLUDED	1	1	9	1	3	CB3G AB	3		
	142265	1/4EHS	3/16EHS	BG2142	BG2144	20)0′ ROHN 65G		
GUYS & CONNECTIONS	800'	650'	550'	6	6	A	All parts shown in table are included		
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH		when ordering rt No: 65G90R200		
	6	9	6	6	6	Ра	rt No: 65G90R200		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16F	P		
INCLUDED	3	1	3	3	3	1			




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE A		
INCLUDED	1	1	10	1	4	CB3G	AB3	
	142265	1/4EHS	3/16EHS	BG2142	BG2144		220′	ROHN 65G
GUYS & CONNECTIONS	875'	750'	1250'	12	6		All parts shown in table are included	
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH		when ordering	
	6	12	6	6	12		r are r	10. 03 0 7 0 11 2 2 0
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x	16PP	
INCLUDED	3	1	3	3	3	1		




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	FDNS BASE ANCHO	R
INCLUDED	1	1	11	1	4	CB3G AB3	
	142265	1/4EHS	3/16EHS	BG2142	BG2144	240	ROHN 65G
GUYS & CONNECTIONS	975'	825'	1375'	12	6	Allp	arts shown in
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH	wh	e are included ien ordering
	6	12	6	6	12	Part I	No: 65G90R240
ANCHORS &	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP	
GROUNDING INCLUDED	3	1	3	3	3	1	



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		ONS ANCHOR	
INCLUDED	1	1	12	1	4	CB4G	AB4	
	142261	1/4EHS	3/16EHS	BG2142	BG2144		260	' ROHN 65G
GUYS & CONNECTIONS	1050'	1675'	700'	6	12		All	parts shown in
INCLUDED	BG2147	5/8TBE&J	1/2THH	3/8THH	5/16THH		W	hen ordering
	6	12	6	12	6		Part	No: 65G90R260
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16>	<16PP	
INCLUDED	3	1	3	3	3		1	



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	$\overline{}$	NS ANCHOF	R
INCLUDED	1	1	13	1	5	CB4G	AB4	
GUYS & CONNECTIONS	142261	1/4EHS	3/16EHS	BG2142	BG2144		rohn 65G	
	1125'	1875'	1550'	12	12	All parts shown table are include when ordering Part No: 65G90R2		
INCLUDED	BG2147	5/8TBE&J	1/2THH	3/8THH	5/16THH			
	6	15	6	12	12			
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x	16PP	
INCLUDED	3	1	3	3	3	1		




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	FDNS BASE ANCHOR
INCLUDED	1	1	14	1	5	CB4G AB4
	142261	142265	1/4EHS	3/16EHS	BG2142	
GUYS & CONNECTIONS	1225'	1075'	1800'	800'	6	300
	BG2144	BG2146	BG2147	5/8TBE&J	1/2THH	All p table
INCLUDED	12	6	6	15	6	w l Part
	7/16THH	3/8THH	5/16THH	TBSAFETY		
	6	12	6	3		_
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	15/16x16PP	
INCLUDED	3	1	3	3	1	

300' ROHN 65G

All parts shown in table are included when ordering

STANDARD DESIGN - 65G 90MPH REV.G, 70MPH REV. F




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		ONS ANCHOR
INCLUDED	1	1	15	1	5	CB5G	AB4
	142261	142265	1/4EHS	3/16EHS	BG2142		
GUYS & CONNECTIONS	1300'	1150'	1925'	850'	6		
	BG2144	BG2146	BG2147	5/8TBE&J	1/2THH		320
INCLUDED	12	6	6	15	6		All _l tabl
	7/16THH	3/8THH	5/16THH	TBSAFETY			wl Part
	6	12	6	3		_	rait
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	15/16x16PP		
INCLUDED	3	1	3	3	1		

320' ROHN 65G

All parts shown in table are included when ordering

Part No: 65G90R320



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD
INCLUDED	1	1	16	1	6
	142261	142265	1/4EHS	3/16EHS	BG2142
	1375'	1250'	2600'	350'	6
GUYS & CONNECTIONS	BG2144	BG2146	BG2147	5/8TBE&J	1/2TBE&
INCLUDED	18	6	6	12	6
	1/2THH	7/16THH	3/8THH	1 3/16EHS 350° 7 5/8TBE&J 12 1 5/16THH 6	
	6	6	18	6	
	GAC5655TOP	GAC3455TOP	AGK1GGX	BGK2GGX	
ANCHORS & GROUNDING	3	3	2	3	
INCLUDED	CPC.5/.75	CPC1/1.25	TBSAFETY	15/16x16PP	
	3	3	6	1	

340' ROHN 65G

AB4

INNER OUTER ANCHOR

AB2

BASE

CB5G

All parts shown in table are included when ordering Part No: 65G90R340

360' TOWER 53.9 OR 46.4 45.8 455' 3/8" EHS (1,540#) -5/16" EHS (1,120#) 176 94′ 288′ P/N: 65G90R360

							_
TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE	Α
INCLUDED	1	1	17	1	6	CB6G	
	142261	142265	1/4EHS	5/8TBE&J	1/2TBE&J	3/8T	H
GUYS & CONNECTIONS INCLUDED	1450'	1325'	3100'	12	6	24	1
	BG2144	BG2146	BG2147	1/2THH	7/16THH		
	24	6	6	6	6		
	GAC5655TOP	GAC3455TOP	AGK1GGX	BGK2GGX	CPC.5/.75		
ANCHORS & GROUNDING INCLUDED	3	3	2	3	3		
	CPC1/1.25	APL1258UM	TBSAFETY	15/16x16PP			
	3	2	6	1			

360' ROHN 65G


AB4

INNER OUTER ANCHOR


AB2

3/8THH


All parts shown in table are included when ordering



TOWER PARTS	65G 65	TGH 6520	G APL4H	IA GA65GE)	BASE AN	INER OUTER CHOR ANCHOR
INCLUDED	1	1 18	3 1	6		CB6G A	AB2 AB4
	142261	142265	1/4EHS	5/8TBE&J	1/2TBE&J	3/8THF	1
GUYS & CONNECTIONS	1550'	1400'	3300'	12	6	24	
INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH		380' ROHN 65G
	24	6	6	6	6		All parts shown in table are included
	GAC5655TOP	GAC3455TOP	AGK1GGX	BGK2GGX	CPC.5/.75		when ordering Part No: 65G90R380
ANCHORS & GROUNDING	3	3	2	3	3		
	CPC1/1.25	APL1258UM	TBSAFETY	15/16x16PP			
	3	2	6	1			



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE	INNER ANCHOI	OUTER ANCHOR		
INCLUDED	1	1	19	1	7	CB6G	AB2	AB4		
	142261	142265	1/4EHS	5/8TBE&J	1/2TBE&J	3/8T	НН		,	
GUYS &	1625'	1475'	4300'	12	9	30)			
CONNECTIONS INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH		_	400' ROHN 65 All parts shown in		
	30	6	6	6	6				included	
	GAC5655TOP	GAC3455TOP	AGK1GGX	BGK2GGX	CPC.5/.75		Pa		5G90R400	
ANCHORS & GROUNDING	3	3	2	3	3					
INCLUDED	CPC1/1.25	APL1258UM	TBSAFETY	15/16x16PP						
	3	2	6	1						



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE
INCLUDED	1	1	20	1	7	CB6G
	142261	142265	1/4EHS	5/8TBE&J	3/8THH	
GUYS &	1700'	5025'	1100'	21	12	
CONNECTIONS INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH	
	12	24	6	6	24	
	GAC5655TOP	APL1258UM	AGK1GGX	BGK2GGX	CPC1/1.25	
ANCHORS & GROUNDING	6	2	2	3	6	
INCLUDED	TBSAFETY	15/16x16PP				
	6	1				

420' ROHN 65G


AB4

BASE INNER OUTER ANCHOR

AB3

All parts shown in table are included when ordering





TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD
INCLUDED	1	1	21	1	7
	142261	142265	1/4EHS	5/8TBE&J	3/8THH
GUYS & CONNECTIONS	1775'	5275'	1150'	21	12
INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH
	12	24	6	6	24
	GAC5655TOP	APL1258UM	AGK1GGX	BGK2GGX	CPC1/1.25
ANCHORS & GROUNDING	6	2	2	3	6
INCLUDED	TBSAFETY	15/16x16PP			
	6	1			

440' ROHN 65G

AB4

INNER OUTER ANCHOR

INNER OUTER ANCHOR

AB5

AB3


AB3

BASE

CB7G

3/8THH

All parts shown in table are included when ordering Part No: 65G90R440



	TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE
	INCLUDED	1	1	22	1	8	CB7G
		142261	142265	1/4EHS	3/4TBE&J	5/8TBE&J	3/8TH
	GUYS & CONNECTIONS	1850'	6850'	1025'	15	9	12
	INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH	
		12	30	6	6	30	
		GAC5655TOP	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1/1.25	
	ANCHORS & GROUNDING INCLUDED	3	3	2	3	3	
		CPC1.5/2	APL1258UM	TBSAFETY	15/16x16PP		
		3	2	6	1		

460' ROHN 65G

All parts shown in table are included when ordering Part No: 65G90R460

	480' TOWER
l	480 TOWER
472	← 49.7 OR 43.6
	609′ 42.0
413′	3/8" EHS 564' (1,540#)
354′	(1,540;;)
295′	522, 5/16" EHS (1,120#)
236′	484
177′	€1/4″ EHS
118′	227
59′	185′
	142' 384'
_	
	P/N: 65G90R480


TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE	INNER ANCHO
INCLUDED	1	1	23	1	8	CB7G	AB3
GUYS &	142261	142265	1/4EHS	3/4TBE&J	5/8TBE&J	3/8T	НН
	1950'	7175'	1100'	15	9	12	2
CONNECTIONS INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH		48
	12	30	6	6	30		All tab
	GAC5655TOP	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1/1.25		v Par
ANCHORS & GROUNDING	3	3	2	3	3		гат
INCLUDED	CPC1.5/2	APL1258UM	TBSAFETY	15/16x16PP			
	3	2	6	1			

480' ROHN 65G

AB5

INNER OUTER ANCHOR

All parts shown in table are included when ordering




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE	INNE ANCHO	R OF
INCLUDED	1	1	24	1	8	CB7G	AB3	;
	142261	142265	1/4EHS	3/4TBE&J	5/8TBE&J	3/8T	ΉΗ	
GUYS &	2025'	7450'	1150'	15	9	12	2	
CONNECTIONS INCLUDED	BG2144	BG2146	BG2147	1/2THH	7/16THH		5 (
	12	30	6	6	30		ta	b
	GAC5655TOP	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1/1.25		Pa	rt
ANCHORS & GROUNDING	3	3	2	3	3			
INCLUDED	CPC1.5/2	APL1258UM	TBSAFETY	15/16x16PP				
	3	2	6	1				

500' ROHN 65G All parts shown in table are included when ordering Part No: 65G90R500


AB5

BASE INNER OUTER ANCHOR




	TOWER PARTS	65G		65	TGH		6520G	APL4H	IA	GA6	65GD	BASE	FDNS ANCHOR
	INCLUDED	1		1		4		1			2		AB2
	GUYS & CONNECTIONS INCLUDED	142265	1/41	EHS	BG214	14	BG2146	7/16THH	3/8	ТНН	5/8TBI	E&J	1/2TBE8
		400'	30	00'	6		6	6		6	3		3
			OP A	AGK	1GGX	BGK2GGX		CPC.5/	.75	75 TBSAFET		15/1	6x16PP
	GROUNDING INCLUDED	3			1		3	3	3		3		1

J 100' ROHN 65G All parts shown in table are included when ordering Part No: 65G110R100



TOWER PARTS	65TGH		6520)G		APL4HA	GA65GI	o		DNS ANCHOR	R	
INCLUDED	1		5	5		1	2	(CB2G	AB2		
GUYS & CONNECTIONS	142265	1/4EH	HS B	G214	14	BG2146	7/16THH	3/8	STHH	5/8TBE	&J	1/2TBE&
INCLUDED	425'	325	,	6		6	6		6	3		3
	GAC3455TC	OP AC	GK10	GGX	В	GK2GGX	CPC.5/.	75	TBS	AFETY	15/	16x16PP
GROUNDING INCLUDED	3		1			3	3	3		3		1

110' ROHN 65G All parts shown in table are included when ordering Part No: 65G110R110



	TOWER PARTS	65G	65	TGH	6520G	APL4H	ΙΑ	GA	65GD		-DNS ANCHOR	120' ROHN 65G All parts shown in table are included
	INCLUDED	1		1	5	1		2		CB2G	AB3	120' ROHN 65G
	GUYS & CONNECTIONS INCLUDED	142265 1/	4EHS	BG214	4 BG2146	7/16THH	3/8	ТНН	5/8TB	E&J		All parts shown in
		475'	375'	6	6	6		6	6			when ordering
	ANCHORS & C GROUNDING INCLUDED	GAC5655TOF	AGK	1GGX	BGK2GGX	CPC1/1	.25	TBS	AFETY	15/1	6x16PP	Part No: 65G110R120
		3		1	3	3			3		1	


-120 NOIN 030
All parts shown in
table are included
when ordering
Part No: 65G110R120
P

120'	130' TOWER 48.4 OR 38.5 (22.2)
60′-	159' 3/8" EHS (1,540#) 120' 1/4" EHS (665#)
	P/N: 65G110R130

TOWER PARTS	65TGH	6520)G	APL4HA	GA65GI	D BA		<u>ONS</u> ANCHOR				
INCLUDED	1	6		1	2	CE	B2G	AB3		130' ROHN 65G All parts shown in		
GUYS & CONNECTIONS	142261 1/	4EHS B	G2147	BG2144	1/2THH	3/8T	ΉН	5/8TBE	&J ta	ble are included		
INCLUDED	525'	400'	6	6	6	6	6	6		when ordering t No: 65G110R130		
	GAC5655TOF	AGK10	GGX B	GK2GGX	CPC1/1.	.25 T	TBS/	AFETY	15/16x16PP			
GROUNDING INCLUDED	3	1		3	3		3		1			

	140' TOWER													
129′	47.2 OR 37.9 21.6 171′ 5/16″ EHS (1,120#)													
86′	73/16" EHS (399#) 141'													
43′	120'													
-	P/N: 65G110R140													


	1										
TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		DNS ANCHOF	R			
INCLUDED	1	1	6	1	3	CB3G	AB3				
	142265	1/4EHS	3/16EHS	BG2142	BG2144		140' ROHN 65				
GUYS & CONNECTIONS	550'	450'	400'	6	6		All parts shown in table are included when ordering Part No: 65G110R14				
INCLUDED	BG2146	5/8TBE&J	7/16THH	3/8THH	5/16THH						
	6	9	6	6	6			are 140. 03 01 1 01(1 40			
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16	x16PP				
INCLUDED	3	1	3	3	3		1				




TOWER PARTS	65TGH	6520G	APL4HA	GA65GD	BASE ANCHO	R
INCLUDED	1	7	1	3	CB3G AB3	150
	142261	1/4EHS	3/16EHS	BG2142	BG2144	All tab
GUYS & CONNECTIONS	600'	500'	425'	6	6	v Part
INCLUDED	BG2147	5/8TBE&J	1/2THH	3/8THH	5/16THH	
	6	9	6	6	6	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP
INCLUDED	3	1	3	6	3	1

150' ROHN 65G


All parts shown in table are included when ordering Part No: 65G110R150




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		DNS ANCHOR		
INCLUDED	1	1	7	1	3	CB3G	AB3		
	142261	1/4EHS	3/16EHS	BG2142	BG2144		16	0′ ROHN 65G	
GUYS & CONNECTIONS	650'	525'	450'	6	6			l parts shown in ble are included	
INCLUDED	BG2147	5/8TBE&J	1/2THH	3/8THH	5/16THH			when ordering t No: 65G110R160	
	6	9	6	6	6				
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16	x16PP		
INCLUDED	3	1	3	3	3		1		



TOWER PARTS	65TGH	65	20G	APL4HA	GA65GE			DNS ANCHOR	HOR		
INCLUDED	1		8	1	3		CB3G	AB3			ROHN 65G arts shown in
GUYS & CONNECTIONS	142261 1	/4EHS	BG214	4 BG2147	1/2THH	3/8	тнн	5/8TBE	E&J		are included en ordering
INCLUDED	675'	1025'	12	6	6	1	12	9		Part N	o: 65G110R170
ANCHORS & GROUNDING	GAC5655TC	P AGK	1GGX	BGK2GGX	CPC1/1.	.25	TBS	AFETY	15/	16x16PP	
INCLUDED	3		1	3	3			3		1	




TOWER PARTS	65G	65TGH		6520G	APL4H	APL4HA		GA65GD		DNS ANCHOR	
INCLUDED	1	1		8	1		3 (CB3G	AB3	180' ROHN65G
GUYS & CONNECTIONS	142261 1	/4EHS	BG214	4 BG2147	1/2THH	3/8	тнн	5/8TBI	E&J		All parts shown in table are included
INCLUDED		1075' 12		6	6		12 9				when ordering Part No: 65G110R180
ANCHORS &	GAC5655TO	PAGK	1GGX	BGK2GGX	CPC1/1	.25	TBS	AFETY	15/16	Sx16PP	
GROUNDING INCLUDED	3		1	3	3	3		3		1	




					EDVIC	
TOWER PARTS	65TGH	6520G	APL4HA	GA65GD	BASE ANCHO	R
INCLUDED	1	9	1	3	CB4G AB4	
	142261	142265	1/4EHS	BG2144	BG2146	19 All
GUYS & CONNECTIONS	750'	625'	525'	6	6	tab
INCLUDED	BG2147	5/8TBE&J	1/2THH	7/16THH	3/8THH	Part
	6	9	6	6	6	
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP
INCLUDED	3	1	3	6	3	1

190' ROHN 65G All parts shown in table are included when ordering Part No: 65G110R190




_									
	TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		ONS ANCHOR	
	INCLUDED	1	1	9	1	3	CB4G		
		142261	142265	1/4EHS	BG2144	BG2146		20	
	GUYS & CONNECTIONS	800'	650'	550'	6	6		A ta	
	INCLUDED	BG2147	5/8TBE&J	1/2THH	7/16THH	3/8THH	P		
		6	9	6	6	6		1 41	
	ANCHORS &	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16	x16PP	
	GROUNDING INCLUDED	3	1	3	3	3		1	

7	AD4			
	20	0 ′ l	ROHN	1 65G
	ΑI	l pa	rts sho	wn in
	ta	ble a	re incl	uded
		whe	n orde	ring
	Par	t No	: 65G1	10R200




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE ANCHO			
INCLUDED	1	1	10	1	4	CB4G	AB4		
	142261 142265 1/4			BG2144	220' ROHN 65G				
GUYS & CONNECTIONS	875'	750'	1250'	12	6		All parts shown table are include when ordering Part No: 65G110R		
INCLUDED	BG2147	5/8TBE&J	1/2THH	7/16THH	3/8THH				
	6	12	6	6	12	Part No: 65GTTUK			
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x	16PP		
INCLUDED	3	1	3	3	3	1			




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		DNS ANCHOF	3	
INCLUDED	1	1	11	1	4	CB4G	AB4		
	142261	142265	1/4EHS	BG2144	BG2146			240' ROHN 65G	
GUYS & CONNECTIONS	975'	825'	1375'	12	6			All parts shown in table are included	
INCLUDED	BG2147	5/8TBE&J	1/2THH	7/16THH	3/8THH		Р	when ordering art No: 65G110R240	
	6	12	6	6	12				
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16	x16PP		
INCLUDED	3	1	3	3	3		1		







	TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	FDN BASE AI	NS NCHOR		
	INCLUDED	1	1	12	1	4	CB5G	AB5		
		142261	142265	1/4EHS	BG2144	1/2THH		260′	ROHN 65G	
	GUYS & CONNECTIONS INCLUDED	1050'	1675'	700'	6	6			parts shown in e are included nen ordering No: 65G110R260	
		7/16THH	3/4TBE&J	3/8THH	BG2146	BG2147				
		12	12	6	12	6		0. 03011011200		
	ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBSAFETY	15/16x1	6PP		
	INCLUDED	3	1	3	3	3	1			



TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		ONS ANCHOR		
INCLUDED	1	1	13	1	5	CB5G	AB5		
GUYS & CONNECTIONS	142261	142265	1/4EHS	BG2144	BG2146		280'	ROHN 65G	
	1125'	1000'	2450'	18	6			arts shown in	
INCLUDED	BG2147	7/16THH	3/4TBE&J	3/8THH	1/2THH		wh	en ordering lo: 65G110R280	
	6	6	15	18	6		10. 03G110N200		
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBSAFETY	15/16x	<16PP		
INCLUDED	3	1	3	6	3	,	1		




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE ANCHOR				
INCLUDED	1	1	14	1	5	CB5G	AB5			
	142261	142265	1/4EHS	BG2144	BG2146		300'	ROHN 65G		
GUYS & CONNECTIONS	1225'	2875'	800'	6	18		All p	arts shown in are included		
INCLUDED	BG2147	3/4TBE&J	1/2THH	7/16THH	3/8THH		when orderin			
	6	15	6	18	6		Part No: 65G110F			
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBSAFETY	15/16x1	16PP			
INCLUDED	3	1	3	3	3	1				




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE AN			
INCLUDED	1	1	15	1	5	CB6G	AB6		
	142261	142265	1/4EHS	BG2144	BG2146		2201	ROHN 65G	
GUYS & CONNECTIONS	2425'	1925'	850'	6	12	All parts s		arts shown in	
INCLUDED	BG2147	3/4TBE&J	1/2THH	7/16THH	3/8THH		table are inc when orde		
	12	15	12	12	6	Part No: 65G110R			
ANCHORS & GROUNDING	GAC5755TOP	AGK1GGX	BGK2GGX	CPC1.5/2	TBSAFETY	15/16x1	6PP		
INCLUDED	3	1	3	3	3	1			

STANDARD DESIGN - 65G 110 MPH REV. G, 90MPH REV. F




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	BASE	INNER ANCHOR	OUTER ANCHOR
INCLUDED	1	1	16	1	6	CB7G	AB3	AB5
	142261	42261 142265 1/4		1/4EHS BG2144		В	G2147	
GUYS & CONNECTIONS	2600'	2600'	350'	6	18		12	
INCLUDED	3/4TBE&J	5/8TBE&J	1/2THH	7/16THH	3/8THH			ROHN
	12	6	12	18	6			irts show are inclu
	GAC5655TOP	GAC5755TOP	AGK1GGX	BGK2GGX				n orderi o: 65G110
ANCHORS & GROUNDING	3	3	2	3				
INCLUDED	CPC1/1.25	CPC1.5/2	TBSAFETY	15/16x16PP	,			
	3	3	6	1				

340' ROHN 65G All parts shown in table are included when ordering



TOWER PARTS	65G	650		GTH		6520G GA65G		D	APL4HA			FDNS E ANCH	OR
INCLUDED	1		1			4	2		1		CB2	2G AB	3
GUYS &	142265	1/4E	EHS	BG214	16	BG2144	5/8TBE&J	3/8	ТНН	7/16TH	ΗН		1
CONNECTIONS INCLUDED	400'	30	0'	6		6	6		6	6			
	GAC5655T0	OP A	AGK	1GGX	В	GK2GGX	CPC1/1	.25	TBS	AFETY	15/1	6x16PF	P
GROUNDING INCLUDED	3			1		3	3			3		1	

100' ROHN 65G All parts shown in table are included when ordering Part No: 65G130R100




TOWER PARTS	65TGH	65	6520G		APL4HA	GA65GD		FDNS BASE ANCHO)R	
INCLUDED	1		5		1	2		CB2G AB3			
GUYS & CONNECTIONS	142261	1/4EHS	BG214	17	BG2144	1/2THH	3/8	ТНН	5/8TBE	E&J	
INCLUDED	425'	325'	6		6	6		6	6		
	GAC5655T	OP AGK	(1GGX	В	GK2GGX	CPC1/1.	25	TBS	AFETY	15/	16x16PI
GROUNDING INCLUDED	3		1		3	3			3		1

110' ROHN 65G All parts shown in table are included when ordering Part No: 65G130R110

	120' TOWER					
112	30.8 OR 24.4					
112	(11.4)					
	148′					
,	3/8" EHS (1,540#)					
55'	111' 5/16" EHS (1,120#)					
	96'					
P/N: 65G130R120						

TOWER PARTS	65G		65TGH		6520G		APL4HA		GA65GD			DNS ANCHOR
INCLUDED	1			1		5	1			2	CB3G	AB3
GUYS & CONNECTIONS	142261	142	265	BG214	7	BG2146	7/16THH	1/2	THH	5/8TB	E&J	
INCLUDED	475'	37	75'	6		6	6		6	6		
	GAC5655T0	OP A	٩GK	1GGX	В	GK2GGX	CPC1/1.	25	TBS	AFETY	15/1	6x16PP
GROUNDING INCLUDED	3			1		3	3			3		1

120' ROHN 65G All parts shown in table are included when ordering Part No: 65G130R120



TOWER PARTS	65TGH	6	6520G		APL4HA	GA65GD		FDNS BASE ANCHOR)R	
INCLUDED	1		6		1	2		CB3G	AB3		_
GUYS & CONNECTIONS	142261	14226	5 BG214	47	BG2146	7/16THH	1/2	тнн	5/8TBE	E&J	
INCLUDED	525'	400'	6		6	6		6	6		
ANCHORS &	GAC5655T	OP AG	K1GGX	В	GK2GGX	CPC1/1	.25	TBSA	AFETY	15/	16x16PP
GROUNDING INCLUDED	3		1		3	3			3		1

130' ROHN 65G
All parts shown in
table are included
when ordering
Part No: 65G130R130


129' 86' 43'	140' TOWER (29.5) OR [23.6] (171' 3/8" EHS (1,540#) (1,120#) 141' 73/16" EHS (399#)
	P/N: 65G130R140

TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD	FDNS BASE ANCHO	
INCLUDED	1	1	6	1	3	CB3G	AB3
	142261	142265	3/16EHS	BG2147	BG2146		
GUYS & CONNECTIONS	550'	450'	400'	6	6		
INCLUDED	BG2142	5/8TBE&J	1/2THH	7/16THH	5/16THH		
	6	9	6	6	6		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/10	6x16PP
INCLUDED	3	1	3	3	3		1

140' ROHN 65G All parts shown in table are included when ordering Part No: 65G130R140







TOWER PARTS	65TGH	6520G	APL4HA	GA65GD	FDNS BASE ANCHO	R
INCLUDED	1	7	1	3	CB3G AB4	
	142261	142265	3/16EHS	BG2147	BG2146	□ 150 ′ All p
GUYS & CONNECTIONS	600'	500'	425'	6	6	table wh
INCLUDED	BG2142	5/8TBE&J	1/2THH	7/16THH	5/16THH	Part N
	6	9	6	6	6	
	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP
GROUNDING	3	1	3	3	3	1

150'	RO	Н	N (6	5	G
All pa	rts	s h	o w	n	ir	n


table are included when ordering Part No: 65G130R150

152′	160' TOWER 28.4 OR [22.9] 199' 9.8 199' 15/16' EHS (1,540#) 162' 1/4" EHS (665#)					
52′	\.' \ F /4 ED3					
P/N: 65G130R160						

TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		NS ANCHOR		
INCLUDED	1	1	7	1	3	CB4G	AB4		
	142261	142265	1/4EHS	BG2147	BG2146		160	ROHN 65G	
GUYS & CONNECTIONS	650'	525'	450'	6	6		All parts shown in table are included		
INCLUDED	BG2144	5/8TBE&J	1/2THH	7/16THH	3/8THH		wh	en ordering	
	6	9	6	6	6		raitiv	10. 0301306100	
	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	TBSAFETY	15/10	6x16PP		
GROUNDING INCLUDED	3	1	3	3	3		1		

	170' TOWER								
159'	27.8 OR 22.7 209' 9.6								
	3/8" EHS (1,540#)								
106′	75/16" EHS (1,120#)								
	1/4" EHS (665#)								
53′	146'								
\sqcup	136′								
	P/N: 65G130R170								

TOWER PARTS	OWER PARTS 65TGH 6520G		APL4HA	GA65GD	BASE ANCHO	DR		
INCLUDED	1	8	1	3	CB4G AB4			
	142261 142265 1/4EHS		1/4EHS	BG2147	BG2146	170' ROHN 65G All parts shown in table are included		
GUYS & CONNECTIONS INCLUDED	675'	550'	475'	6 6				
	BG2144	5/8TBE&J	1/2THH	7/16THH	3/8THH		n ordering : 65G130R170	
	6 9 6		6	6	1			
ANCHORS & GROUNDING	GAC5655TOP AGK1GGX BGK2		BGK2GGX	CPC1/1.25	TBSAFETY	15/16x16PP		
INCLUDED	3	1	3	3	3	1		
	•						•	




TOWER PARTS	65G	65TGH	6520G	APL4HA	GA65GD		NS ANCHOR		
INCLUDED	1	1	8	1	3	CB4G	AB4		
	142261	142265	BG2147	BG2146			180′ F		
GUYS & CONNECTIONS INCLUDED	725'	1075'	6	12	All pa				
	5/8TBE&J	1/2THH	7/16THH	TBSAFETY			wher		
	9	6	12	3			T art NO		
ANCHORS & GROUNDING	GAC5655TOP	AGK1GGX	BGK2GGX	CPC1/1.25	15/16x16P	P			
INCLUDED	3	1	3	3	1				

180' ROHN 65G

All parts shown in table are included when ordering





TOWER PARTS	65TGH	65TGH		6520G		APL4HA	GA65GD		FDNS BASE ANCHOR)R	
INCLUDED	1			9		1	3		CB4G AB4			19 Al
GUYS & CONNECTIONS	142261	14	2265	BG214	17	BG2146	7/16THH	1/2	THH	5/8TBE	&J	ta
INCLUDED	750'	1	150'	6		12	12		6	9		Par
	GAC5655T	OP	AGK	1GGX	В	GK2GGX	CPC1/1	.25	TBSA	FETY	15/	16x16PP
GROUNDING INCLUDED	3			1		3	3			3		1

190' ROHN 65G
All parts shown in table are included when ordering
Part No: 65G130R190

PARTS & ACCESSORIES



LEG MOUNTED BEACON PLATE KIT APL4HA

FOR MOUNTING BEACON OR LIGHTNING ROD. BOLTS TO TOP OF STANDARD SECTION. INCLUDES BEACON PLATE, (2) CAP PLATES, NUTS AND BOLTS.



LIGHTNING ROD PLATE KIT

VW133
INCLUDES: LIGHTNING ROD PLATE,
(2) CAP PLATES, NUTS AND BOLTS.



CAP PLATE KIT CP4A

(3) CAP PLATES WITH NUTS AND BOLTS.



10' TAPERED BASE


65TGH*
FOR USE WITH 15/16X16PP,
ORDERED SEPARATELY.



PIER PIN

15/16X16PP FOR USE WITH 65TGH EMBEDDED IN CONCRETE.

PIER PIN MUST BE ORDERED SEPARATELY, UNLESS BEING PURCHASED AS PART OF A COMPLETE TOWER KIT.



5' SHORT BASE


SB65GH FOR EMBEDMENT IN CONCRETE.



SIDE ARM ASSEMBLY

SA253UA

MOUNTING TUBE PROVIDED IS 3' LONG, 2 1/4" O.D.




FACE DISH MOUNT

DM654


4 1/2" O.D. X 5' LONG

DM654TB 4 1/2" O.D. X 5' LONG WITH TIE-BACK ANGLE.




DISH MOUNT

KY509 - 2 3/8" O.D. MAST KY510 - 4 1/2" O.D. MAST MOUNTING TUBE PROVIDED IS 5' LONG.




3' SIDE ARM

KH6100A MOUNTING TUBE PROVIDED IS 7' LONG, 2 3/8" O.D.



6' SIDE ARM

KY1048A MOUNTING TUBE PROVIDED IS 5' LONG, 2 3/8" O.D.



HOUSE BRACKET


KH1014

ADJUSTABLE TO POSITION 65G 18" - 30" FROM WALL.

* TOWERS MOUNTED ON THESE BASES MUST BE BRACKETED OR GUYED AT ALL TIMES. TEMPORARY STEEL GUYING MAY ALSO BE NECESSARY DURING INSTALLATION AND DISMANTLING.



PARTS & ACCESSORIES



GUY BRACKET ASSEMBLY
GA65GD
KIT INCLUDES (3) BRACKETS WITH
U-BOLTS.



ANTI-CLIMB PANELS VW915A

THREE ANTI-CLIMB PANELS BOLT TO STANDARD TOWER SECTION.



WORK PLATFORM
WPCC65
SNAPS INTO PLACE AT ANY LEVEL.
NO BOLTS REQUIRED.



CLIMBING HARNESS TTFBH-4D JOURNEYMAN HARNESS TTFBH-C/P PROFESSIONAL HARNESS




SAFETY CABLE SLIDER WITH CARABINER TT-WG-500-W/SMC


SAFETY CABLE SYSTEM ORDERING INFORMATION

PART NUMBER
TT05065
TT10065
TT15065
TT20065
TT25065
TT30065
TT35065
TT40065
TT45065
TT50065

SAFETY CABLE SLIDER AND CLIMBING HARNESS MUST BE ORDERED SEPARATELY.


ANCHOR INFORMATION





at 120° separation at 20' spacing.


STANDARD ANCHOR BLOCKS




Refer to page 145 for anchor rod installation angles.

Block	Anch	or Dim	ensio	ns (in.)	Horizontal Bars	Stirrup Size & Spacing	Concrete Vol.
DIOCK	Α	В	C	D	(Qty. & Size)	& Spacing	Concrete Vol. (Cu. Yds.)
AB2	4' - 0"	1' - 6"	4' - 0"	6' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.33 Per Block 4.0 Total for 3
AB3	6' - 0"	1' - 6"	3' - 0"	6' - 0"	(4) #6 Bars, Top Layer (4) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#3 @ 12" O.C.	1.0 Per Block 3.0 Total for 3
AB4	6' - 0"	1' - 6"	4' - 0"	9' - 0"	(5) #6 Bars, Top Layer (5) #6 Bars, Bottom Layer (0) Additional Bar, Each Side	#4 @ 12" O.C.	2.0 Per Block 6.0 Total for 3
AB5	8' - 0"	2' - 0"	3' - 0"	10' - 0"	(4) #7 Bars, Top Layer (4) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.22 Per Block 6.7 Total for 3
AB6	8' - 0"	2' - 0"	4' - 0"	10' - 0"	(5) #7 Bars, Top Layer (5) #7 Bars, Bottom Layer (1) Additional Bar, Each Side	#4 @ 12" O.C.	2.96 Per Block 8.9 Total for 3

ANCHOR ROD INSTALLATION ANGLES





65G 90MPH								
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle				
100′	GAC3455TOP	44	-	-				
110′	GAC3455TOP	44	-	-				
120′	GAC3455TOP	44	-	-				
130′	GAC3455TOP	44	-	-				
140′	GAC3455TOP	42	-	-				
150′	GAC3455TOP	42	-	-				
160′	GAC5655TOP	42	-	-				
170′	GAC5655TOP	41	-	-				
180′	GAC5655TOP	41	-	-				
190′	GAC5655TOP	41	-	-				
200′	GAC5655TOP	41	-	-				
220′	GAC5655TOP	40	-	-				
240′	GAC5655TOP	39	-	-				
260′	GAC5655TOP	39	-	-				
280′	GAC5655TOP	38	-	-				
300′	GAC5655TOP	38	-	-				
320′	GAC5655TOP	38	-	-				
340′	GAC3455TOP	43	GAC5655TOP	43				
360′	GAC3455TOP	43	GAC5655TOP	43				
380′	GAC3455TOP	43	GAC5655TOP	43				
400′	GAC3455TOP	40	GAC5655TOP	44				
420′	GAC5655TOP	40	GAC5655TOP	43				
440′	GAC5655TOP	40	GAC5655TOP	43				
460′	GAC5655TOP	40	GAC5755TOP	42				
480′	GAC5655TOP	40	GAC5755TOP	42				
500′	GAC5655TOP	39	GAC5755TOP	42				


	030	1 101	VIFTI	
Tower Height	Inner Rod Number	Inner Rod Angle	Outer Rod Number	Outer Rod Angle
100′	GAC3455TOP	44	-	-
110′	GAC3455TOP	43	-	-
120′	GAC5655TOP	42	-	-
130′	GAC5655TOP	42	-	-
140′	GAC5655TOP	41	-	-
150′	GAC5655TOP	41	-	-
160′	GAC5655TOP	41	-	-
170′	GAC5655TOP	40	-	-
180′	GAC5655TOP	40	-	-
190′	GAC5655TOP	40	-	-
200′	GAC5655TOP	39	-	-
220′	GAC5655TOP	39	-	-
240′	GAC5655TOP	38	-	-
260′	GAC5755TOP	38	-	-
280′	GAC5755TOP	37	-	-
300′	GAC5755TOP	37	-	-
320′	GAC5755TOP	37	-	-
340′	GAC5655TOP	43	GAC5755TOP	42

65G | 110MPH

Tower	Rod	Rod
Height	Number	Angle
100′	GAC5655TOP	42
110′	GAC5655TOP	42
120′	GAC5655TOP	41
130′	GAC5655TOP	41
140′	GAC5655TOP	40
150′	GAC5655TOP	40
160′	GAC5655TOP	40
170′	GAC5655TOP	39
180′	GAC5655TOP	38
190′	GAC5655TOP	38

65G | 130MPH

STANDARD BASE PIERS



Base	A	В	С	D	E	F	Concrete Vol. (Cu. Yds.) Round Pier	Vertical Bars (No. & Size)	Horiz. Bars in Pad (No. & Size)
CB2G	3' - 0"	3' - 0"	N/A	4' - 0"	N/A	N/A	1.2	(10) #7	NONE
CB3G	3' - 6"	3' - 6"	N/A	4' - 0"	N/A	N/A	1.6	(12) #7	NONE
CB4G	4' - 0"	4' - 0"	N/A	4' - 0"	N/A	N/A	2.1	(12) #8	NONE
CB5G	2' - 0"	4' - 0"	1' - 0"	4' - 0"	3' - 3"	1' - 3"	1.1	(8) #6	(5) #5 (Total of 10)
CB6G	2' - 0"	4' - 6"	1' - 3"	4' - 0"	3' - 3"	1' - 3"	1.3	(8) #6	(6) #5 (Total of 12)
CB7G	2' - 0"	5' - 0"	1' - 6"	4' - 6"	3' - 9"	1' - 3"	1.6	(8) #6	(6) #5 (Total of 12)

GENERAL NOTES FOR G-SERIES TOWERS

- 1. The suitability of a ROHN standard design and standard foundation for a specific application must be verified by the purchaser based on site-specific data in accordance with ANSI/TIA-222-G.
- 2. The effective projected area and lines to be installed must not exceed the design values for the structure.
- 3. Structures supported on buildings or other structures require special consideration. Designs assume structures are installed on level grade.
- 4. Designs assume maintenance and inspection will be performed over the life of the structure in accordance with ANSI/TIA-222-G. All towers should be thoroughly inspected by qualified personnel and re-marked as required with appropriate danger and anti-climb labels at least twice a year to ensure safety and proper performance.
- 5. Standard Designs are intended to be climbed by skilled and competent climbers only. A safety climb system is required for all structures.
- 6. Installation and dismantling must be performed by qualified and experienced personnel and be in conformance with ANSI/TIA-222-G.
- 7. Standard guyed masts and bracketed towers are not stable without guys or brackets attached and will not support personnel in this condition. Temporary steel guys supplied by a qualified contractor may be required to maintain stability during installation or dismantling.
- 8. Do not install or dismantle structures within falling distance of electrical and/or telephone lines without taking special precautions in accordance with the appropriate utility.
- 9. All field connections are bolted.
- 10. The tolerance on installed height is equal to plus 1% and minus 1/2%.
- 11. Installation must be grounded in accordance with local and national codes. ANSI/TIA-222-G requires that the resistance to ground must not exceed 10 ohms. Additional grounding may be required in addition to the ROHN standard grounding kit provided with the tower.
- 12. Additional anchor rod corrosion protection may be required based on site-specific conditions.
- 13. Installation must be in conformance with local, state and federal requirements for obstruction marking and lighting.
- 14. Warning plate P/N: AWCS provided with the structure must be installed in a highly visible location.

G-SERIES FOUNDATION GENERAL NOTES

1. Standard foundation designs (unless otherwise noted) are in accordance with ANSI/TIA-222-G, "Structural Standards for Steel Antenna Towers and Antenna Supporting Structures," Section 9 and Annex F for the following presumptive clay soil parameters:

N (blows/ft)	ф (deg)	Y (lb/ft³)	c (psf)	Ultimate Bearing (psf) Shallow Deep Fdns. Fdns.		Ultimate Skin Friction	k (pci)	£ 50
	3.		,			(psf)	, ,	
8	0	110	1000	5000	9000	500	150	0.01

2. The purchaser must verify that actual site soil parameters meet or exceed the assumed soil conditions and that the depth of standard foundations are adequate based on the frost penetration and/or zone of seasonal moisture variation at the site. Foundation design modifications may be required in the event the assumed soil parameters are not applicable for the actual subsurface conditions encountered.



G-SERIES FOUNDATION GENERAL NOTES

- 3. Foundation designs assume field inspections will be performed by the purchasers' representative to verify that construction materials, installation methods and assumed design parameters are acceptable based on the conditions existing at the site.
- 4. Work shall be in accordance with local codes, safety regulations and unless otherwise noted, the latest revision of ACI 318, "Building Code Requirements for Reinforced Concrete." Procedures for the protection of excavations, existing construction and utilities shall be established prior to foundation installations.
- 5. Concrete materials shall conform to the appropriate state requirements for exposed structural concrete.
- 6. Proportions of concrete materials shall be suitable for the installation method utilized and shall result in durable concrete for resistance to local anticipated aggressive actions. The durability requirement of ACI 318 Chapter 4 shall be satisfied based on the conditions expected at the site. As a minimum, concrete shall develop a minimum compressive strength of 4000 psi in 28 days.
- 7. Maximum size of aggregate shall not exceed the size suitable for the installation method utilized or 1/3 the clear distance behind or between reinforcing. Maximum size may be increased to 2/3 the clear distance provided workability and methods of consolidation such as vibrating will prevent honeycombs or voids.
- 8. Reinforcement shall be deformed and conform to the requirements of ASTM A615 Grade 60 unless otherwise noted. Splices in reinforcement shall not be allowed unless otherwise indicated.
- 9. Reinforcing cages shall be braced to retain proper dimensions during handling and throughout placement of concrete.
- 10. Welding is prohibited on reinforcing steel and embedments.
- 11. Minimum concrete cover for reinforcement shall be 3 inches unless otherwise noted. Appropriate spacers shall be used to insure a 3 inch minimum cover on reinforcement.
- 12. Concrete cover from top of foundations to ends of vertical reinforcement shall not exceed 3 inches nor be less than 2 inches.
- 13. Spacers shall be attached intermittently throughout the entire length of vertical reinforcing cages to insure concentric placement.
- 14. Foundation designs assume structural backfill to be compacted in 8 inch maximum layers to 95% of maximum dry density at optimum moisture content in accordance with ASTM D698. Additionally, structural backfill must have a minimum compacted until weight of 100 pounds per cubic foot.
- 15. Foundation designs assume level grade at the site.
- 16. Foundation installations shall be supervised by personnel knowledgeable and experienced with the proposed foundation type. Construction shall be in accordance with generally accepted installation practices.
- 17. Loose material shall be removed from bottom of excavations prior to concrete placement. Sides of excavations shall be rough and free of loose cuttings.
- 18. Concrete shall be placed in a manner that will prevent segregation of concrete materials and other occurrences which may decrease strength or durability.
- 19. Free fall concrete may be used provided fall is vertical down without hitting sides of excavation, form work, reinforcing bars, form ties, cage bracing or other obstructions. Under no circumstances shall concrete fall through water.
- 20. Concrete shall be placed against undisturbed soil except for piers in pier and pad foundations. Forms for piers shall be removed prior to placing structural backfill.
- 21. Construction joints, if required in piers must be at least 12 inches below bottom of embedments and must be intentionally roughened to a full amplitude of 1/4 inch. Foundation designs assume no other construction joints.
- 22. Tops of foundations shall be sloped to drain with a floated finished.
- 23. Exposed edges of concrete shall be chamfered 3/4" x 3/4".
- 24. Additional corrosion protection may be required for steel guy anchors in direct contact with soil. Design assumes periodic inspections will be performed over the life of the structure to determine if additional anchor corrosion protection measures must be implemented based on observed site-specific conditions.



FOUNDATION TOLERANCES

GENERAL


- 1. Concrete dimensions plus 2" or minus 0".
- 2. Depth of foundation plus 3" or minus 0".
- 3. Drilled foundations out-of-plumb 1.0 degree.
- 4. Reinforcing steel placement per A.C.I. 301.
- 5. Projection of embedments plus or minus 1/8".
- 6. Vertical embedments out of plumb 0.5 degree.


GUY ANCHORS

- 1. Guy radius plus or minus 5% of distance specified.
- 2. Anchor elevation plus or minus 5% of guy radius.
- 3. Anchor alignment (perpendicular to guy radius) 1.0 degree.
- 4. Anchor rod slope plus or minus 1.0 degree.
- 5. Anchor rod alignment with guy radius plus or minus 1.0 degree.
- 6. Anchor head out of plumb 1.0 degree.
- 7. Guy initial tension plus or minus 10% of tension specified.

Note: Tolerances in notes 1 & 2 cannot occur simultaneously.


GUY ARRANGEMENT DETAILS





Wire Size	Anchor Rod	Turnbuckle	Thimble	Big Grip w/ End Sleeve
3/16 EHS	GAC3455TOP	1/2TBE&J	5/16THH	BG2142
3/10 L113	GAC5655TOP	5/8TBE&J	5/16THH	DG2142
	GAC3455TOP	1/2TBE&J	3/8THH	
1/4EHS	GAC5655TOP	5/8TBE&J	3/8THH	BG2144
	GAC5755TOP	3/4TBE&J	3/8THH	
	GAC3455TOP	5/8TBE&J	7/16THH	
5/16EHS	GAC5655TOP	5/8TBE&J	7/16THH	BG2146
	GAC5755TOP	3/4TBE&J	7/16THH	
	GAC3455TOP	5/8TBE&J	1/2THH	
3/8EHS	GAC5655TOP	5/8TBE&J	1/2THH	BG2174
	GAC5755TOP	3/4TBE&J	1/2THH	


GUY ANCHOR CONNECTION DETAILS





Anchor Connection




GUY MAST CONNECTION DETAILS







PAL NUT INSTALLATION



When pal nuts are provided, they are to be installed after nuts are tight and with edge lip out as shown. Pal nuts are not required when self-locking nuts or lock washers are provided.

STANDARD 80 SERIES GUYED TOWER



GENERAL USE


The ROHN Model 80 Guyed Tower is designed with variable sized legs and braces to allow construction to heights of 1000'. This tower uses solid or tubular legs with angle or tubular braces to support microwave, cellular, PCS, AM/FM or TV applications. The tower is designed on an equilateral triangle of 41" center-to-center of each leg. The variable leg and brace sizes allow flexibility in design so a tower can be created specifically for your unique requirements.


FEATURES


- Solid or Tubular Legs
- Angle or Tubular Braces
- Completely hot-dip galvanized after fabrication
- Easily reinforced for additional loading capability
- Multiple section lengths available
- Guy lug and torque arm sections available

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.

STANDARD 80 GUYED TOWER SECTIONS








80 Sections have several custom designs available depending on your particular specifications. Sections are available with a variety of different wall thicknesses, bracing patterns and lengths.

ROHN-155

20' STANDARD SECTION

STANDARD 90 SERIES GUYED TOWER



90 SERIES

GENERAL USE


The ROHN Model 90 Guyed tower is designed specifically for microwave installations, cellular, PCS, other heavy duty communication, TV and FM broadcast and meteorological equipment installations. This series has a rating for installations up to 1500', using variable size and weight of tubular or solid steel components. The tower is designed on an equilateral triangle of 60 1/2" center-to-center of each leg. The "X" brace design of the 90 series maximizes strength in critical areas as well as allows for future upgrading of the tower for additional loads.

FEATURES


- Solid or Tubular Legs
- Angle Braces
- Completely hot-dip galvanized after fabrication
- Easily reinforced for additional loading capability
- Multiple section lengths available
- Guy lug and torque arm sections available


Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.

STANDARD 90 GUYED TOWER _____ SECTIONS



Custom designs with larger face widths are available for broadcast and other applications.






TAPERED BASE STANDARD - 10' Also available in 8'

90 Sections have several custom designs available depending on your particular specifications. Sections are available with a variety of different wall thicknesses, bracing patterns and lengths.

ELEVATION 20' STANDARD SECTION






BRACKETED TOWERS



STANDARD G-SERIES BRACKETED



Typical installation on short base with (2) HBUTVRO brackets.

(Refer to G-Series accessories for short base)

G-SERIES (BRACKETED)


GENERAL USE

ROHN G-Series Bracketed towers can be installed adjacent to buildings using brackets to secure the tower along the height of the structure.

FEATURES

- Completely hot-dip galvanized after fabrication
- Cross bracing is formed by a continuous solid rod bracing fashioned into a Zig-Zag pattern for strength
- Pre-engineered loading charts to meet varying individual specs and site conditions
- Typical uses include: small dishes, broadband, security and two-way communication.

OPTIONAL ACCESSORY



* Per Rev. G requriements, any structure greater than 10' requires a climber safety device. Please see page 209 for ordering information.



25G BRACKETED ALLOWABLE ANTENNA AREAS


Tower Height	Bracket E	levations	Allowable Antenna Areas (SQ. FT.)			
(FT.)	Upper (FT.)	Lower (FT.)	70 [85] MPH	80 [95] MPH	90 [105] MPH	
40	30.0	15.0	15.3	11.3	7.7	
50	36.0	18.0	14.6	10.0	6.8	
60	46.0	23.0	14.0	8.9	5.9	
70	56.0	28.0	13.5	8.3	5.5	
80	66.0	33.0	13.1	7.7	5.0	
90	66.0	33.0	6.8	4.9	-	
100	66.0	33.0	1.7	-	-	


25**G**

- 1. Tower designs are in accordance with ANSI/EIA-222-F. Wind speeds indicated as fastest mile [3-second gust].
- 2. All towers must have "fixed bases" with both bracket elevations. Pinned bases must not be used.
- 3. Designs assume one 5/8" transmission line on each face (total=3), symmetrically placed.
- 4. Antennas and mounts assumed symmetrically placed at tower apex.
- 5. Allowable antenna areas assume all round antenna members.
- 6. Allowable flat-plate antenna areas, based on EIA RS-222-C, may be obtained by multiplying areas shown by 0.6.
- 7. All brackets are to be ROHN (P/N HBUTVRO).
- 8. The interface of tower brackets to supporting structure is to be designed by others and must support a minimum horizontal force of 815 lbs.
- 9. Foundation designs are in accordance with ANSI/TIA/EIA-222-F, "Structural Standards for Steel Antenna Towers and Antenna Supporting Structures", Section 7, for "Normal" soil conditions. "Normal" soil is defined as dry, cohesive soil with an allowable net vertical bearing capacity of 4000 PSF and an allowable net horizontal pressure of 400 PSF per linear foot of depth to a maximum of 4000 PSF.

Refer to pages 147-153 for General Installation and Foundation Notes.

FOUNDATION INFORMATION





VOLUME OF CONCRETE

Square Pier = 1.0 cu. yds. Round Pier = 0.8 cu. yds.

45G BRACKETED ALLOWABLE ANTENNA AREAS


4		
_	_	~


Tower Height	Bracket E	levations	Allowable Antenna Areas (SQ. FT.)			
(FT.)	Upper (FT.)	Lower (FT.)	70 [85] MPH	80 [95] MPH	90 [105] MPH	
40	30.0	15.0	36.7	27.4	21.0	
50	36.0	18.0	34.8	25.9	20.0	
60	46.0	23.0	33.3	24.7	19.0	
70	56.0	28.0	32.0	23.8	17.0	
80	66.0	33.0	31.0	23.0	12.0	
90	66.0	33.0	13.8	9.3	5.3	
100	66.0	33.0	5.5	2.0	-	

- 1. Tower designs are in accordance with ANSI/EIA-222-F. Wind speeds indicated as fastest mile [3-second gust].
- 2. All towers must have "fixed bases" with both bracket elevations. Pinned bases must not be used.
- 3. Designs assume one 5/8" transmission line on each face (total=3), symmetrically placed.
- 4. Antennas and mounts assumed symmetrically placed at tower apex.
- 5. Allowable antenna areas assume all round antenna members.
- 6. Allowable flat-plate antenna areas, based on EIA RS-222-C, may be obtained by multiplying areas shown by 0.6.
- 7. All brackets are to be ROHN (P/N HBUTVRO).
- 8. The interface of tower brackets to supporting structure is to be designed by others and must support a minimum horizontal force of 1810 lbs.
- 9. Foundation designs are in accordance with ANSI/TIA/EIA-222-F, "Structural Standards for Steel Antenna Towers and Antenna Supporting Structures", Section 7, for "Normal" soil conditions. "Normal" soil is defined as dry, cohesive soil with an allowable net vertical bearing capacity of 4000 PSF and an allowable net horizontal pressure of 400 PSF per linear foot of depth to a maximum of 4000 PSF.

Refer to pages 147-153 for General Installation and Foundation Notes.

FOUNDATION INFORMATION -





VOLUME OF CONCRETE

Square Pier = 1.0 cu. yds. Round Pier = 0.8 cu. yds.

55G BRACKETEDALLOWABLE ANTENNA AREAS


Tower Height	Bracket E	levations	Allowable Antenna Areas (SQ. FT.)			
(FT.)	Upper (FT.)	Lower (FT.)	70 [85] MPH	80 [95] MPH	90 [105] MPH	
40	30.0	15.0	72.4	54.5	41.8	
50	36.0	18.0	68.7	51.7	39.4	
60	46.0	23.0	65.8	49.5	37.6	
70	56.0	28.0	63.5	47.5	36.0	
80	66.0	33.0	61.4	46.0	34.6	
90	66.0	33.0	30.6	22.0	16.0	
100	66.0	33.0	16.0	10.5	6.4	




- 1. Tower designs are in accordance with ANSI/EIA-222-F. Wind speeds indicated as fastest mile [3-second gust].
- 2. All towers must have "fixed bases" with both bracket elevations. Pinned bases must not be used.
- 3. Designs assume one 5/8" transmission line on each face (total=3), symmetrically placed.
- 4. Antennas and mounts assumed symmetrically placed at tower apex.
- 5. Allowable antenna areas assume all round antenna members.
- 6. Allowable flat-plate antenna areas, based on EIA RS-222-C, may be obtained by multiplying areas shown by 0.6.
- 7. All brackets are to be ROHN (P/N HBUTVRO).
- 8. The interface of tower brackets to supporting structure is to be designed by others and must support a minimum horizontal force of 3200 lbs.
- 9. Foundation designs are in accordance with ANSI/TIA/EIA-222-F, "Structural Standards for Steel Antenna Towers and Antenna Supporting Structures", Section 7, for "Normal" soil conditions. "Normal" soil is defined as dry, cohesive soil with an allowable net vertical bearing capacity of 4000 PSF and an allowable net horizontal pressure of 400 PSF per linear foot of depth to a maximum of 4000 PSF.

Refer to pages 147-153 for General Installation and Foundation Notes.

FOUNDATION INFORMATION






VOLUME OF CONCRETE

Square Pier = 1.4 cu. yds. Round Pier = 1.1 cu. yds.




SELF-SUPPORTING TOWERS




STANDARD G-SERIES SELF-SUPPORTING





25G, 45G and 55G Tower (Tapered top available for 25G & 45G only)



45GSR and 65G Tower

G-SERIES SELF-SUPPORTING

GENERAL USE

The self-supporting G-Series towers offer an easy, low-cost solution to get light weight antennas in the air quickly. By using the G-Series tower as a self-supporting structure, you minimize land area usage. They are functional in a wide variety of wind speeds. See ROHN's standard designs to help identify the right structure for your project. These are the same sturdy, robust tower sections that ROHN has fabricated for years. Each larger model allows for more loading capacity.

FEATURES

- Completely hot-dip galvanized after fabrication
- Cross bracing is formed by a continuous solid rod bracing fashioned into a zig-zag pattern for strength
- Pre-engineered loading charts meet varying individual specs and site conditions
- Typical uses include: small dishes, broadband, security and two-way communication
- All towers have 'fixed' bases

KITS

The kit part numbers for ROHN Self-Supporting G-Series towers include:

- Short base for embedment in concrete
- Grounding optional
- All tower sections and connection hardware
- Tapered top (25G and 45G towers)
- Top plate (55G towers)
- Cap plate kit (65G towers)

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 209 for ordering information.



G SERIES REV. F ALLOWABLE ANTENNA AREAS (SQ. FT.)

70 MPH Fastest Mile

		70 MPI	H Fast	est Mile Wir	nd Spe	ed - No Ice		
		25G		45G		55G		65G
Height	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.
10′	19.7	25SS010	42.5	45SS010	75.0	55SS010	95.0	65SS010
20′	14.2	25\$\$020	22.0	45SS020	43.0	55SS020	95.0	65SS020
30′	6.4	25SS030	12.0	45SS030	26.0	55SS030	76.2	65SS030
35'	3.6	25SS035	8.7	45SS035	21.9	55SS035	61.2	65SS035
40′	1.5	25SS040	5.1	45SS040	15.0	55SS040	48.8	65SS040
45'			2.3	45SS045	11.4	55SS045	39.0	65SS045
50′					6.5	55SS050	29.3	65SS050
55'					4.0	55SS055	24.4	65SS055
60′					0.8	55SS060	18.4	65SS060
70′							8.7	65SS070
80′							0.9	65SS080

SOMPH Fastest Mile

	80 MPH Fastest Mile Wind Speed - No Ice											
		25G		45G		55G	65G					
Height	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.				
10′	14.3	25SS010	30.0	45SS010	57.0	55SS010	95.0	65SS010				
20′	9.0	25SS020	16.0	45SS020	30.0	55SS020	85.0	65SS020				
30′	3.7	25SS030	7.5	45SS030	17.0	55SS030	55.8	65SS030				
35'	1.4	25SS035	4.7	45SS035	14.5	55SS035	44.0	65SS035				
40′			1.4	45SS040	8.0	55SS040	34.1	65SS040				
45'					5.9	55SS045	26.2	65SS045				
50′					1.5	55SS050	19.7	65SS050				
55'							14.5	65SS055				
60′							9.4	65SS060				
70′							1.3	65SS070				

工	
9	Mille
\geq	test
	Fast
9	

	90 MPH Fastest Mile Wind Speed - No Ice												
		25G		45G		55G	65G						
Height	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.	FT ²	Part No.					
10′	10.5	25SS010	25.0	45SS010	45.0	55SS010	95.0	65SS010					
20′	6.9	25SS020	11.0	45SS020	23.0	55SS020	65.0	65SS020					
30′	1.7	25SS030	4.0	45SS030	12.0	55SS030	40.0	65SS030					
35'			1.9	45SS035	9.4	55SS035	32.2	65SS035					
40′					4.0	55SS040	24.1	65SS040					
45'					2.2	55SS045	17.7	65SS045					
50′							14.5	65SS050					
55'							7.7	65SS055					
60′							3.3	65SS060					

Note: Antenna areas, ft.², assume all round antenna members.





90 MPF 3-Second Gust

G SERIES REV. G EFFECTIVE PROJECTED AREA (SQ. FT.)

					90 MI	PH 3-Seco	ond G	iust W	ind Spee	d					
	25G			450	G		45G	SR	55G				65G		
Height	Е	PA	Part No.	El	PA Part No.	E	EPA Part No		EPA		Part No.	EPA		Part No.	
	Ехр. В	Ехр.С			Ехр.С			Ехр.С			Ехр.С		Ехр.В	Ехр. С	
10′	26.8	21.3	25SS010	60.0	47.5	45 \$\$010	95	84	45SR010	80	79	55SS010	95	95	65SS010
20′	18.5	13.4	25SS020	31.3	22.7	45 \$\$020	95	71	45SR020	56	42	55SS020	95	95	65SS020
30′	7.9	4.1	25 \$\$030	16.1	8.4	45 \$\$030	87	58	45SR030	34	21	55SS030	95	71	65SS030
35'	4.4	1.2	25SS035	9.8	3.8	45SS035	76	52	45SR035	25	14	55SS035	80	54	65SS035
40′	1.3	-	25SS040	4.9	-	45 \$\$040	60	40	45SR040	17	8	55SS040	62	41	65SS040
45'				0.7	-	45SS045	48	31	45SR045	11	3	55SS045	48	30	65SS045
50′							38	23	45SR050	5	-	55SS050	37	21	65SS050
55'							29	16	45SR055				28	14	65SS055
60′							22	11	45SR060				20	7	65SS060

OO MPH 3-Second Gust

					100 N	1PH 3-Sec	ond	Gust \	Vind Spe	ed					
		25	G	45G				45G	SR		55	G		65	G
Height	E	PA	Part No.	EF	PA	Part No.	EI	PA	Part No.	EI	PA	Part No.	EI	PA	Part No.
	Ехр. В	Ехр.С			Ехр.С		Ехр. В	Ехр.С		Ехр. В	Ехр.С		Ехр.В	Ехр.С	
10′	20.7	16.4	25SS010	47.4	39.5	45SS010	82	66	45SR010	78	63	55SS010	95	95	65SS010
20′	14.0	9.9	25SS020	23.2	16.9	45SS020	74	55	45SR020	43	32	55SS020	95	95	65SS020
30′	5.3	2.2	25SS030	9.7	4.8	45SS030	66	43	45SR030	24	14	55SS030	81	55	65SS030
35'	2.1	-	25SS035	5.1	0.7	45SS035	59	38	45SR035	17	8	55SS035	61	40	65SS035
40′				1.2	-	45SS040	46	30	45SR040	10	3	55SS040	47	29	65SS040
45'							35	22	45SR045	5	-	55SS045	35	20	65SS045
50′							27	15	45SR050				26	13	65SS050
55'							20	9	45SR055				17	6	65SS055
60′							13	4	45SR060				11	1	65SS060


10 MPH 3-Second Gust


	110 MPH 3-Second Gust Wind Speed														
		25	G		450	G		45G	SR	55G				65	G
Height	EI	PA	Part No.	EPA Do		Part No.	Down No El	PA	Part No.	EPA		Part No.	EF	PA	Dowt No
	Exp. BExp. C			Ехр.В	Ехр.С		Ехр.В	Ехр.С			Ехр.С	Part No.	Ехр.В	Ехр.С	Part No.
10′	16.5	12.7	25SS010	39.4	31.9	45SS010	67	53	45SR010	63	51	55SS010	95	95	65SS010
20′	10.6	7.2	25SS020	18.3	12.3	45 \$\$020	59	43	45SR020	34	25	55SS020	95	81	65SS020
30′	3.1	0.4	25SS030	6.5	1.9	45 \$\$030	51	32	45SR030	17	9	55SS030	65	43	65SS030
35'				1.7	-	45SS035	45	27	45SR035	11	4	55SS035	48	30	65SS035
40′							35	22	45SR040	5	-	55SS040	35	21	65SS040
45'							26	15	45SR045				25	13	65SS045
50′							19	9	45SR050				17	7	65SS050
55'							13	4	45SR055				10	-	65SS055
60′							7	_	45SR060				4	_	65SS060

Note: Antenna areas, ft.², assume all round antenna members.



SELF-SUPPORTING G-SERIES FOUNDATIONS





CONCRETE BASE PLATE WITH ANCHORS

25GSSB FOR USE WITH SELF-SUPPORTING

ALTERNATIVE TO USING SHORT BASE.
BASE BOLTS & TEMPLATE MUST
BE ORDERED SEPARATELY.

25G TOWERS.




BASE BOLTS & TEMPLATE KH8175A

FOR USE WITH 25GSSB IN SELF-SUPPORTING 25G TOWER APPLICATIONS. KIT INCLUDES (1) TEMPLATE & (4) BASE BOLTS.

ELEVATION VIEW 25G (shown), 45G & 55G SELF-SUPPORTING TOWER FOUNDATION C_L

	c ₁	Tower Axis & Center of Pad
∠		→

Tower	Mat Width (W)	Concrete Volume (Cu. Yds.)
25G	4' - 0"	2.4
45G	5' - 3"	4.1
55G	6' - 0"	5.3
45GSR 65G	7' - 9"	8.9



SELF-SUPPORTING G-SERIES DESIGN NOTES

- 1. Tower designs are in accordance with approved national standard ANSI/EIA-222-F and ANSI/TIA-222G, Structure Class I, Exposures B and C, Topographic Category I.
- 2. All towers must have "fixed" bases. Pinned bases may not be used.
- 3. Designs assume transmission lines symmetrically placed as follows:
 - 25G Tower One 5/8" Line on each face (Total =3)
 - 45G Tower One 7/8" Line and one 1/2" line on each face (Total = 3 @ 7/8" & 3 @ 1/2")
 - 55G & 65G Towers Two 7/8" Lines on each face (Total =6)
- 4. Antennas and mounts assumed symmetrically placed at tower apex.
- 5. Rev F tabulated allowable antenna areas assume all round antenna members.
- 6. Allowable flat-plate antenna areas, based on EIA RS-222-C, may be obtained by multiplying Rev. F Antenna areas shown by 0.6.
- 7. Standard foundation designs are based on Rev. F normal soil and Rev. G presumptive clay soil parameters.

Refer to pages 147-153 for General Installation and Foundation Notes.



NOTES



STANDARD 65G SELF-SUPPORTING CAMERA TOWERS (all-welded)

REV. G:110 MPH 3-SEC GUST WIND SPEED (NO ICE), 40 MPH 3-SEC GUST WIND SPEED (3/4" ICE), CLASS II, EXPOSURE C, TOPO CATEGORY 1 SEISMIC COEFFICIENT S_c < 1.0

	2 E I 2 IVI I	. COEFFICIENTS	$S_{\rm s} \leq 1.0$	
Tow	rer Max. Tip Deflection			24 1/4" Face Width (TYP)
Heig	iht at 60 MPH			
10	0.10″			l N
20	0.10"			K
30	0.40″		TM	
40	1.00"		N	Standard 65 Section (TY
50	1.80"			Section (17)
Maxin	num Load at Top		B	
<u>Tower Hei</u> 10' - 40 50'	<u>ghts</u> <u>No Ice</u> <u>W</u> y' 14.5 ft. ² 2	PA h lce .0 ft.² .0 ft.²		50'
A	20'	30'		
65\$\$010C7 328 lbs.*	502 lbs.*	65SS030CT 695 lbs.*	65SS040CT 868 lbs.*	65SS050CT 1061 lbs.*
* Tower Weigh	τ			

Includes short base section, tower sections, Rev G grounding material and 3/16" top mounting plate with attachment hardware.

Per Rev. G requirements, any structure greater than 10' requires a climber safety device.

Please see page 173 for ordering information.

5.3 cu. yds. concrete

3.7 cu. yds. concrete




3.3 cu. yds. concrete

7.8 cu. yds. concrete

9.5 cu. yds. concrete

65G CAMERA TOWERS STANDARD FOUNDATION DETAILS



ACCESSORIES



GENERAL NOTES

- 1. Tower designs are in accordance with ANSI/TIA/222-G.
- 2. Camera and mount assumed symmetrically placed at tower top.
- 3. Tower design assumes one 7/8" line on each tower face.
- 4. Assembly drawings and standard foundation details are provided with the tower.
- 5. Standard foundation illustrated is for general information only and is based on Rev G presumptive clay soil parameters.

Max. Tip Deflection

Tower Height

STANDARD VG SELF-SUPPORTING CAMERA TOWERS (field bolted)

REV. G:110 MPH 3-SEC GUST WIND SPEED (NO ICE), 40 MPH 3-SEC GUST WIND SPEED (3/4" ICE), CLASS II, EXPOSURE C, TOPO CATEGORY 1 SEISMIC COEFFICIENT $S_c \le 1.0$

Height	at 60 MPH			30" Face Width (TYP)
10′	0.10"			\top
20′	0.10"			KX
30′	0.20"			
40′	0.70"			
50′	1.30"		\top	2 3/8" O.D. Tubular Legs (TYP)
Maxim ver Height 10' - 40' 50'	<u>No Ice</u> <u>Wi</u>	PA :h Ice .0 ft. 2 .0 ft. 2		1 1/2" x 1/8" Angle Bracing (TYP)
	20'	30'	40'	

VG010CT 500 lbs.* * Tower Weight

10'

KNOCKED DOWN



Square 3.7 cu. yds. concrete **VG020CT** 735 lbs.*

← 5′-6″ → Square

← 5'-6" → Square 4.5 cu. yds. concrete **VG030CT** 1016 lbs.*



Square 5.3 cu. yds. concrete **VG040CT** 1251 lbs.*



Square 7.8 cu. yds. concrete **VG050CT** 1531 lbs.*




Square 9.5 cu. yds. concrete

Includes anchor bolts, templates, tower sections, Rev G grounding material, 1/2" top mounting plate with attachment hardware and step bolts.


Per Rev. G requirements, any structure greater than 10' requires a climber safety device.

See page 175 for ordering information.


VG CAMERA TOWERS STANDARD FOUNDATION DETAILS



See tower elevation page for "W" dimensions.



ACCESSORIES





CLIMBING HARNESS TTFBH-4D JOURNEYMAN HARNESS TTFBH-C/P PROFESSIONAL HARNESS



SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC

SAFETY CABLE SYSTEM TT050SSL FITS ALL TOWER HEIGHTS

GENERAL NOTES


- 1. Tower designs are in accordance with ANSI/TIA/222-G.
- 2. Camera and mount assumed symmetrically placed at tower top.
- 3. Tower design assumes one 7/8" line on each tower face.
- 4. Assembly drawings and standard foundation details are provided with the tower.
- 5. Standard foundation illustrated is for general information only and is based on Rev G presumptive clay soil parameters.

Refer to pages 147-153 for Foundation General Notes.





STANDARD RSL SELF-SUPPORTING TOWERS (field bolted)



For more information, please visit our website: www.rohnnet.com

The all new RSL

GENERAL USE

The ROHN RSL is a light weight self-supporting tower designed for use in broadband, public safety and security applications. The RSL reaches above line-of-site obstacles such as tree tops, hilly terrain and buildings. The RSL is shipped knocked down to reduce shipping cost and time.

FEATURES

- Available in heights from 20' up to 100'
- U-shaped legs allows for simple lap splice connection
- · Available in standard and heavy models
- Pre-punched holes for attachment of safety climb systems, mounting kits, etc.
- Braces for each section are the same length, while bolt lengths are standard throughout the tower
- Tower material is hot-dip galvanized
- Assembly drawings provided with tower
- Top closing angle standard with each tower package

Optional items are available and may be ordered separately:

- Step Bolts
- Safety Climbing System*
- Top Post
- Anti-Climb Brackets
- Multiple Mounting Kits
- Grounding kit
- Top Plate
- Accessory Shelf
- Waveguide Brackets
- Lightning Rod

*Per Rev G requirements, any structure greater than 10' requires a climber safety device.





ORDERING INFO


- 1. Foundation bases must be ordered separately.
- 2. All accessories must be ordered separately including step bolt kits, safety climb systems, climbing harness with slider, grounding kits, lightning rods, top plate, top mast, mounting kits, W/G brackets, anti-climb assemblies, etc.
- 3. ROHN standard RSL tower kits are supplied with lock washers as nut locking devices. Pal nuts (P), anco nuts (A) and tri-loc nuts (T) are alternative nut locking devices that may be obtained by adding the indicated suffix to the standard RSL tower kit Part Number. (Note: nut locking devices are required in accordance with ANSI/TIA-222-G.) Example: RSL100L10A for Anco Nuts.
- 4. All three tower legs in each section have provision to install step bolts and a safety climb system. When step bolts are desired, one step bolt kit must be ordered for each section of the tower. Increase the number of step bolt kits accordingly when step bolts are desired on more than one tower leg of a section.

DESIGN NOTES

- 1. The suitability of a ROHN standard RSL tower kit and standard foundation for a specific application must be verified by the purchaser based on site-specific data in accordance with the ANSI/TIA-222-G Standard. All users are solely responsible for the installation, use, maintenance, inspection and other work and the compliance with all local, state and federal requirements.
- 2. The allowable Effective Projected Areas (EPA) tabulated for the standard RSL tower kits represent the summation of the projected areas of all antennas, mounts and accessories multiplied by appropriate drag factors. The tabulated EPA values are in addition to the loading from a 3/8 inch diameter safety cable assumed to be mounted to each standard tower. The tabulated EPA values are for a no-ice condition. For design purposes, the tabulated EPA values have been increased 75% when investigating extreme ice loading conditions.
- 3. The tabulated EPA values apply to towers located on sites with level grade (ANSI/TIA-222-G Topographic Category 1). Lower EPA values than tabulated would apply for roof mounted towers or for towers located on sites with unusual terrain. Contact ROHN for site-specific design limitations.
- 4. The RSL standard designs are based on one 1/2 inch transmission line for each 10 square feet of EPA up to a maximum of 6 lines unless otherwise noted. All lines are assumed to be symmetrically mounted on the tower faces adjacent to a leg.
- 5. The total weight of all antennas and mounts associated with the tabulated EPA values is assumed to equal 500 pounds for the no-ice condition and 1000 pounds for the extreme ice condition.
- 6. The tabulated EPA values assume the associated antennas and appurtenances are symmetrically mounted unless otherwise noted. Eccentric loading may increase member forces and may require a reduction of the tabulated EPA values. Mounting arrangements are assumed to be appropriate for the supporting members utilized. Contact ROHN if assistance is needed in determining the adequacy of a specific RSL tower kit for site-specific loading conditions.
- 7. The RSL standard top mast is designed to support a maximum EPA of 5 square feet with 100 pounds vertical load. Other optional top mounts are available upon request. All other loading is assumed to be mounted to the tower below the top mast.
- 8. The standard RSL tower kits that include dish loading criteria meet ANSI/TIA-222-G twist and sway requirements for a 6 GHz dish frequency. All dishes are assumed to be face mounted. Contact ROHN for assistance with higher frequency or other mounting arrangement applications.







RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = I EXPOSURE CATEGORY = B TOPOGRAPHIC CATEGORY = 1

RSL-D01 R4


			ALLOWABLE EFFECTIVE									
HEIGHT		TOWER KIT				AREA (
(FT)	SECTIONS	P/N	3-SE	COND	GUST V	VIND S	PEED (N	IPH)				
			90	100	110	120	130	140				
100	R1 - R10H	RSL100L10	25	11	-	-	-	-				
90	R1 - R9H	RSL90L19	31	20	10	-	-	,				
90	R2 - R10H	RSL90L20	39	23	12	4	-	1				
	R1 - R8H	RSL80L18	34	21	12	4	-	-				
80	R2 - R9H	RSL80L29	49	34	22	10	-	-				
	R3 - R10H	RSL80L30	56	38	25	14	4	-				
	R1 - R7	RSL70L17	40	27	17	9	-	-				
70	R2 - R8H	RSL70L28	52	37	25	13	-	-				
70	R3 - R9H	RSL70L39	74	52	32	19	8	-				
	R4 - R10H	RSL70L40	80	56	38	24	13	5				
	R1 - R6	RSL60L16	59	42	30	21	12	-				
60	R4 - R9H	RSL60L49	80	62	42	28	17	9				
	R5 - R10H	RSL60L50	80	67	48	34	24	15				
	R1 - R5	RSL50L15	80	60	45	34	26	19				
50	R5 - R9H	RSL50L59	80	73	53	38	27	19				
	R6 - R10H	RSL50L60	80	78	59	45	35	27				
40	R1 - R4	RSL40L14	80	80	67	52	42	31				
40	R7 - R10H	RSL40L70	80	80	72	58	48	39				
30	R1 - R3	RSL30L13	80	80	80	71	57	45				
30	R8H - R10H	RSL30H80	80	80	80	80	80	80				
20	R1 - R2	RSL20L12	80	80	80	71	60	49				
20	R9H - R10H	RSL20H90	80	80	80	80	80	80				

The tabulated allowable effective projected areas (EPA) are limited to a maximum recommended value of 80 (ft 2). EPA values shown as " - " indicate tower kit is not applicable for the corresponding wind speed.

Site-specific designs are available upon request.

TUBE BRACING
CLASS I LOADING





RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = II
EXPOSURE CATEGORY = C
TOPOGRAPHIC CATEGORY = 1
3-SECOND GUST WIND SPEED WITH ICE = 40 MPH
DESIGN ICE THICKNESS = 1.0"
EARTHQUAKE SPECTRAL RESPONSE ACCELERATION, Ss = 2.50

RSL-D02 R3


			ALLOWABLE EFFECTIVE PROJECTED AREA (FT ²) 3-SECOND GUST WIND						
HEIGHT (FT)	SECTIONS	TOWER KIT P/N				GUST W OUT ICE			
			90	100	110	120	130	140	
90	R1 - R9H	RSL90L19	10	-		-	-	5	
90	R2 - R10H	RSL90L20	11	-	-	7	-	-	
	R1 - R8H	RSL80L18	11	-		-	-	-	
80	R2 - R9H	RSL80L29	21	4		-	-	-	
	R3 - R10H	RSL80L30	24	10	-	-	-	-	
	R1 - R7	RSL70L17	15	6	-	-) -)	1	
70	R2 - R8H	RSL70L28	24	10	-		-	-	
70	R3 - R9H	RSL70L39	30	12	-	-	-	1	
	R4 - R10H	RSL70L40	35	20	8	>-	- ·	1	
	R1 - R6	RSL60L16	29	18	8	-	-		
60	R4 - R9H	RSL60L49	39	22	10	-	-	1	
	R5 - R10H	RSL60L50	45	30	18	9	-	-	
	R1 - R5	RSL50L15	43	30	20	10	-	-	
50	R5 - R9H	RSL50L59	49	32	20	11	4	-	
	R6 - R10H	RSL50L60	56	40	29	20	13	8	
40	R1 - R4	RSL40L14	62	47	35	24	14	7	
40	R7 - R10H	RSL40L70	67	52	40	32	25	20	
30	R1 - R3	RSL30L13	79	63	48	36	27	19	
30	R8H - R10H	RSL30H80	80	80	80	73	56	43	
20	R1 - R2	RSL20L12	80	69	57	45	36	29	
	R9H - R10H	RSL20H90	80	80	80	80	73	59	

The tabulated allowable effective projected areas (EPA) are limited to a maximum recommended value of 80 (ft²). EPA values shown as " - " indicate tower kit is not applicable for the corresponding wind speed.

Site-specific designs are available upon request.

TUBE BRACING
CLASS II LOADING





RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = I EXPOSURE CATEGORY = B TOPOGRAPHIC CATEGORY = 1

RSL-D03 R3


1010010	TOPOGRAPHIC CATEGORY = 1 RSL-D03 R3							
HEIGHT		TOWER KIT			WABLE JECTED			
(FT)	SECTIONS	P/N	3-SE	COND	GUST V	VIND SE	PEED (N	1PH)
			90	100	110	120	130	140
100	RA1 - RA10	RSL100A10	20	9	-	-	-	-
90	RA1 - RA9	RSL90A19	30	17	7	-	-	-
90	RA2 - RA10	RSL90A20	35	20	9	-	-	-
100	RA1 - RAB	RSL80A18	31	20	9	-	-	-
80	RA2 - RA9	RSL80A29	47	31	20	9	-	7
	RA3 - RA10	RSL80A30	52	34	21	11	-	-
	RA1 - RA7	RSL70A17	38	24	13	5	-	-
70	RA2 - RA8	RSL70A28	50	34	23	12	-	-
70	RA3 - RA9	RSL70A39	71	50	34	19	6	-
	RA4 - RA10	RSL70A40	77	53	38	25	11	-
	RA1 - RA6	RSL60A16	57	40	29	18	-	100
60	RA4 - RA9	RSL60A49	80	67	45	30	17	7
	RA5 - RA10	RSL60A50	80	71	51	36	23	9
	RA1 - RA5	RSL50A15	79	58	44	33	24	17
50	RA5 - RA9	RSL50A59	80	78	56	40	29	19
	RA6 - RA10	RSL50A60	80	80	64	49	34	20
40	RA1 - RA4	RSL40A14	80	80	65	51	40	32
40	RA7 - RA10	RSL40A70	80	80	78	63	48	33
30	RA1 - RA3	RSL30A13	80	80	80	80	66	54
	RA8 - RA10	RSL30A80	80	80	80	80	64	49
20	RA1 - RA2	RSL20A12	80	80	80	80	80	69
20	RA9 - RA10	RSL20A90	80	80	80	80	77	62

The tabulated allowable effective projected areas (EPA) are limited to a maximum recommended value of 80 ($\rm ft^2$). EPA values shown as " - " indicate tower kit is not applicable for the corresponding wind speed.

Site-specific designs are available upon request.

ANGLE BRACING
CLASS I LOADING





RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = II
EXPOSURE CATEGORY = C
TOPOGRAPHIC CATEGORY = 1
3-SECOND GUST WIND SPEED WITH ICE = 40 MPH
DESIGN ICE THICKNESS = 1.0"
EARTHQUAKE SPECTRAL RESPONSE ACCELERATION, Ss = 2.50


RSL-D04 R3

			ALLOWABLE EFFECTIVE PROJECTED AREA (FT ²)						
HEIGHT (FT)	SECTIONS	TOWER KIT P/N			COND (
			90	100	110	120	130	140	
	RA1 - RA9	RSL90A19	6	-	-	-	-	-	
90	RA2 - RA10	RSL90A20	8	-	1	-		-	
	RA1 - RA8	RSL80A18	8	-	-	-		-	
80	RA2 - RA9	RSL80A29	19	-	1	-	-	-	
	RA3 - RA10	RSL80A30	20	9	1	-	-	-	
	RA1 - RA7	RSL70A17	12	-	-	-		-	
70	RA2 - RA8	RSL70A28	21	7	1	-		-	
70	RA3 - RA9	RSL70A39	30	12	1	-	-	-	
	RA4 - RA10	RSL70A40	36	20	-	-		-	
	RA1 - RA6	RSL60A16	26	14		-		-	
60	RA4 - RA9	RSL60A49	40	23	10	1	-	-	
	RA5 - RA10	RSL60A50	48	30	15	-		-	
	RA1 - RA5	RSL50A15	41	29	19	11		-	
50	RA5 - RA9	RSL50A59	52	34	21	11	-	-	
	RA6 - RA10	RSL50A60	60	42	27	11		-	
	RA1 - RA4	RSL40A14	61	45	34	25	19	10	
40	RA7 - RA10	RSL40A70	73	56	39	25	13	-	
30	RA1 - RA3	RSL30A13	80	72	56	45	35	26	
30	RA8 - RA10	RSL30A80	80	75	54	38	27	18	
30	RA1 - RA2	RSL20A12	80	80	78	62	50	40	
20	RA9 - RA10	RSL20A90	80	80	72	56	43	33	

The tabulated allowable effective projected areas (EPA) are limited to a maximum recommended value of 80 (ft²). EPA values shown as " - " indicate tower kit is not applicable for the corresponding wind speed.

Site-specific designs are available upon request.

ANGLE BRACING
CLASS II LOADING



RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = II
EXPOSURE CATEGORY = C
TOPOGRAPHIC CATEGORY = 1
3-SECOND GUST WIND SPEED WITH ICE = 40 MPH
DESIGN ICE THICKNESS = 1.0"
EARTHOUAKE SPECTRAL RESPONSE ACCELERATION, Ss = 2.50

RSL - D05 RO

LIELOUT		HIGH PERFORMANCE	TOWER KIT	ALLOWABLE EFFECTIVE PROJECTED AREA (FT ²)						
HEIGHT (FT)	SECTIONS	DISH LOCATED 10 FT BELOW	TOWER KIT P/N	3-SECOND GUST WIND SPEED WITHOUT ICE (MPH)						
		TOWER TOP		90	100	110	120	130	140	
00	R1H - R9H	HP2	RSL90H19	5	-	-	-	-	-	
90	R2H - R10H	HP2	RSL90H20	7	-	-	-	-	-	
	R1H - R8H	HP2	RSL80H18	7	1	ı	1	1	-	
80	R2H - R9H	HP2	RSL80H29	17	6	-	-	-	-	
	R3H - R10H	HP4	RSL80H30	10	-	-	-	-	-	
	R1H - R7H	HP2	RSL70H17	10	-	-	-	-	-	
70	R2H - R8H	HP2	RSL70H28	20	10	-	-	-	-	
70	R3H - R9H	HP2	RSL70H39	31	19	9	1	-	-	
	R4H - R10H	HP4	RSL70H40	27	12	1	1	-	-	
	R1H - R6H	HP2	RSL60H16	25	13	5	1	1	-	
60	R4H - R9H	HP4	RSL60H49	43	27	15	6	1	-	
	R5H - R10H	HP4	RSL60H50	48	30	18	8	-	-	
	R1H - R5H	HP4	RSL50H15	31	18	8	-	-	-	
50	R5H - R9H	HP4	RSL50H59	72	50	35	23	14	7	
	R6H - R10H	HP4	RSL50H60	78	55	39	26	11	-	
40	R1H - R4H	HP4	RSL40H14	51	36	25	16	8	-	
40	R7H - R10H	HP4	RSL40H70	80	80	59	39	23	11	
20	R1H - R3H	HP4	RSL30H13	80	63	48	37	28	20	
30	R8H - R10H	HP4	RSL30H80	80	80	74	53	37	24	
20	R1H - R2H	HP4	RSL20H12	80	80	80	75	61	48	
20	R9H - R10H	HP4	RSL20H90	80	80	80	69	52	39	

The tabulated allowable effuctive projected areas (EPA) are limited to a maximum recommended value of 80 (ft²). EPA values shown in the table are in addition to the specified high performance dish. EPA values shown as " - "indicate tower kit is not applicable for the corresponding wind speed.

HEAVY TUBE BRACING
DISH LOADING

SECTION P/N	RA10H	RA9H	RA8H	RA7H	RA6H	RA5H	RA4H	RA3H	RA2H	RA1H
LEGS	U 2 3/4" X 1/4" U 2 3/4" X 1/4"	U 2 3/4" X 1/4"	U 2 3/4" X 1/4"	U 2 3/4" X 3/16"	U 2 3/4" X 3/16"	U 2 3/4" X 3/16"	U 2 3/4" X 1/4" U 2 3/4" X 3/16"	U 2 3/4" X 3/16"	U 2 3/4" X 3/16"	U 2 3/4" X 3/16"
BRACES	BRACES L 1 3/4" X 3/16" L 1 3/4" X 3/16"	L 1 3/4" X 3/16"		L 1 3/4" X 1/8"	L 1 3/4" X 1/8"	L 1 3/4" X 1/8"	L1 3/4" X 1/8" L1 1/2" X 1/8" L1 1/2" X 1/8"	L 1 1/2" X 1/8"	L1 1/2" X 1/8"	L 1 1/2" X 1/8"
<u>~</u>										
	>	>	>							
FACE 21 NIDTH		– 48"	- 45"	— 39° — 42"	- 36"		— 30" — 33"		— 24" — 27"	

RSL TOWER DESIGN LOADING ACCORDING TO ANSI/TIA-222-G

STRUCTURE CLASSIFICATION = II
EXPOSURE CATEGORY = C
TOPOGRAPHIC CATEGORY = 1
3-SECOND GUST WIND SPEED WITH ICE = 40 MPH
DESIGN ICE THICKNESS = 1.0"

EARTHQUAKE SPECTRAL RESPONSE ACCELERATION, Ss = 2.50

RSL - D06 RO

HEIGHT		HIGH PERFORMANCE	TOWER KIT	ALLOWABLE EFFECTIVE PROJECTED AREA (FT²) 3-SECOND GUST WIND						
(FT)	SECTIONS	DISH LOCATED 10 FT BELOW	P/N			WITHC				
		TOWER TOP		90	100	110	120	130	140	
90	RA2H - RA10H	HP2*	RSL90AH20	0	-	-	-	-	-	
	RA1H - RA8H	HP2*	RSL80AH18	0	-	-	-	-	-	
80	RA2H - RA9H	HP2	RSL80AH29	12	-	-	-	-	-	
	RA3H - RA10H	HP4	RSL80AH30	6	-	-	-	-	-	
	RA1H - RA7H	HP2	RSL70AH17	6	-	-	-	-	-	
70	RA2H - RA8H	HP2	RSL70AH28	17	5	-	-	-	-	
70	RA3H - RA9H	HP2	RSL70AH39	28	14	4	-	-	-	
	RA4H - RA10H	HP4	RSL70AH40	21	8	-	-	-	-	
	RA1H - RA6H	HP2	RSL60AH16	20	10	-	-	-	-	
60	RA4H - RA9H	HP4	RSL60AH49	39	22	10	-	-	-	
	RA5H - RA10H	HP4	RSL60AH50	43	26	13	-	-	-	
	RA1H - RA5H	HP4	RSL50AH15	29	15	4	-	-	-	
50	RA5H - RA9H	HP4	RSL50AH59	68	46	31	20	10	-	
	RA6H - RA10H	HP4	RSL50AH60	74	50	34	22	12	5	
40	RA1H - RA4H	HP4	RSL40AH14	50	34	22	13	6	-	
40	RA7H - RA10H	HP4	RSL40AH70	80	80	67	50	37	27	
30	RA1H - RA3H	HP4	RSL30AH13	80	62	47	35	27	20	
30	RA8H - RA10H	HP4	RSL30AH80	80	80	80	80	68	49	
20	RA1H - RA2H	HP4	RSL20AH12	80	80	80	74	60	47	
20	RA9H - RA10H	HP4	RSL20AH90	80	80	80	80	80	67	

The tabulated allowable effuctive projected areas (EPA) are limited to a maximum recommended value of 80 (ft²). EPA values shown in the table are in addition to the specified high performance dish. EPA values shown as " - "indicate tower kit is not applicable for the corresponding wind speed.

HEAVY ANGLE BRACING
DISH LOADING

OPTIONAL ACCESSORIES

TOP PLATE KIT

RTP12 RTP07 RTP34 RTP08 RTP56 RTP09

Mounts to top closing angles provided with tower kit. Hole pattern fits TB3 and TB4 thrust bearings. Kit includes plate and attachment



TOP MAST KIT

RSLTMA

2.38" O.D. x 0.154" wall x 3' mast mounts to top plate kit. Top plate kit must be ordered separately.



Mounts to tower legs at approximately 4' - 6" below top. Kit includes plate and attachment hardware. Top plate, if required, must be ordered separately.



LEG MOUNT

RSLM-DLM

hardware.

Mounting pipe: 2.38" O.D. x 0.154" wall x 5' long mounting pipe.



FRAME MOUNT

RSLM-3FM

10' Frame mount with 1.90" O.D. x 0.145" wall x 10' horizontal pipe with 2.38" O.D. x 0.154" wall x 5' mounting pipes.



FACE MOUNT

RSLM-DFML

Face Mount with 2.38" O.D. x 0.154" wall x 5' long mounting pipe.



Face Mount with 4.5" O.D. x 0.237" wall x 5' mounting pipe.




SIDE ARM MOUNT

RSLM-3SA

3' Side Arm Mount with 1.90" O.D. x 0.145" wall x 8' horizontal pipe and 2.38" O.D. x 0.154" wall x 5'

mounting pipe.



SINGLE ARM MOUNT

RSLM-SAM


3' single arm with 1.50" O.D. x 0.120" wall x 10' horizontal pipe.



LEG MOUNTED BRACKET

RSLM-LMB

Leg mounted bracket with a 1.90" O.D. x 0.154" wall x 6" mounting post.






OPTIONAL ACCESSORIES

SECTOR MOUNT


RSM1 RSM3 RSM2 RSM4 Mount can accomodate up to (12) 5' mounting pipes. Brackets and U-bolts at corners are provided with this kit. Additional mounting kits (RSMBK)



TIE BACK ASSEMBLY

RSLTBA

Dish tie back bracket. Clamps to a leg at any location. Includes (1) bracket with required mounting hardware.



LIGHTNING ROD

LRCL


5' Copper clad, mounts to top closing angles.



WAVEGUIDE BRACKETS

RSWGB

Includes (1) 3-hole bracket with required mounting hardware. Mounts to pre-punched holes in leg.



CLIMBING HARNESS

TTFBH-4D (Journeyman Harness) TTFBH-C/P (Professional Harness)



SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC



STEP BOLT KIT

RSLSTEP

One kit consists of (10) 5/8" x 7" steps for one 10' tower section. Order one kit for each section of tower for step bolts on one leg.

SAFETY CABLE SYSTEMS


Part Number Tower Height 20' - 50' TTRSL50

60' - 100' TTRSL100

ANTI-CLIMB BRACKETS

RACW


Brackets to be used with barbed or razor wire (wire not included). Kit includes (3) outer and (3) inner brackets with required mounting hardware.




RSL GROUNDING KIT

RGKG (3 LEG KIT) RGKG-1 (1 LEG KIT)


Grounding kit, per Rev. G, 5/8" x 10' ground rods, 7/16" IWRC stranded galvanized ground leads and clamps.




FOUNDATION INFORMATION



SHORT BASE



ANCHOR BASE



Anchor base option includes: full-size template, anchor bolt lower template, anchor bolts and leg stubs.

SHORT BASE

(Ordered separately from tower)

Short Base

RSB02 RSB03 RSB04 RSB05 RSB06 RSB07 RSB08 RSB09

STANDARD FOUNDATION INFORMATION

(Used with short base and anchor base options)

Tower	D	imension	S	Concrete	No. 7
Base Section	Α	В	C	(Cu. Yds)	Bars Req.
2	7'-6"	3'-9"	2'-5"	9.0	32
3	7' - 9"	3'- 10 ^{1/2} "	2'-5"	9.6	40
4	8'-0"	4'-0"	2'-5"	10.3	40
5	8'-3"	4' - 1 ^{1/2} "	2'-5"	10.9	40
6	8'-6"	4' - 3"	2'-4"	11.6	40
7	8'-6"	4' - 3"	2'-3"	11.6	40
8	9'-6"	4' - 9"	2'-7"	14.5	40
9	9' - 9"	4'- 10 ^{1/2} "	2'-7"	15.3	48
10	10' - 0"	5'-0"	2'-7"	16.0	48

ANCHOR BASE

(Ordered separately from tower)

Leg Stubs & Anchors
RAL02
RAL03
RAL04
RAL05
RAL06
RAL07
RAL08
RAL09
RAL10

Standard foundations illustrated are for general information purposes only. Actual details are provided with tower assembly drawings.



OPTIONAL ITEMS MUST BE ORDERED SEPARATELY

TOWER HEIGHT	RSL SECTION REFERENCE	TOP PLATE KIT	ACCESSORY SHELF	SECTOR MOUNT KIT	SHORT BASE KIT	ANCHOR BASE KIT	STEP BOLT KIT (ONE LEC)	SAFETY CABLE KIT
100	1 10	RTP12	RASK12	R5M1	RSB10	RAL10	(10) RSLSTEP	TTRSL100
	1-9	RTP12	RASK12	RSM1	RSB09	RAL09	(O) DCI CTED	TTDCLLOD
90	2-10	RTP12	RASK12	R5M2	RSB10	RALLO	(9) RSLSTEP	TTRSL100
	1=8	RTP12	RASK12	RSM1	RSB08	RAL08		
80	2-9	RTP12	RASK12	RSM2	RSB09	RAL09	(8) RSLSTEP	TTRSL100
	3-10	RTP34	RASK34	RSM3	RS810	RALIO		
	1-7	RTP12	RASK12	RSM1	RS807	RAL07		
30	2-8	RTP12	RASK12	RSM2	RSB08	RAL08	(7) DELETED	TTD61 100
70	3-9	RTP34	RASK34	RSM3	RS809	RAL09	(7) RSLSTEP	TTRSL100
	4-10	RTP34	RASK34	RSM4	RSB10	RAL10		
	1-6	RTP12	RASK12	R5M1	RSB06	RAL06		
60	4-9	RTP34	RASK34	RSM4	PSB09	RAL09	(6) RSLSTEP	TTRSL100
	5-10	RTP56	RASK05	N/A	RS810	RAL10		
	1-5	RTP12	RASK12	R5M1	RSB05	RAL05		
50	5-9	RTP56	RASK05	N/A	RSB09	RAL09	(5) RSLSTEP	TTRSL50
	6-10	RTP56	N/A	N/A	RSB10	RAL10		
40	1-4	RTP12	RASK12	RSM1	RSD04	RAL04	(A) DOLOTED	TTD51 50
40	7-10	RTP07	N/A	N/A	RSB10	RALLO	(4) RSLSTEP	TTRSL50
20	1-3	RTP12	RASK12	RSM1	RS803	RAL03	(3) beletth	TTDG: CO
30	8-10	RTP08	N/A	N/A	RSB10	RAL10	(3) RSLSTEP	TTRSL50
20	1-2	RTP12	RASK12	RSM1	RSB02	RAL02	ray belieten	TTDCLCO
20	9-10	RTP09	N/A	N/A	RSB10	RALLO	(2) RSLSTEP	TTRSL50
								DCL AKITC DO


RSLAKITS R2

ROHN standard RSL tower kits are supplied with lock washers as nut locking devices. Pal nuts (P), ANCO nuts (A) and Tri-Loc nuts (T) are alternative nut locking devices that may be obtained by adding the indicated suffix to the standard RSL tower kit part number. Nut locking devices are required in accordance with ANSI/TIA-222-G.





SSV SELF-SUPPORTING TOWERS



SSV STANDARD

GENERAL USE

The ROHN SSV tower has been in service for over 50 years. The design utilizes standard parts arranged to create a unique structure. The legs are tubular with angle braces at the bottom and solid legs and braces in the top sections. This tower is used in a variety of applications, from PCS structures and broadband to security, sports lighting and more. The SSV has proven to be one of the industry's most efficient and preferred structures. All ROHN SSV towers are hot-dip galvanized, inside and out for corrosion protection.

Do not use for construction. See tower assembley drawings.

Number Upper Lower 1WB 1' - 2" 1' - 2" 2W 1' - 2" 1' - 6" 3WN 1' - 6" 1' - 10" 4N 1' - 10" 2' - 2" 5N 2' - 2" 2' - 6" 6N 2' - 6" 4' - 6 1/4" 7N 4' - 6 1/4" 6' - 6 3/4" 8N 6' - 6 3/4" 8' - 6 3/4" 9N 8' - 6 3/4" 10' - 6 3/4" 10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	Section	Nor Spread [minal Dimension
2W 1' - 2" 1' - 6" 3WN 1' - 6" 1' - 10" 4N 1' - 10" 2' - 2" 5N 2' - 2" 2' - 6" 6N 2' - 6" 4' - 6 1/4" 7N 4' - 6 1/4" 6' - 6 3/4" 8N 6' - 6 3/4" 8' - 6 3/4" 9N 8' - 6 3/4" 10' - 6 3/4" 10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	Number		
3WN 1'-6" 1'-10" 4N 1'-10" 2'-2" 5N 2'-2" 2'-6" 6N 2'-6" 4'-61/4" 7N 4'-61/4" 6'-63/4" 8N 6'-63/4" 8'-63/4" 9N 8'-63/4" 10'-63/4" 10N 10'-63/4" 12'-71/4" 11N 12'-71/4" 14'-77/8" 12N 14'-77/8" 16'-83/8" 13N 16'-83/8" 18'-83/8" 14N 18'-83/8" 20'-93/8" 15N 20'-93/8" 22'-93/8"	1WB	1' - 2"	1' - 2"
4N 1'-10" 2'-2" 5N 2'-2" 2'-6" 6N 2'-6" 4'-61/4" 7N 4'-61/4" 6'-63/4" 8N 6'-63/4" 8'-63/4" 9N 8'-63/4" 10'-63/4" 10N 10'-63/4" 12'-71/4" 11N 12'-71/4" 14'-77/8" 12N 14'-77/8" 16'-83/8" 13N 16'-83/8" 18'-83/8" 14N 18'-83/8" 20'-93/8" 15N 20'-93/8" 22'-93/8"	2W	1' - 2"	1' - 6"
5N 2'-2" 2'-6" 6N 2'-6" 4'-61/4" 7N 4'-61/4" 6'-63/4" 8N 6'-63/4" 8'-63/4" 9N 8'-63/4" 10'-63/4" 10N 10'-63/4" 12'-71/4" 11N 12'-71/4" 14'-77/8" 12N 14'-77/8" 16'-83/8" 13N 16'-83/8" 18'-83/8" 14N 18'-83/8" 20'-93/8" 15N 20'-93/8" 22'-93/8"	3WN	1' - 6"	1' - 10"
6N 2'-6" 4'-61/4" 7N 4'-61/4" 6'-63/4" 8N 6'-63/4" 8'-63/4" 9N 8'-63/4" 10'-63/4" 10N 10'-63/4" 12'-71/4" 11N 12'-71/4" 14'-77/8" 12N 14'-77/8" 16'-83/8" 13N 16'-83/8" 18'-83/8" 14N 18'-83/8" 20'-93/8" 15N 20'-93/8" 22'-93/8"	4N	1' - 10"	2' - 2"
7N 4' - 6 1/4" 6' - 6 3/4" 8N 6' - 6 3/4" 8' - 6 3/4" 9N 8' - 6 3/4" 10' - 6 3/4" 10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	5N	2' - 2"	2' - 6"
8N 6' - 6 3/4" 8' - 6 3/4" 9N 8' - 6 3/4" 10' - 6 3/4" 10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	6N	2' - 6"	4' - 6 1/4"
9N 8' - 6 3/4" 10' - 6 3/4" 10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	7N	4' - 6 1/4"	6' - 6 3/4"
10N 10' - 6 3/4" 12' - 7 1/4" 11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	8N	6' - 6 3/4"	8' - 6 3/4"
11N 12' - 7 1/4" 14' - 7 7/8" 12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	9N	8' - 6 3/4"	10' - 6 3/4"
12N 14' - 7 7/8" 16' - 8 3/8" 13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	10N	10' - 6 3/4"	12' - 7 1/4"
13N 16' - 8 3/8" 18' - 8 3/8" 14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	11N	12' - 7 1/4"	14' - 7 7/8"
14N 18' - 8 3/8" 20' - 9 3/8" 15N 20' - 9 3/8" 22' - 9 3/8"	12N	14' - 7 7/8"	16' - 8 3/8"
15N 20' - 9 3/8" 22' - 9 3/8"	13N	16' - 8 3/8"	18' - 8 3/8"
	14N	18' - 8 3/8"	20' - 9 3/8"
16N 22' 0.2/9" 24' 0.2/9"	15N	20' - 9 3/8"	22' - 9 3/8"
10N 22 - 9 3/8 24 - 9 3/8"	16N	22' - 9 3/8"	24' - 9 3/8"

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.




SELF-SUPPORTING STANDARD TOWERS

	REV G,	90 MP	H 3-SE	C, 3/4	" ICE			
TOWER	TOWER	SECTIONS EFFECTIVE PROJECTIONS (SQ. FT						
HEIGHT (FT.)	ASSEMBLY NUMBER	ТОР	DACE	TO)P	30' BEL	OW TOP	
		102	BASE	EXP B	EXP C	EXP B	EXP C	
40	SS040R90	2W	3WN	18	13	31	19	
50	SS050R90	1WB	3WN	7	5	12	7	
60	SS060R90	2W	4N	15	10	25	16	
70	SS070R90	1WB	4N	6	4	10	5	
80	SS080R90	2W	5N	13	9	22	14	
90	SS090R90	1WB	5N	5	3	8	5	
100	SS100R90	2W	6N62	11	7	18	11	
110	SS110R90	1WB	6N62	4	2	7	3	
120	SS120R90	2W	7N165	10	6	17	10	
130	SS130R90	1WB	7N165	4	2	7	3	
140	SS140R90	2W	8N106	9	4	15	7	
150	SS150R90	1WB	8N106	5	2	8	3	
160	SS160R90	2W	9N325	8	-	14	-	
170	SS170R90	1WB	9N325	5	-	8	-	
180	SS180R90	2W	10N387	4	-	6	-	

General Notes:

- 1. Standard tower designs are in accordance with approved national standard ANSI/TIA-222-G, Structure Class II, Topographic Category 1, 3/4" design ice thickness, seismic coefficient $S_S \le 1.0$.
- 2. Tower designs assume allowable projected areas are symmetrically placed on the tower.
- 3. Designs assume one 7/8 line to top and two 7/8 lines to 30 feet below top, one line on each face.
- 4. All towers are provided with step bolts and a tapered top.
- 5. Grounding kit must be ordered seperately.
- 6. Assembly drawings and standard foundation details are supplied with the tower.
- 7. Custom designs for site-specific applications are available upon request.



Assy. P/N	Tower Section No.
1TT	1W, 1WB, 2W
3TT	2WST, 2WB, 3WN
4TTN	3WNST, 3WNB, 4N
5TTN	4NST, 4NA, 4WB, 4NC, 5N
6TT	5NST, 5NA, 5NB, 5NC, 6C




SELF-SUPPORTING STANDARD TOWERS

	REV G, 100 MPH 3-SEC, 3/4" ICE							
TOWER	TOWER	TOWER SECTIONS		EFFECTIVE PROJECTED AREA (SQ. FT.)				
HEIGHT (FT.)	ASSEMBLY NUMBER	ТОР	BASE	т	OP	30' BEL	OW TOP	
		TOI BASE	EXP B	EXP C	EXP B	EXP C		
40	SS040R100	2W	3WN	14	10	24	15	
50	SS050R100	1WB	3WN	5	3	8	5	
60	SS060R100	2W	4N	11	7	18	12	
70	SS070R100	1WB	4N	4	2	7	3	
80	SS080R100	2W	5N	10	6	17	10	
90	SS090R100	1WB	5N	3	2	5	2	
100	SS100R100	2W	6N62	7	4	12	6	
110	SS110R100	1WB	6N62	3	2	5	-	
120	SS120R100	2W	7N165	6	2	10	3	
130	SS130R100	1WB	7N165	2	-	3	-	
140	SS140R100	2W	8N106	5	-	8	-	
150	SS150R100	1WB	8N106	3	-	5	-	
160	SS160R100	2W	9N325	4	-	6	-	
170	SS170R100	1WB	9N325	2	-	2	-	

General Notes:


- 1. Standard tower designs are in accordance with approved national standard ANSI/TIA-222-G, Structure Class II, Topographic Category 1, 3/4" design ice thickness, seismic coefficient $S_5 \le 1.0$.
- 2. Tower designs assume allowable projected areas are symmetrically placed on the tower.
- 3. Designs assume one 7/8 line to top and two 7/8 lines to 30 feet below top, one line on each face.
- 4. All towers are provided with step bolts and a tapered top.
- 5. Grounding kit must be ordered seperately.
- 6. Assembly drawings and standard foundation details are supplied with the tower.
- 7. Custom designs for site-specific applications are available upon request.

SELF-SUPPORTING HEAVY DUTY SECTIONS




Bracing Detail for Sections 1W - 3WN Solid Round Legs & Solid Round Braces

Straight and Tapered Sections available.



Bracing Detail for Sections 4N & 5N Solid Round Legs & Solid Round Braces

Straight and Tapered Sections available.




Bracing Detail for Straight Sections 6N - 11N Tubular Legs & Angle Braces



Bracing Detail for Tapered Sections 6N - 16NH Tubular Legs & Angle Braces


TYPICAL SHORT BASE



Part No: SB2, SB3, SB4 & SB5 Installed when 2N - 5N sections are used as tower base.

Anchor bolt configurations are provided with larger towers.

SSV HD SELF-SUPPORTING TOWERS





GENERAL USE

The ROHN SSV HD tower has the same features and utility as the SSV tower, but with Heavy Duty legs and braces. The heavy duty tower allows for the structure to support more loading and higher wind and ice loading. This tower serves the same applications as the SSV including: PCS, broadband, security, sports lighting and many others. The SSV HD also has standard "pre-engineered" towers created from standard sections. All ROHN SSV towers are hot-dip galvanized, inside and out for corrosion protection.

See tower assembley drawings. Do not use for construction.

Section	Nor Spread D	minal Dimension		
Number	Upper	Lower		
3WN	1' - 6"	1' - 10"		
3WNB	1' - 10"	1' - 10"		
4N	1' - 10"	2' - 2"		
5N	2' - 2"	2' - 6"		
6N	2' - 6"	4' - 6 1/4"		
7N	4' - 6 1/4"	6' - 6 3/4"		
8N	6' - 6 3/4"	8' - 6 3/4"		
9NH	8' - 6 3/4"	10' - 6 3/4"		
10NH	10' - 6 3/4"	12' - 7 1/4"		
11N	12' - 7 1/4"	14' - 7 7/8"		
12NH	14' - 7 7/8"	16' - 8 3/8"		
13NH	16' - 8 3/8"	18' - 8 3/8"		
14NH	18' - 8 3/8"	20' - 9 3/8"		
15NH	20′ - 9 3/8″	22' - 9 3/8"		
16NH	22′ - 9 3/8″	24' - 9 3/8"		

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.






SELF-SUPPORTING HEAVY DUTY STANDARD TOWERS

	REV G, 90 MPH 3-SEC, 3/4" ICE							
TOWER	TOWER	SECTIONS		EFFECTIVE PROJECTED AREA (SQ. FT.)				
HEIGHT (FT.)	ASSEMBLY NUMBER	ТОР	DACE	TC)P	30' BEL	OW TOP	
		109	BASE	EXP B	EXP C	ЕХР В	EXP C	
40	SS040HD90	3WN	4N	41	29	60	40	
50	SS050HD90	3WNB	5N	36	27	60	40	
60	SS060HD90	3WN	5N	35	26	60	40	
70	SS070HD90	3WNB	6N62	32	23	54	38	
80	SS080HD90	3WN	6N62	22	15	37	25	
90	SS090HD90	3WNB	7N165	27	18	46	30	
100	SS100HD90	3WN	7N165	20	13	34	21	
110	SS110HD90	3WNB	8N106	24	10	41	17	
120	SS120HD90	3WN	8N106	18	11	31	18	
130	SS130HD90	3WNB	9N82	21	9	36	15	
140	SS140HD90	3WN	9N82	16	10	27	17	
150	SS150HD90	3WNB	10N183	19	11	33	18	
160	SS160HD90	3WN	10N183	15	8	25	14	
170	SS170HD90	3WNB	11N332	18	9	31	15	
180	SS180HD90	3WN	11N332	13	6	21	10	

General Notes:

- 1. Standard tower designs are in accordance with approved national standard ANSI/TIA-222-G, Structure Class II, Topographic Category 1, 3/4" design ice thickness, seismic coefficient $S_5 \le 1.0$.
- 2. Tower designs assume allowable projected areas are symmetrically placed on the tower.
- 3. Designs assume one 7/8 line to top and two 7/8 lines to 30 feet below top, one line on each face.
- 4. All towers are provided with step bolts and a tapered top.
- 5. Grounding kit must be ordered seperately.
- 6. Assembly drawings and standard foundation details are supplied with the tower.
- 7. Custom designs for site-specific applications are available upon request.



Assy. P/N	Tower Section No.
1TT	1W, 1WB, 2W
3TT	2WST, 2WB, 3WN
4TTN	3WNST, 3WNB, 4N
5TTN	4NST, 4NA, 4WB, 4NC, 5N
6TT	5NST, 5NA, 5NB, 5NC, 6C

SELF-SUPPORTING HEAVY DUTY STANDARD TOWERS

REV G, 100 MPH 3-SEC, 3/4" ICE								
TOWER	TOWER TOWER		SECTIONS		EFFECTIVE PROJECTED AREA (SQ. FT.)			
HEIGHT (FT.)	ASSEMBLY NUMBER	TOP	BASE	TC	OP	30' BEL	OW TOP	
		102	BASE	EXP B	EXP C	EXP B	EXP C	
40	SS040HD100	3WN	4N	32	23	50	38	
50	SS050HD100	3WNB	5N	29	21	49	35	
60	SS060HD100	3WN	5N	28	20	48	34	
70	SS070HD100	3WNB	6N62	25	17	42	28	
80	SS080HD100	3WN	6N62	17	11	28	18	
90	SS090HD100	3WNB	7N165	19	11	32	18	
100	SS100HD100	3WN	7N165	14	7	24	11	
110	SS110HD100	3WNB	8N106	17	9	28	15	
120	SS120HD100	3WN	8N106	12	5	20	9	
130	SS130HD100	3WNB	9N82	14	8	24	13	
140	SS140HD100	3WN	9N82	10	4	17	7	
150	SS150HD100	3WNB	10N183	12	3	20	5	
160	SS160HD100	3WN	10N183	9	-	15	-	
170	SS170HD100	3WNB	11N332	9	-	15	-	
180	SS180HD100	3WN	11N332	6	-	10	-	

REV G, 110 MPH 3-SEC, 3/4" ICE							
TOWER	TOWER	TOWER		EFFECTIVE PROJECTED AREA (SQ. FT.)			
HEIGHT (FT.)	ASSEMBLY NUMBER	TOD	DACE	то)P	30' BEL	OW TOP
		TOP	TOP BASE	EXP B	EXP C	EXP B	EXP C
40	SS040HD110	3WN	4N	26	18	40	30
50	SS050HD110	3WNB	5N	23	17	39	28
60	SS060HD110	3WN	5N	23	16	39	26
70	SS070HD110	3WNB	6N62	19	12	33	20
80	SS080HD110	3WN	6N62	12	7	20	11
90	SS090HD110	3WNB	7N165	13	7	22	10
100	SS100HD110	3WN	7N165	9	3	15	4
110	SS110HD110	3WNB	8N106	11	5	18	8
120	SS120HD110	3WN	8N106	7	2	11	3


General Notes:


- 1. Standard tower designs are in accordance with approved national standard ANSI/TIA-222-G, Structure Class II, Topographic Category 1, 3/4" design ice thickness, seismic coefficient $S_s \le 1.0$.
- 2. Tower designs assume allowable projected areas are symmetrically placed on the tower.
- 3. Designs assume one 7/8 line to top and two 7/8 lines to 30 feet below top, one line on each face.
- 4. All towers are provided with step bolts and a tapered top.
- 5. Grounding kit must be ordered seperately.
- 6. Assembly drawings and standard foundation details are supplied with the tower.
- 7. Custom designs for site-specific applications are available upon request.







SELF-SUPPORTINGANSI/TIA-222-G STANDARD FOUNDATIONS









Section A-A







Pier & Pad Elevation View

Mat Elevation View

Drilled Pier Elevation View

Tower		Pier & Pad				Mat		Drilled Pier		
Base	Dir	nensio	ons	Req'd	Conc. yds. Ins)		Req'd			Req'd
Sect. No.	D	Α	C	3 fc	ins)	W	Conc.	D	Υ	Conc.
		, ,		Round	Square		(cu. yds.)			(cu.yds.)
3WN	-	-	-	ı	-	6' - 9"	6.8	-	-	-
4N	-	-	-	-	-	8' - 0"	9.5	-	-	-
5N	-	-	_	-	-	8' - 9"	11.3	-	-	-
6N62	-	-	-	-	-	10' - 3"	15.6	-	-	-
7N165	8' - 0"	4' - 6"	2' - 0"	6.3	6.9	11' - 6"	19.6	-	-	-
8N106	8' - 0"	5'-0"	2' - 0"	7.3	7.9	14' - 3"	30.1	15' - 0"	2'-6"	8.4
9N325/9N 82	8' - 0"	5'-6"	2' - 0"	8.4	9.0	16' - 0"	37.9	18' - 0"	2'-6"	10.2
10N387/10N183	8' - 6"	5'-6"	2' - 0"	8.6	9.2	18' - 3"	49.3	20' - 0"	2'-6"	11.1
11N332	9' - 0"	6'-0"	2' - 6"	11.4	12.6	-	-	22′ -0″	2'-6"	12.3


Standard foundations illustrated are for general information purposes only and are based on Rev G presumptive clay soil parameters.

Foundation installation details are provided with tower assembly drawings.





SSMW SELF-SUPPORTING TOWERS



SSMW

GENERAL USE

The ROHN SSMW tower is a unique design using a K-Brace system with horizontal plan bracing to allow free standing towers to reach heights to 900'. The SSMW is designed with pipe legs and pipe braces with flanges at each end for connection. The SSMW tower design can be used in conjunction with the SSV tower. All SSMW towers are hot-dip galvanized, inside and out for corrosion protection.

Section		ninal imension		
Number	Upper	Lower		
В	8' - 6 1/2"	8' - 6 1/2"		
С	8' - 6 1/2"	10' - 7"		
D	10' - 7"	12' - 7 1/2"		
Е	12' - 7 1/2"	14' - 11 1/2"		
F	14' - 11 1/2"	17' - 5 1/2"		
G	17' - 5 1/2"	19' - 11 1/2"		
Н	19' - 11 1/2"	22' - 6 1/2"		
J	22' - 6 1/2"	25' - 0 1/2"		
К	25' - 0 1/2"	27' - 6 1/2"		
L	27' - 6 1/2"	30' - 0 1/2"		
М	30' - 0 1/2"	32' - 6 1/2"		
N	32' - 6 1/2"	36' - 3 1/2"		
Р	36' - 3 1/2"	40' - 2 1/8"		
Q	40' - 2 1/8"	43' - 11 1/8"		
R	43' - 11 1/8"	47' - 8 1/8"		
S	47' - 8 1/8"	51' - 5 1/8"		
Т	51' - 5 1/8"	55′ - 2 1/8″		


Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.



SELF-SUPPORTING SSMW SECTIONS



Typical section assembly detail for sections B, C & D. Section E, F, G, H & J are identical except for the number of bays of bracing.




Typical section assembly detail for sections K, L & M.



SSMW SECTIONS


Sections are designed for many different sizes of braces and legs.



sections Q, R, S & T.



SSVSR SELF-SUPPORTING TOWERS



SSVSR

GENERAL USE

The ROHN SSVSR tower is similar in design to the ROHN SSV tower, but uses solid round legs instead of tubular legs. The SSVSR tower gives the versatility to switch to a solid leg, if desired. The standard side arms, dish mounts, ladders and waveguide supports that are used on the SSV tower can be used on the SSVSR tower. All SSVSR towers are hot-dip galvanized for corrosion protection.

Section		minal Dimension
Number	Upper	Lower
1W	1' - 2"	1' - 2"
2W	1' - 2"	1' - 6"
3WN	1' - 6"	1' - 10"
4N	1' - 10"	2' - 2"
5N	2' - 2"	2' - 6"
6SR	2' - 6"	4' - 6 1/4"
7SR	4' - 6 1/4"	6' - 6 3/4"
8SR	6' - 6 3/4"	8' - 6 3/4"
9SR	8' - 6 3/4"	10' - 6 3/4"
10SR	10' - 6 3/4"	12′ - 7 1/4″
11SR	12' - 7 1/4"	14' - 7 7/8"
12SR	14' - 7 7/8"	16' - 8 3/8"
13SR	16' - 8 3/8"	18' - 8 3/8"
14SR	18' - 8 3/8"	20' - 9 3/8"
15SR	20' - 9 3/8"	22' - 9 3/8"
16SR	22′ - 9 3/8″	24' - 9 3/8"

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.

SELF-SUPPORTING SOLID ROUND LEG SECTIONS




Bracing Detail for Sections 1W - 3WN Solid Round Legs & Solid Round Braces

Straight and Tapered Sections available.



Bracing Detail for Sections 4N & 5N Solid Round Legs & Solid Round Braces

Straight and Tapered Sections available.




Bracing Detail for Straight Sections 6SR & 11SR Solid Round Legs & Angle Braces



Bracing Detail for Tapered Sections 6SR - 16SR Solid Round Legs & Angle Braces

TYPICAL SHORT BASE




Part No: SB2, SB3, SB4 & SB5 Installed when 2N - 5N sections are used as tower base.

Anchor bolt configurations are provided with larger towers.

SSVSR SECTIONS

Sections are designed for many different sizes of braces and legs.





RS SELF-SUPPORTING TOWERS

RS


GENERAL USE

The ROHN RS tower is a unique solid round leg tower that uses angle braces in an X-Brace pattern. The RS tower is custom designed with standard components to shorten lead times. All RS towers are hot-dip galvanized for corrosion protection.

Section	Nominal Spread Dimension				
Number	Upper	Lower			
RSS06	6′	6′			
RST08	6'	8'			
RST10	8′	10′			
RST12	10'	12'			
RST15	12′	15′			
RST18	15'	18'			
RST21	18′	21′			
RST24	21'	24'			
RST27	24′	27′			

Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please contact ROHN for ordering information.


SELF-SUPPORTING RS SECTIONS



RSS 20' Straight SectionSolid Round Legs & Angle Braces

RS SECTIONS


Sections are designed for many different sizes of braces and legs.




RST 30' Tapered SectionSolid Round Legs & Angle Braces



Solid Round Legs & Angle Braces









TOWER & SITE ACCESSORIES



3' AND 6' SIDE ARMS, STRAIGHT/TAPERED TOWER SECTIONS





UNIVERSAL KITS

3' Side Arm	6' Side Arm	Tower Leg O.D.
SA324A	SA624A	2.38" - 4.50"
SA356A	SA656A	5.56" - 6.63"

LEG SPECIFIC KITS

3' Side Arm	6' Side Arm	Tower Leg O.D.
SA32PL	SA62PL	2.38"
SA325PL	SA625PL	2.88"
SA33PL	SA63PL	3.50"
SA335PL	SA635PL	4.00"
SA34PL	SA64PL	4.50"
SA35PL	SA65PL	5.56"
SA36PL	SA66PL	6.63"
SA38PL	SA68PL	8.63"
SA310PL	SA610PL	10.75"
SA312PL	SA612PL	12.75″


Notes:

- $1. \, Standard \, tie backs \, to \, the \, supporting \, structure \, are \, available \, for \, towers \, with \, 8.5 \, ft. \, or \, less \, face \, width.$
- 2. To order tiebacks, include (1TB) for one or (2TB) for two after side arm assembly part number.
- 3. Custom side arms and tiebacks are available upon request.
- 4. Check for leg size to determine assembly number required.

All side arms are hot-dip galvanized and include all hardware to attach mount to tower.




LEG DISH MOUNTS



Straight Leg	
Part No. Description	
S24HUM	Fits leg sizes 2.38" O.D 4.50" O.D.
S56HUM	Fits leg sizes 5.50" O.D 6.63" O.D.

Tapered Leg	
Part No. Description	
T24HUM	Fits leg sizes 2.38" O.D 4.50" O.D.
T56HUM	Fits leg sizes 5.50" O.D 6.63" O.D.

LEG TIE-BACK PLATE KIT




Part No.	Leg O.D.
VY1949A	2.38"
VY1950A	2.88"
VY1951A	3.50"
VY1952A	4.00"
VY1953A	4.50"
VY1954A	5.50"
VY1955A	6.63"

Kits include (1) clip with u-bolts. Some dishes require (2) tie-backs.

TIE-BACK ASSEMBLIES

[Follow steps 1-4 to order]



(1) Tie-back plate kit / provided with mount, 9/16", 11/16" and 13/16" dia. holes provided.

Step 4: Select additional tie-back plate kits, if required.

All mounts and tie-back assemblies are hot-dip galvanized and include all hardware to attach mount to tower.

Step 1. Select Tie-Back Tube Size & Length

TS 6" x 6" x 3/16"	
Part No.	Length
TMT6LL05	5′
TMT6LL06	6′
TMT6LL08	8′
TMT6LL10	10′
TMT6LL12	12′

TS 6" x 6" x 1/4"	
Part No.	Length
TMT6L05	5′
TMT6L06	6′
TMT6L08	8′
TMT6L10	10′
TMT6L12	12′

TS 6" x 6" x 3/8"	
Part No.	Length
TMT6H05	5′
TMT6H06	6′
TMT6H08	8′
TMT6H10	10′
TMT6H12	12′

Step 2. Select Angle Bracket Kit *Based on leg O.D.*

4" Tube	
Part No.	Leg O.D.
VY2911A	1.90" - 5.56"
VY2912A	6.63" - 8.63"

6" Tube	
Part No.	Leg O.D.
VY4457A	1.90" - 5.56"
VY4458A	6.63" - 8.63"
VY4459A	10.75" - 12.75"

Step 3. Select U-Bolt Kit *Based on leg O.D.*

	3
Part No.	Leg O.D.
JR83AW4	1.90" - 2.38"
JR84AW4	2.88"
JR88AW4	3.50"
JR89AW4	4.00"
JR85AW4	4.50"
JR86AW4	5.56"
JR87AW4	6.63"
JR90SAW4	8.63"
JR110AW4	10.75″
JR120AW4	12.75"

Step 4. Select Additional Tie-Back Plate

Kits (if required).


Part No.	Tube Size
AP34T4	4"
AP6T2	6"





FACE DISH MOUNTS

[FOLLOW STEPS 1-3 TO ORDER]



ORDERING INFORMATION:

Step 1. Select Mounting Tube Length (4.50" O.D. x 0.237" wall)

Straight Leg		
Part No.	Tube Description	
DMF4T050S	4.50" O.D. x 5'	
DMF4T068S	4.50" O.D. x 6.67'	
DMF4T100S	4.50" O.D. x 10'	


Tapered Leg	
Part No.	Tube Description
DMF4T050T	4.50" O.D. x 5'
DMF4T068T	4.50" O.D. x 6.67'
DMF4T100T	4.50" O.D. x 10'

Step 2. Select Upper and Lower Connections

Because leg O.D. may be different at upper and lower connections, select one part number for upper and one part number for lower.

Straight or Tapered Legs	
Part No.	Leg O.D.
JR83AW4	1.90" - 2.38"
JR84AW4	2.88"
JR88AW4	3.50"
JR89AW4	4.00"
JR85AW4	4.50"
JR86AW4	5.56"

(2) Brackets are included with each kit.



Step 3. Select Square Tube Supports

Based on required strength and length. Select (1) part number for upper support and (1) part number for lower support.

<i>↑</i>
Step 3: Select upper and lower square tube supports
square tube supports
X
Plan View


4" x 4" x 11GA	
Part No.	Length
TMT4L05	5′
TMT4L06	6′
TMT4L08	8′
TMT4L10	10′

4" x 4" x .25"		
Part No. Length		
TMT4H05	5′	
TMT4H06	6′	
TMT4H08	8′	
TMT4H10	10′	

4" x 4" x .375"	
Part No.	Length
TMT4XH05	5′
TMT4XH06	6′
TMT4XH08	8′
TMT4XH10	10′




FACE MOUNT KITS



LIGHTWEIGHT FACE MOUNT KITS FITS MIN. FACE WIDTH 18" TO MAX. FACE WIDTH 30", LEG SIZES 1" TO 1 3/4" O.D.

Part No.	Mounting Tube	
FM35NU2	2.38" O.D. x 0.154" wall x 5' Long	
FM35NU4	4.50" O.D. x 0.237" wall x 5' Long	

Face dish mounts are hot-dip galvanized and include all required hardware to attach mount to tower.



SECTOR MOUNT ORDERING INFORMATION (Qty. is for (1) sector only)

Step 1. Select frame P/N based on tower face spread.

Frame Support Assembly Straight Leg	
Part No. Face Spread	
KY2016A	8′ Max.
KY1993A	8′ Min 14′ Max.

Frame Support Assembly Tapered Leg	
Part No.	Face Spread
KY2006A	8' Max.
KY2015A	8′ Min 14′ Max.

Step 2. Select antenna mast kits (2 min.) (1) Kit per mast tube

Antenna Mast Kit		
Part No.	Mast	
VY4935A	2.38" O.D. (0.154" wall) x 5' Long	
VY4935A8	2.38" O.D. (0.218" wall) x 8' Long	


Step 3. Select leg mounting kit.

Leg Mounting Kit Straight Leg	
Part No.	Leg O.D.
KY1994A	2.38" O.D.
KY1995A	2.88" O.D.
KY1996A	3.50" O.D.
KY1997A	4.00" O.D.
KY1998A	4.50" O.D.
KY1999A	5.56" O.D.
KY2000A	6.63" O.D.
KY2001A	8.63" O.D.

Leg Mounting Kit Tapered Leg	
Part No.	Leg O.D.
KY2007A	2.38" O.D.
KY2008A	2.88" O.D.
KY2009A	3.50" O.D.
KY2010A	4.00" O.D.
KY2011A	4.50" O.D.
KY2012A	5.56" O.D.
KY2013A	6.63" O.D.
KY2014A	8.63" O.D.

ROTOR PLATE ASSEMBLIES FOR ROHN STANDARD SELF-SUPPORTING TOWERS

Rotor plate accessories are hot-dip galvanized and include all required hardware to attach assemblies to tower.



NOTES:

- 1. All plates are 3/8" thick
- 2. Rotor top plates are pre-drilled to fit a variety of rotors.
- 3. Rotor plate assembly includes top plate and rotor plate.
- 4. Mast pipe, rotor and thrust bearing must be ordered separately.



SAFETY & CLIMBING G-SERIES TOWERS | POLES

SAFETY CABLE - TOWERS

Description	Part Number
50' - 25G tower	TT05025
100′ - 25G tower	TT10025
150' - 25G tower	TT15025
200' - 25G tower	TT20025

Description	Part Number
50' - 45G/55G tower	TT0504555
100' - 45G/55G tower	TT1004555
150' - 45G/55G tower	TT1504555
200' - 45G/55G tower	TT2004555
250' - 45G/55G tower	TT2504555
300' - 45G/55G tower	TT3004555
350' - 45G/55G tower	TT3504555

Description	Part Number
50' - 65G tower	TT05065
100′ - 65G tower	TT10065
150' - 65G tower	TT15065
200′ - 65G tower	TT20065
250' - 65G tower	TT25065
300' - 65G tower	TT30065
350′ - 65G tower	TT35065
400' - 65G tower	TT40065
450′ - 65G tower	TT45065
500' - 65G tower	TT50065

- SAFETY CABLE - POLES -

Description	Part No.	Cable (ft.)	# Guides
25' - Pole	TT025TSP	35	1
50′ - Pole	TT050TSP	60	2
100' - Pole	TT100TSP	110	4
150' - Pole	TT150TSP	160	6
200' - Pole	TT200TSP	210	8
250' - Pole	TT250TSP	260	10
Step Anchor Bracket	TTSBAB	-	-
Additional 4" Stud Cable Guide	TT115317-4	-	-

SAFETY CABLE SYSTEM FOR CLIMBING LADDERS - TOWERS -

Description	Part Number	
50' Climbing Ladder	TT050LAD	
100' Climbing Ladder	TT100LAD	
150' Climbing Ladder	TT150LAD	
200' Climbing Ladder	TT200LAD	
250' Climbing Ladder	TT250LAD	
300' Climbing Ladder	TT300LAD	


HARNESS & SLIDER

Description	Part Number
4-D Ring Climbing Harness	TTFBH-4D
Professional Harness	TTFBH-C/P
Safety Cable Slider	TT-WG-500-W/SMC






CLIMBING LADDERS




Part number for ladder section only. Mounting kit must be ordered separately.

CONFIGURATIONS









Notes:

- 1. Ladders are available for most ROHN standard tower sections.
- 2. All ROHN climbing devices are indended for use by professional (competent climbers) only.
- 3. Specify ladder type and configuration when ordering.
- 4. Custom configurations and mounting options available.
- 5. A safety climb system is required for all structures greater than 10' in height.

WAVEGUIDE LADDER FACE MOUNTED 9-HOLE



Waveguide Ladder Elevation



ORDERING INFORMATION

WL20F93KD

20' Long Waveguide Ladder (3' rung spacing)

WL20F94KD

20' Long Waveguide Ladder (4' rung spacing)

WL10F93KD

10' Long Waveguide Ladder (3' rung spacing)

WL10F94KD


10' Long Waveguide Ladder (4' rung spacing)


Notes:

- 1. Waveguide ladder may be moved horizontally for the proper alignment.
- 2. Waveguide ladder may be mounted inside or outside of tower as required.



WAVEGUIDE LADDER FACE MOUNTED 12-HOLE





ORDERING INFORMATION-

WL20F123KD

20' Long Waveguide Ladder (3' rung spacing)

WL20F124KD

20' Long Waveguide Ladder (4' rung spacing)

WL10F123KD

10' Long Waveguide Ladder (3' rung spacing)


WL10F124KD


10' Long Waveguide Ladder (4' rung spacing)

Notes:

- 1. Waveguide ladder may be moved horizontally for the proper alignment.
- 2. Waveguide ladder may be mounted inside or outside of tower as required.

WAVEGUIDE LADDER FACE MOUNTED 15-HOLE





ORDERING INFORMATION-

WL20F153KD

20' Long Waveguide Ladder (3' rung spacing)

WL20F154KD

20' Long Waveguide Ladder (4' rung spacing)

WL10F153KD

10' Long Waveguide Ladder (3' rung spacing)

WL10F154KD


10' Long Waveguide Ladder (4' rung spacing)

Notes:

- 1. Waveguide ladder may be moved horizontally for the proper alignment.
- 2. Waveguide ladder may be mounted inside or outside of tower as required.



WAVEGUIDE BRACKETS 3-HOLE




Waveguide Bracket Elevation

ORDERING INFORMATION-KY2041A

Notes:

- 1. Kit includes (1) bracket with required mounting hardware.
- 2. Assembly used for mounting to 3/4" 2 1/4" O.D. legs.
- 3. (5) KY2041A required per 20' of tower for 4' O.C. spacing.

WAVEGUIDE BRACKETS 12-HOLE (80 SERIES)



ORDERING INFORMATION

WAF801211

(Horizontals) Order 1 per 15' or 20' section

WAF801212

(Diagonals) Order 3 per 15' section Order 4 per 20' section

ORDERING INFORMATION-

WAF801213

(Horizontals) Order 1 per 15' or 20' section

WAF801214

(2" Diagonals) Order 3 per 15' section Order 4 per 20' section

WAF801215

(1 3/4" Diagonals) Order 3 per 15' section Order 4 per 20' section


NOTE: These assemblies may be mounted on the inside or outside face of the tower.





WAVEGUIDE BRACKETS

15-HOLE (90 SERIES)




Order (1) assembly part number WAF901521 for each diagonal brace bay that waveguides cross in a section. (Ex. (5) WAF901521 for a 20' tower section, (3) WAF901521 for a 12' tower section, etc.). This assembly may be mounted on outside of tower as shown or on inside as required.


ORDERING INFORMATION-

WAF901521

Angle Waveguide Support & Bolt Assembly

HEAVY DUTY WAVEGUIDE BRIDGE 10' SINGLE / DOUBLE





Notes:

1. Waveguide bridge is not designed to support personnel or equipment.

WGBS2410


Single Wide Bridge 2 Posts, 1 Bridge Panel (24" W x10' L) (3) Trapeze Units


WGBD2410


Double Bridge 2 Posts, 2 Bridge Panels (24" W x 10' L, each) (6) Trapeze Units



LIGHT DUTY WAVEGUIDE BRIDGE 10' SINGLE / DOUBLE







Notes:

1. Waveguide bridge is not designed to support personnel or equipment.

ORDERING INFORMATION-

WGBS121014

Single Wide Bridge 2 Posts, 1 Bridge Panel (12" W x10' L) (3) Trapeze Units

WGBD121014

Double Bridge 2 Posts, 2 Bridge Panels (12" W x 10' L, each) (6) Trapeze Units



POLE MOUNTS

- **GENERAL NOTES:**1. THIS PLATFORM IS TO BE USED FOR POLE DIAMETERS FROM 12" TO 30".
 2. PAL NUTS ARE PROVIDED FOR ALL CONNECTIONS.

ORDERING INFORMATION

(1) RUGGED15P OR RUGGED15PH (1) RING MOUNT (SEE DWG-0303)

OPTIONAL ACCESSORIES

- FOR ANTENNA MOUNTING PIPE SEE DRAWING NO. DWG-0329
- 2. FOR HANDRAIL KIT SEE DRAWING NO. DWG-0962

ASSEMBLY P/N: RUGGED15P


(3" SQ. MOUNTING TUBE)

BILL OF MATERIALS											
ITEM	QTY	PART NUMBER	DESCRIPTION								
1	3	TJ015	WORK PLATFORM PANEL 6.36'X6.92'								
2	3	TJ029	TS 3X3X1/4X176" (ASTM A500 GR.C 50KSI)								
3	24	JR816AW	U-BOLT ASSY SQUARE 1/2 X 3-5/8 (ASTM A36)								
4	18	210049GA	BOLT ASSY 3/4 X 2-1/2 HSB A325								

ASSEMBLY P/N: RUGGED15PH

(3-1/2" SQ. MOUNTING TUBE)

	(5 -/ - 5											
BILL OF MATERIALS												
ITEM QTY PART NUMBER DESCRIPTION												
1	3	TJ015	WORK PLATFORM PANEL 6.36'X6.92'									
2	3	TJ035	TS 3-1/2X3-1/2X1/4X176" (ASTM A500 GR.C 50KSI)									
3	24	JR818AW	U-BOLT ASSY SQUARE 1/2 X 4-1/8 (ASTM A36)									
4	18	210049GA	BOLT ASSY 3/4 X 2-1/2 HSB A325									



POLE MOUNTS

- GENERAL NOTES:

 1. THIS HANDRAIL KIT IS TO BE USED ON THE RUGGED15P AND THE RUGGED15PH PLATFORMS.

 2. PLATFORM IS TO BE USED FOR POLE DIAMETERS FROM 12" TO 30".

 3. PAL NUTS ARE PORVIDED FOR ALL CONNECTIONS.


ORDERING INFORMATION

(1) RUGGED15TR (9) VERTICAL HANDRAIL PIPES (SEE PIPE CHART)

OPTIONAL ACCESSORIES
FOR ADDITIONAL VERTICAL HANDRAIL
SUPPORT ASSEMBLIES ORDER:
P/N: KH8484A5 (5' PIPE)

ASSEMBLY P/N: RUGGED15TR

	BILL OF MATERIALS											
ITEM	QTY	P/N	DESCRIPTION									
1	9	SEE CHART	PIPE 2.38O.D.X.154W (ASTM A500 GR. C 50KSI)									
2	3	KH8225	PIPE 2.375X.154WX15' (ASTM A500 GR. C 50KSI)									
3	3	TJ034	PLATE CONN .38X4.12X1.17' (ASTM A572 50KSI)									
4	18	KH4750	PLATE CONN .5X8.0X9.25" (ASTM A572 GR50)									
5	18	JR816AW	U-BOLT ASSY SQ 1/2 X 4-3/4 W/WASHER (ASTM A36)									
6	6 66 JR83AW		U-BOLT ASSY 1/2 X 2-1/2 W/WASHER (ASTM A36)									



POLE MOUNTS

GENERAL NOTES:

1. THIS MOUNT IS TO BE USED FOR POLE DIAMETERS FROM 12" TO 30".


2. PAL NUTS ARE PROVIDED FOR ALL CONNECTIONS.


ORDING INFORMATION


(1) RUGGED15T (1) RING MOUNT (SEE DWG-0303) (3) T-ARM MOUNTS (SEE CHART) (3) 3X3X1/4 MOUNTING TUBES (SEE CHART) (X) ANTENNA MOUNTING PIPES (SEE DWG-0329)

ASSEMBLY P/N: RUGGED15T

		BIL	L OF MATERIALS					
ITEM	QTY	PART NUMBER	DESCRIPTION					
1	3	SEE CHART	T-ARM MOUNT 4STD					
2	3	TJ021	PLATE MOUNT .63X1.0'X1.0' (ASTM A572 GR50)					
3	3	SEE CHART	TS 3X3X 25 (ASTM A500 GR C 50KSI)					
4	12	JR816A	U-BOLT ASSY SQUARE .50X3.13 (ASTM A36)					
5	12	JR85A	U-BOLT ASSY .50X4.5 (ASTM A36)					
6	18	210049GA	BOLT ASSY .75X2.5 (A325)					







	BILL OF MATERIALS											
ITEM	QTY	PART NUMBER		DESCRIPTION								
1	1	KH4750 BAR SIDE ARM 8X.5X9.25" (ASTM A572 GF										
2	1	SEE CHART	PIPE 2.380	DDX.154W (ASTM A500 GR.C 50KSI)								
3	2	JR83AW	U-BOLT AS	SSY 1/2 X 2-1/2 W/WASH (ASTM A36)								
4	2	SEE CHART	U-BOLT AS	SSY 1/2 (ASTM A36)								
		PIPE SIZE (CHART (AS	TM A500 GR. C 50KSI)								
	D/	OT ALLIMPED		DIDE LENCTH								

ı	PART NUMBER	PIPE LENGTH						
ı	KH275	5'-0"						
ı	KH281	6'-8"						
ı	KH1304	8'-0"	8'-0"					
		SQ. U-BOLT CHART						

SQ. U-BOLT CHART										
SQ. TUBE SIZE	PART NUMBER	DESCRIPTION								
3"	JR816AW	U-BOLT ASSY 1/2 X 3-5/8 W/WASH (ASTM A36)								
3-1/2"	JR818AW	U-BOLT ASSY 1/2 X 4-1/8 W/WASH (ASTM A36)								


GENERAL NOTES:

1. PAL NUTS ARE PROVIDED FOR ALL CONNECTIONS.

2. OTHER MOUNTING PIPE SIZES ARE AVAILABLE UPON REQUEST.



NOTES






POLES



DIRECT EMBED POLE STANDARD DESIGNS

DIRECT EMBED POLES




GENERAL USE

ROHN Direct Embed Poles minimize site requirements, lowering lease rates and acquisition costs. They are designed for rapid installation, meeting the demands of today's dynamic communication environments. Whether you are supporting broadband, PCS, security or other lightweight systems, ROHN Tapered Steel Poles offer extremely efficient designs.

FEATURES

- Completely hot-dip galvanized after fabrication
- Fast, easy installation
- Designed for applications with stringent deflection requirements
- Internal routing of transmission lines
- Each pole ships with the following:
 - Assembly Drawings and Standard Foundation Details
 - (4) 5" x 7" Ports with (2) port covers
 - (3) Jacking Lugs on each side of splices
 - (3) Ground attachment clips
 - (1) Vented cap plate
 - (1) Bearing plate welded to bottom
 - Safety Climb Support Brackets
 - (1) Safety warning sign
 - (1) Pole ID tag
 - Attachment clips for optional step bolts
- Optional items are available and may be ordered separately. Please see accessories on page 225.
- Custom designs available for any height or application.



Safety Climb Support Bracket (Safety Cable System Ordered Separately)

PORT ORIENTATIONS



Per Rev G requirements, any structure greater than 10' requires a climber safety device. Please see page 225 for ordering information.

BUYERS GUIDE

The pole loading charts included in this section were created to help you identify the standard pole that most closely meets your needs. The charts include the design wind speed, sway, total EPA that the pole can support and pole embedment requirements. Once the correct structure is identified, use the part number at the top of each section to order your pole.

Part Number for ordering direct embed poles

Height Above Grade Sway at TIA

operational
wind speed

			LIGHT		٨	NEDIUN	1	/ HEAVY			
WIND SPE	DEP30LA				EP30N	IA	DEP30HA				
		SV	VAY LIN	1IT	S	WAY LIN	VIT	SWAY LIMIT			
FASTEST	3-SECOND	40	3°	2°	40	3°	(2°)	40	3°	2°	
MILE	GUST	EPA (FT ²)				EPA (FT	2)	EPA (FT ²)			
70	85	69	49	29	110	108	68	170	170	143	
80	100	52	49	29	80	80	68	126	126	126	
90	110	38	38	29	59	59	59	95	95	95	
100	120	27	27	27	44	44	44	74	74	74	
110	130	19	19	19	32	32	32	57	57	57	
120	140	13	13	13	24	24	24	45	45	45	
EMBED	EMBEDMENT		10′ DI	A. 2.5′	DEPTH	11′ D I	A. 2.5′	DEPTH	13′ DI	A. 3.0′	

Total effective projected area of antennas, mounts and lighting allowed on pole (see pg. 226)

LOADING CHARTS

Depth and diameter of embedment for gravel backfill. Installation adds 6" to the depth for gravel base

40,

	LIGHT DEP40LA					MED	MUIC		HEAVY				
WIND SPEED (MPH)					DEP40MA				DEP40HA				
	SV	VAY I	LIMI	T	SWAY LIMIT				S۱	SWAY LIMIT			
FASTEST	3-SECOND	4°	3°)	2°	40	3	0	2°	4°	3°		2°
MILE	GUST	I	EPA (FT ²)				EPA	(FT ²)			EPA (I	-T ²)	
70	85	69	49)	29	110	10	8	68	170	170)	143
80	100	52	49)	29	80	8	0	68	126	126	5	126
90	110	38	38	3	29	59	5	9	59	95	95		95
100	120	27	27	7	27	44	4	4	44	74	74		74
110	130	19	19)	19	32	3.	2	32	57	57		57
120	140	13	13	3	13	24	2	4	24	45	45		45
EMBED	DEPTH	12′	DIA	2.5	DEPTH	13′	DIA	2.5′	DEPTH	15′	DIA.	3.0′	

015
ч 1

		LIGHT			MEDIUI	И		HEAVY	7			
WIND SPI	WIND SPEED (MPH)		DEP50L	Α		DEP50N	IA	DEP50HA				
		SV	VAY LIM	ΙΤ	S	WAY LIN	١IT	SWAY LIMIT				
FASTEST	3-SECOND	40	3°	2°	4º	3°	2°	40	3°	2°		
MILE	GUST	E	PA (FT ²)	EPA (FT ²)				EPA (FT ²)			
70	85	69	49	29	110	108	68	170	170	143		
80	100	52	49	29	80	80	68	126	126	126		
90	110	38	38	29	59	59	59	95	95	95		
100	120	27	27	27	44	44	44	74	74	74		
110	130	19	19	19	32	32	32	57	57	57		
120	140	13	13	13	24	24	24	45	45	45		
EMBE	OMENT	DEPTH	15′ DI	A. 2.5'	DEPTH	16′ DI	A. 2.5'	DEPTH	17′ DI	A. 3.0′		

LOADING CHARTS

90,

		LIG	НТ			MED	NUI		HEAVY				
WIND SPEED (MPH)		DEP60LA				DEP60MA				DEP60HA			
		SV	VAY	LIM	IT	SI	WAY	LIMIT		S۱	VAY L	IMIT	
FASTEST	3-SECOND	40	3	0	2°	40	3	0	2°	40	3°		2°
MILE	GUST	E	FT ²)	EPA (FT ²)				EPA (FT ²)				
70	85	52	3.5	5	19	99	80)	48	150	150	1	104
80	100	46	3.5	5	19	71	7	1	48	109	109	1	104
90	110	32	32	2	19	50	50)	48	81	81		81
100	120	21	2	1	19	36	36	5	36	61	61		61
110	130	14	14	4	14	25	2.	5	25	46	46		46
120	140	8	8	;	8	17	17	7	17	35	35		35
EMBE	OMENT	DEPTH	15′	DIA	1. 2.5'	DEPTH	17′	DIA.	3.0′	DEPTH	19'	DIA.	3.0′

Ò

				НТ			MED	IUN	1		HEA	VY	
WIND SPI	EED (MPH)	DEP70LA			DEP70MA				DEP70HA				
		SV	SWAY LIMIT			SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	39	0	2°	40	39	0	2°	40	3º		2°
MILE	GUST	I	EPA ((FT ²))		EPA	(FT ²))		EPA (FT ²)	
70	85	42	28	3	13	89	63	3	36	137	129	9 8	81
80	100	42	28	3	13	63	63	3	36	98	98	3 8	81
90	110	28	28	3	13	43	43	3	36	72	73	3	73
100	120	17	17	7	13	29	29	9	29	53	53	3 !	53
110	130	9	9)	9	19	19	9	19	39	39) :	39
120	140	3	3		3	10	10)	10	28	28	3	28
EMBE	OMENT	DEPTH	16′	DIA	4. 3.0′	DEPTH	18′	DIA	3.0′	DEPTH	20′	DIA.	3.5′

) (C

	LIGHT						MED	MUIC			HEA	VY	
WIND SPI	EED (MPH)	D	EP8	OLA	1		DEP8	BOMA		DEP80HA			
		SWAY LIMIT				SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	3	0	2°	4º	39		2°	40	3°		2°
MILE	GUST	E	PA ((FT ²))	I	EPA	(FT ²)			EPA (F	T2)	
70	85	28	1	7	6	65	44	1	23	117	93	L	56
80	100	28	1	7	6	50	44	1	23	82	82	L	56
90	110	19	1	7	6	32	32	2	23	58	58	Į.	56
100	120	9	9)	6	19	19	9	19	41	41		41
110	130	2	2	2	2	9	9		9	28	28	1	28
120	140	-	-	.	-	2	2		2	18	18		18
EMBE	OMENT	DEPTH	16′	DI	A. 3.0′	DEPTH	18′	DIA.	3.0′	DEPTH	20′ I	DIA.	3.5'

06

		LIGHT				MEDIUM					HE/	AVY	·
WIND SPE	ED (MPH)	D (MPH) DEP90LA				ı	DEP	90MA			DEP	90H	Α
		SWAY LIMIT				SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	3	0	2°	4º	39		2°	40	3	0	2°
MILE	GUST		EPA	(FT ²)		EPA	(FT ²)			EPA	(FT ²)
70	85	21	1	1	2	51	33	3	16	106	7	7	44
80	100	21	1	1	2	43	33	3	16	73	7.	3	44
90	110	14	1	1	2	25	25	5	16	50	5	0	44
100	120	4	4	ŀ	2	12	12	2	12	33	3	3	33
110	130	-	-		2	3	3		3	21	2	1	21
120	140	-	-		-	-	-		-	13	1.	3	13
EMBED	OMENT	DEPTH	18′	DIA	4. 3.0′	DEPTH	20'	DIA.	3.0'	DEPTH	22′	DI	A. 3.5′



LOADING CHARTS

100

			LIGH	Т			MED	IUM	l		HEA	VY	
WIND SPE	ED (MPH)	DI	DEP100LA			D	EP10	OM	Α	D	EP10	ООНА	
		SV	VAY LI	MIT		SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	3°	2	0	40	39		2°	40	30		2°
MILE	GUST		EPA (F	T ²)			EPA	(FT ²)			EPA ((FT ²)	
70	85	16	7	-		42	26	5	11	91	63	3 :	36
80	100	16	7	-	-	36	26	5	11	65	63	3 :	36
90	110	9	7	-		18	18	3	11	43	43	3 :	36
100	120	-	-			6	6		6	26	26	5 .	26
110	130	-	-	-		-	-		-	14	14	1	14
120	140	-	-	-		-	-		-	7	7		7
EMBEC	MENT	DEPTH	18′	DIA.	3.0′	DEPTH	20′	DIA	1. 3.5′	DEPTH	22'	DIA.	3.5′

0

			LIG	нт			MED	IUM			HEA	VY	
WIND SPE	ED (MPH)	DEP110LA			4	DEP110MA				DEP110HA			
		SV	VAY	LIMI	IT	SWAY LIMIT			Т	SWAY LIMIT			
FASTEST	3-SECOND	40	39	0	2°	4 º	39		2°	40	30		2°
MILE	GUST		EPA	(FT ²)		EPA	(FT ²))		EPA ((FT ²)	
70	85	23	13	3	-	51	32	2	14	103	70)	41
80	100	23	13	3	-	47	32	2	14	77	70)	41
90	110	13	13	3	-	25	25	5	14	50	50)	41
100	120	-	-	.	-	9	9		9	31	31		31
110	130	-	-		-	-	-		-	17	17	,	17
120	140	-	-		-	-	-		-	8	8		8
EMBE	OMENT	DEPTH	19'	DIA	4. 3.5′	DEPTH	21′	DIA	4.0′	DEPTH	22'	DIA.	4.0′

20,

	LIGHT					MEDIU	М		HEAV)	<u> </u>	
WIND SPE	ED (MPH)	DI	EP120L	Α	D	EP120	MA		EP120	HA	
		SV	VAY LIN	IIT	S	WAY LIN	ΛIT	SWAY LIMIT			
FASTEST	3-SECOND	40	3°	2°	40	3°	2°	40	3°	2°	
MILE	GUST		EPA (FT	2)		EPA (FT	2)		EPA (FT	2)	
70	85	18	10	-	39	24	6	90	62	35	
80	100	18	10	-	36	24	6	80	62	35	
90	110	5	5	-	15	15	6	55	55	35	
100	120	-	-	_	-	-	-	36	36	35	
110	130	-	-	-	-	-	-	23	23	23	
120	140	-	-	_	-	_	-	14	14	14	
EMBE	OMENT	DEPTH	19′ DI	A. 3.5′	DEPTH	22′ D I	IA. 4.0′	DEPTH	23′ D I	A. 4.0′	

30

			LIGH	T	MEDIUM				HEAVY				
WIND SPE	ED (MPH)	D	EP130)LA	D	EP13	BOMA		D	EP1	30F	IA	
		SV	VAY LI	MIT	S'	SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	3°	2°	4°	3°		2°	4º	3	0	2°	
MILE	GUST		EPA (F	T ²)		EPA	(FT ²)			EPA	(FT ²)	
70	85	19	8	-	39	24	-	6	83	57	7	30	
80	100	19	8	-	39	24		6	76	57	7	30	
90	110	14	8	-	24	24		6	51	5	1	30	
100	120	2	2	-	11	11		6	32	32	2	30	
110	130	-	-	-	-	-		-	21	2	1	21	
120	140	-	-	-	-	-		-	10	10	0	10	
EMBED	MENT	DEPTH	22′	DIA. 4.0'	DEPTH	23'	DIA.	4.0′	DEPTH	24′	DI	A. 4.5′	

(-) Indicates that pole is not recommended for the tabulated wind speed $\,$



LOADING CHARTS

140′

	LIGHT					MED	IUM			HE/	AVY		
WIND SPE	ED (MPH)	DEP140LA			DEP140MA				DEP140HA				
		SV	VAY	LIMIT	•	SWAY LIMIT				SWAY LIMIT			
FASTEST	3-SECOND	40	3	0	2°	40	30		2°	40	39	0	2°
MILE	GUST		EPA	(FT ²)			EPA	(FT ²))		EPA	(FT ²))
70	85	16	5	;	-	42	26	5	6	86	62	2	31
80	100	16	5	;	-	42	26	5	6	86	62	2	31
90	110	8	5	;	-	36	26	5	6	66	62	2	31
100	120	-	-		-	16	16	5	6	45	45	5	31
110	130	-	-		-	-	-		-	28	28	8	28
120	140	-	-		-	-	-		-	13	13	3	13
EMBE	OMENT	DEPTH	24′	DIA.	4.0′	DEPTH	25′	DIA	4.5	DEPTH	26′	DIA	4.5


50,

	LIGHT			i		MEDIU	М		HEAVY	'	
WIND SPE	ED (MPH)	DI	DEP150LA			EP150	MA	DEP150HA			
		SV	VAY LIN	ΛIT	SWAY LIMIT			SWAY LIMIT			
FASTEST	3-SECOND	40	3°	2°	40	3°	2°	40	3°	2°	
MILE	GUST		EPA (FT	2)		EPA (FT	²)		EPA (FT	2)	
70	85	17	5	-	47	26	6	89	63	31	
80	100	17	5	-	47	26	6	89	63	31	
90	110	17	5	-	30	26	6	65	63	31	
100	120	-	-	-	10	10	6	39	39	31	
110	130	-	-	-	-	-	-	22	22	22	
120	140	-	-	-	-	-	-	6	6	6	
EMBEC	OMENT	DEPTH	24′ D	IA. 4.0′	DEPTH	26′ D	IA. 4.5'	DEPTH	27′ DI	A. 5.0′	

(-) Indicates that pole is not recommended for the tabulated wind speed

- 1. Pole designs conform to ANSI/TIA/EIA-222-F with 1/2" radial ice and to ANSI/TIA-222-G (Class I, Exposure B, Topographic Catagory I). Design criteria must be verified prior to installation based on site-specific requirements.
- 2. Embedment depths are based on "Normal" soil (TIA Rev. F) and clay "Presumptive" soil (TIA Rev. G) with aggregate backfill. Actual site soil design parameters must be verified prior to installation.
- 3. For corrosive groundwater and/or soil conditions, ROHN recommends additional corrosion control protection such as concrete backfill, additional protective coating over galvanizing or the installation of sacrificial anodes.
- 4. Embedment depths may require adjustment based on local soil conditions.

PARTS & ACCESSORIES



STEP BOLTS START AT 20' ABOVE GRADE (NOMINAL). WHEN ORDERING STEP BOLTS, PLEASE SPECIFY POLE HEIGHT.

EX. SBDEP120 for a 120' POLE



JOURNEYMAN CLIMBING HARNESS TTFBH-4D


PROFESSIONAL CLIMBING HARNESS TTFBH-C/P



SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC

SAFETY CABLE SYSTEM

Pole Height	Part Number
30' - 50'	TT050TSP
60' - 100'	TT100TSP
110' - 150'	TT150TSP




LIGHTNING ROD


LRCL
5' COPPER CLAD

BOLTS TO CAP PLATE, PROVIDED

WITH POLE.



PORT DIMENSIONS



ANTENNA INDEX

DISH ANTENNA										
DIAMETER	El	CMANALIBAIT								
DIAMETER	W/ RADOME	W/O RADOME	SWAY LIMIT							
(1) 2 FT.	3	6	4°							
(1) 3FT.	7	13	3°							
(1) 4FT.	11	22	2°							
(2) 2 FT. B-TO-B	5	8	4°							
(2) 3 FT. B-TO-B	11	18	3°							
(2) 4 FT. B-TO-B	19	34	2°							

FLAT PANEL ANTENNA									
DIMENSION	EPA - FT ²	SWAY LIMIT							
1 FT. SQUARE W/ MOUNT	2	40							
2 FT. SQUARE W/ MOUNT	5	2°							
3 FT. SQUARE W/ MOUNT	11	2°							

- 1. The above antenna data is intended to assist in the selection of the appropriate ROHN pole. Once the total EPA and sway limit is determined for the antennas, the standard ROHN pole can be selected from the tabulated values. (See example below)
- 2. Tabulated pole EPA capacities represent the maximum EPA capacity of a pole. The capacity is based on the assumption that 80% of the total EPA is located at the top of the pole and the remaining 20% is located 20 ft. below the top. When all loading is located at the top of the pole, the tabulated EPA capacity must be reduced by 20%.
- 3. Sway limits are determined under a 50 MPH fastest-mile (Rev. F) or 60 MPH 3-second gust (Rev. G) wind speed.
- 4. The antenna effective projected areas (EPA) and sway limits provided in the antenna index are guidelines for typical antenna systems. Other values may apply for specific antenna models or for site-specific systems.

Determine EPA & Sway Limit for Dishes or Flat Panel Antennas:

- 1. Using the antenna index, determine the types of antennas to be installed on the pole.
- 2. Add together the EPA value of all the antennas to be supported.
- 3. Determine the most restrictive sway limit considering all the antennas to be supported. For example, for one 3' dish with a 3° sway limit and one 1' flat panel with a 4° sway limit, the sway limit for the pole would be 3° and the required pole EPA capacity would be 13+2=15 ft².
- 4. If all antennas are to be supported at the top of the pole, only 80% of the tabulated EPA capacity shown may be considered when selecting a pole. Alternately, the antenna EPA to be supported may be increased by 25%. For example, the required pole capacity would be 15x1.25=19 ft².
- 5. Using the pole sway limit and the required EPA capacities, the appropriate pole may be determined from the tabulated values. For example, for a 120 ft. pole and a 100 mph 3-sec gust wind speed, a medium pole [P/N: DEP120MA] would be required for an EPA capacity greater than 19 ft² for a 3° sway limit.

PRE-ENGINEERED UTILITY POLES



PRE-ENGINEERED UTILITY POLES

GENERAL USE

ROHN Pre-Engineered steel utility poles offer a light duty solution to satisfy utilities desiring an alternative to wood poles. ROHN's line of Pre-Engineered poles are lighter than typical wooden and concrete poles and provide easy installation and low maintenance. ROHN offers Pre-Engineered poles for either direct embed or flange installations. The poles come standard with a hot-dip galvanized coating, but can also be painted or fabricated with weathering steel.

FEATURES

- Fast, easy installation
- Each pole ships with the following:
 - Standard ground sleeve (at grade)
 - Standard sub-grade corrosion coating to 6" above grade
 - Cap plate
 - (2) 4" Nema Ground Lugs
 - Bearing Plate with drain hole
 - Jacking Lugs (at slip splices)
- Optional items are available and may be ordered separately:
 - Step attachment clips
 - Climbing pegs / step bolts
 - Safety climb device
 - Port holes
 - Flanged base
 - Painted finish
- Custom designs are available for any height or application.




BUYERS GUIDE

H 1 0 R P (18,400# / 11,500#)										
TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LBS)	OVERTURNING MOMENT CAPACITY (FT-KIP)	OTM	
40	34.0	H10RP040	12.0	21.2	0.230	1	1945	368		
45	38.5	H10RP045	12.0	22.4	0.231	1	2253		6	
50	43.0	H10RP050	12.0	23.5	0.230	1	2581	472	U	
55	47.5	H10RP055	12.0	25.1	0.238	2	3074	J23	Λī	
60	52.0	H10RP060	12.0	26.3	0.238	2	3440	576		
65	56.5	H10RP065	12.0	27.6	0.240	2	3896	627	Ш	
70	61.0	H10RP070	12.0	28.8	0.240	2	4304	680	_	
75	65.5	H10RP075	12.0	30.1	0.241	2	4765	/30		
80	70.0	H10RP080	12.0	31.3	0.241	2	5210		00	
85	74.5	H10RP085	12.0	32.6	0.242	2	5666	834	W	
90	79.0	H10RP090	12.0	33.8	0.242	2	6148	890	-	
95	83.5	H10RP095	12.0	34.4	0.236	3	6779	937	7	
100	88.0	H10RP100	12.0	35.7	0.237	3	7282	995	÷	
105	92.5 97.0	H10RP105	12.0	36.9	0.237	3	7918	1041	Ž.	
110 115	97.0 101.5	H10RP110 H10RP115	12.0 12.0	38.2 39.4	0.238 0.238	3 3	8459 9153		0	
120	101.5	H10RP120	12.0	39.4 40.7	0.238	3 3	9731		S	

The part number shown in the chart includes the pole loading and the overall length of the structure.

The coating suffix (<u>W</u> or <u>G</u>) is added by the customer at the time of the order, along with any optional items (flanged base, step clips and safety device, ports, special grounding lugs, special ground sleeves and paint).

The example below provides a guide, for ordering convenience.



Diameters are out-to-out width between flats. Slope is change in diameter per foot of length.

Overturning moment capacity is at grade.

In the example shown, the customer is purchasing an H10RP, with an overall length of 50'. The pole is to be constructed of Weathering Steel, with a Direct Embed Base.

NOTE: Values in () indicate horizontal factored loads applied 2' from the tip.



Equivalent factored load for wood poles

Factored load for steel poles

Embedment depths illustrated may require adjustment based on local soil conditions.





PRODUCT DATA

C1RP (4,500#/2,812#)

TOTAL LENGTH (FT) "L"	TIP I AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	C1RP040	7.5	13.1	0.140	1	981	91
45	38.5	C1RP045	7.5	13.1	0.124	1	1092	103
50	43.0	C1RP050	7.5	13.1	0.112	1	1201	117
55	47.5	C1RP055	7.5	14.8	0.133	2	1442	128
60	52.0	C1RP060	7.5	14.8	0.122	2 2 2	1553	143
65	56.5	C1RP065	7.5	17.2	0.149	2	1876	153
70	61.0	C1RP070	7.5	17.2	0.139	2	1999	169
75	65.5	C1RP075	7.5	19.5	0.160	2	2337	179
80	70.0	C1RP080	7.5	19.5	0.150	2 2	2477	196
85	74.5	C1RP085	7.5	21.3	0.162		2840	204
90	79.0	C1RP090	7.5	21.3	0.153	2	2937	223
95	83.5	C1RP095	7.5	23.7	0.171	3	3403	229
100	88.0	C1RP100	7.5	23.7	0.162	3	3560	250
105	92.5	C1RP105	7.5	25.7	0.173	2 3 3 3 3	4033	267
110	97.0	C1RP110	7.5	25.7	0.165	3	4197	277
115	101.5	C1RP115	7.5	27.5	0.174	3	4643	280
120	106.0	C1RP120	7.5	27.5	0.167	3	4820	305

0 TM @ 5' = 51 ft-kips

7.5" Tip

C2RP (3,700#/2,313#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	C2RP040	7.5	13.1	0.140	1	981	75
45	38.5	C2RP045	7.5	14.5	0.156	1	1161	84
50	43.0	C2RP050	7.5	14.5	0.140	1	1277	96
55	47.5	C2RP055	7.5	15.9	0.153	2	1505	105
60	52.0	C2RP060	7.5	15.9	0.140	2	1629	116
65	56.5	C2RP065	7.5	17.3	0.151	2	1882	137
70	61.0	C2RP070	7.5	17.3	0.140	2 2 2 2	2007	147
75	65.5	C2RP075	7.5	18.7	0.149	2	2274	157
80	70.0	C2RP080	7.5	18.7	0.140	2	2406	168
85	74.5	C2RP085	7.5	20.1	0.148	2	2674	178
90	79.0	C2RP090	7.5	20.1	0.140	2	2818	189
95	83.5	C2RP095	7.5	22.0	0.153	3	3222	199
100	88.0	C2RP100	7.5	22.0	0.145	3	3368	209
105	92.5	C2RP105	7.5	23.7	0.154	3	3774	215
110	97.0	C2RP110	7.5	23.7	0.147	2 2 2 3 3 3 3 3 3	3928	220
115	101.5	C2RP115	7.5	25.5	0.157	3	4383	230
120	106.0	C2RP120	7.5	25.5	0.150	3	4547	241

0TM @ 5' = 53 ft-kips

OTM @ 5' = 53 ft-kip

Embedment $(L \times .10) + 2'$

13.1" - 27.5" Base Diameter

C3RP (3,000#/1,875#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	C3RP040	7.5	13.1	0.140	1	981	61
45	38.5	C3RP045	7.5	14.5	0.156	1	1161	68
50	43.0	C3RP050	7.5	14.5	0.140	1	1277	78
55	47.5	C3RP055	7.5	15.9	0.153	2	1505	85
60	52.0	C3RP060	7.5	15.9	0.140	2	1626	96
65	56.5	C3RP065	7.5	17.3	0.151	2	1882	102
70	61.0	C3RP070	7.5	17.3	0.140	2	2007	113
75	65.5	C3RP075	7.5	18.7	0.149	2	2274	119
80	70.0	C3RP080	7.5	18.7	0.140	2	2406	131
85	74.5	C3RP085	7.5	20.1	0.148	2	2677	136
90	79.0	C3RP090	7.5	20.1	0.140	2	2818	144
95	83.5	C3RP095	7.5	21.5	0.147	3	3169	153
100	88.0	C3RP100	7.5	21.5	0.140	3	3312	161
105	92.5	C3RP105	7.5	22.9	0.147	3	3678	170
110	97.0	C3RP110	7.5	22.9	0.140	3	3828	178
115	101.5	C3RP115	7.5	24.3	0.146	3	4224	187
120	106.0	C3RP120	7.5	24.3	0.140	3	4384	195

7.5" - 8" Tip

PRODUCT DATA

H 1 R P (5,400# / 3,375#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H1RP040	7.5	13.1	0.140	1	981	109
45	38.5	H1RP045	7.5	14.2	0.149	1	1161	138
50	43.0	H1RP050	7.5	14.2	0.134	1	1261	140
55	47.5	H1RP055	7.5	16.0	0.155	2	1516	153
60	52.0	H1RP060	7.5	16.0	0.142	2	1636	171
65	56.5	H1RP065	7.5	18.5	0.169	2	1966	184
70	61.0	H1RP070	7.5	18.5	0.157	2	2102	202
75	65.5	H1RP075	7.5	21.0	0.180	2	2465	214
80	70.0	H1RP080	7.5	21.0	0.169	2	2611	234
85	74.5	H1RP085	7.5	23.0	0.182	2	2952	245
90	79.0	H1RP090	7.5	23.0	0.172	2	3092	246
95	83.5	H1RP095	7.5	26.0	0.195	3	3705	278
100	88.0	H1RP100	7.5	26.0	0.185	3	3872	298
105	92.5	H1RP105	7.5	28.0	0.195	3	4309	305
110	97.0	H1RP110	7.5	28.0	0.186	2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3	4488	330
115	101.5	H1RP115	7.5	29.5	0.191	3	4950	336
120	106.0	H1RP120	7.5	29.5	0.183	3	5133	363

H 2 R P (6,400# / 4,000#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H2RP040	7.8	13.6	0.145	1	1016	129
45	38.5	H2RP045	7.8	16.0	0.182	1	1251	146
50	43.0	H2RP050	7.8	16.0	0.164	1	1375	165
55	47.5	H2RP055	7.8	17.5	0.176	2	1638	182
60	52.0	H2RP060	7.8	17.5	0.162	2	1765	202
65	56.5	H2RP065	7.8	19.4	0.178	2	2056	218
70	61.0	H2RP070	7.8	19.4	0.166	2	2194	239
75	65.5	H2RP075	7.8	22.0	0.189	2	2592	254
80	70.0	H2RP080	7.8	22.0	0.178	2	2744	277
85	74.5	H2RP085	7.8	24.5	0.196	2	3138	290
90	79.0	H2RP090	7.8	24.5	0.186	2	3304	314
95	83.5	H2RP095	7.8	27.3	0.205	3	3880	326
100	88.0	H2RP100	7.8	27.3	0.195	3	4055	352
105	92.5	H2RP105	7.8	29.4	0.206	3	4510	362
110	97.0	H2RP110	7.8	29.4	0.196	3	4698	390
115	101.5	H2RP115	7.8	31.4	0.205	2 2 2 2 2 2 2 3 3 3 3 3 3 3	5236	398
120	106.0	H2RP120	7.8	31.4	0.197	3	5433	428

H3RP (7,500#/4,688#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H3RP040	8.0	14.8	0.170	1	1077	150
45	38.5	H3RP045	8.0	17.0	0.200	1	1309	171
50	43.0	H3RP050	8.0	17.0	0.180	1	1440	193
55	47.5	H3RP055	8.0	18.8	0.196	2	1728	213
60	52.0	H3RP060	8.0	18.8	0.180	2 2	1865	235
65	56.5	H3RP065	8.0	21.0	0.200	2	2184	255
70	61.0	H3RP070	8.0	21.0	0.186	2 2	2335	278
75	65.5	H3RP075	8.0	23.2	0.203	2	2708	298
80	70.0	H3RP080	8.0	23.2	0.190	2	2870	321
85	74.5	H3RP085	8.0	26.0	0.212	2	3302	340
90	79.0	H3RP090	8.0	26.0	0.200	2	3475	365
95	83.5	H3RP095	8.0	28.6	0.217	3	4044	382
100	88.0	H3RP100	8.0	28.6	0.206	3	4226	407
105	92.5	H3RP105	8.0	31.2	0.221	3	4775	424
110	97.0	H3RP110	8.0	31.2	0.211	2 2 2 3 3 3 3 3 3 3	4973	451
115	101.5	H3RP115	8.0	33.0	0.217	3	5480	466
120	106.0	H3RP120	8.0	33.0	0.208	3	5684	494

Embedment (L x .10) + 2' 13.1" - 33" Base Diameter M @ 5' = 62 ft-kips

PRODUCT DATA

H4RP (8,700#/5,438#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H4RP040	8.5	16.5	0.200	1	1116	174
45	38.5	H4RP045	8.5	18.2	0.216	1	1336	199
50	43.0	H4RP050	8.5	18.2	0.194	1	1476	223
55	47.5	H4RP055	8.5	20.2	0.213	2	1786	247
60	52.0	H4RP060	8.5	20.2	0.195	2	1935	273
65	56.5	H4RP065	8.5	22.2	0.211	2	2253	296
70	61.0	H4RP070	8.5	22.2	0.196	2	2410	322
75	65.5	H4RP075	8.5	24.3	0.211	2	2788	345
80	70.0	H4RP080	8.5	24.3	0.198	2	2956	372
85	74.5	H4RP085	8.5	27.2	0.220	2	3403	394
90	79.0	H4RP090	8.5	27.2	0.208	2	3589	421
95	83.5	H4RP095	8.5	30.0	0.226	3	4171	443
100	88.0	H4RP100	8.5	30.0	0.215	3	4365	471
105	92.5	H4RP105	8.5	32.3	0.227	3	4929	492
110	97.0	H4RP110	8.5	32.3	0.216	3 3	5137	522
115	101.5	H4RP115	8.5	34.9	0.230	3	5766	541
120	106.0	H4RP120	8.5	34.9	0.220	3	5985	572

Ų ||1 ft-kips

8.5" - 9" Tip


H 5 R P (10,000# / 6,250#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H5RP040	9.0	17.5	0.213	1	1181	200
45	38.5	H5RP045	9.0	20.0	0.244	1	1447	228
50	43.0	H5RP050	9.0	20.0	0.220	1	1601	257
55	47.5	H5RP055	9.0	22.0	0.236	2	1929	284
60	52.0	H5RP060	9.0	22.0	0.217	2	2090	314
65	56.5	H5RP065	9.0	24.3	0.235	2	2459	341
70	61.0	H5RP070	9.0	24.3	0.219	2	2631	371
75	65.5	H5RP075	9.0	26.5	0.233	2	3016	397
80	70.0	H5RP080	9.0	26.5	0.219	2	3198	429
85	74.5	H5RP085	9.0	29.0	0.235	2	3625	453
90	79.0	H5RP090	9.0	29.0	0.222	2	3820	487
95	83.5	H5RP095	9.0	31.7	0.239	3	4436	509
100	88.0	H5RP100	9.0	31.7	0.227	3	4640	545
105	92.5	H5RP105	9.0	34.3	0.241	3	5231	566
110	97.0	H5RP110	9.0	34.3	0.230	3 3	5449	603
115	101.5	H5RP115	9.0	37.0	0.243	3	6137	622
120	106.0	H5RP120	9.0	37.0	0.233	3	6365	662

Ų ||80 ft-kips

H6RP (11,400#/7,125#) OVERTURNING TOTAL TIP TIP BASE SLOPE MOMENT **PART** NO. **WEIGHT LENGTH** DIAMETER DIAMETER AGL (IN/FT) NUMBER **SECTIONS** (LB) CAPACITY (FT) "L" (FT) (IN) (IN) (FT-KIP) 34.0 H6RP040 9.0 18.3 0.230 1211 228 40 38.5 45 H6RP045 9.0 21.0 0.267 1495 260 43.0 H6RP050 0.240 1655 50 9.0 21.0 292 47.5 H6RP055 9.0 2003 324 55 0.258 23.2 2 2 2 2 2 2 3 3 3 60 52.0 H6RP060 9.0 2173 23.4 357 0.237 65 70 75 56.5 9.0 H6RP065 0.257 388 25.7 2565 9.0 9.0 61.0 H6RP070 2741 25.9 0.239 421 H6RP075 65.5 28.3 0.257 3191 452 9.0 70.0 **H6RP080** 80 28.3 0.241 3381 486 74.5 H6RP085 9.0 0.256 3816 85 30.8 517 90 79.0 H6RP090 9.0 30.8 4021 551 581 0.242 83.5 H6RP095 95 9.0 33.4 0.257 4622 100 88.0 H6RP100 9.0 33.4 0.244 4835 616 92.5 97.0 H6RP105 105 9.0 37.0 0.267 5592 645 110 H6RP110 9.0 37.0 0.255 3 5820 681 7182 7529 101.5 H6RP115 115 9.0 38.5 0.257 3 709 120 106.0 H6RP120 9.0 38.5 0.246 746

@ U Ш ft-kips



10.0" Tip

PRODUCT DATA

H7RP (13,120#/8,200#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H7RP040	10.0	20.0	0.250	1	1336	263
45	38.5	H7RP045	10.0	21.3	0.250	1	1558	299
50	43.0	H7RP050	10.0	22.5	0.250	1	1791	337
55	47.5	H7RP055	10.0	22.8	0.233	2 2	2565	373
60	52.0	H7RP060	10.0	24.0	0.233		2867	411
65	56.5	H7RP065	10.0	25.2	0.234	2	3180	446
70	61.0	H7RP070	10.0	26.4	0.234	2	3509	485
75	65.5	H7RP075	10.0	27.6	0.235	2 2 2	3816	521
80	70.0	H7RP080	10.0	28.8	0.235	2	4219	559
85	74.5	H7RP085	10.0	30.2	0.238	2	4643	595
90	79.0	H7RP090	10.0	31.2	0.236	2	5008	634
95	83.5	H7RP095	10.0	31.9	0.231	3	5899	668
100	88.0	H7RP100	10.0	33.1	0.231	3	6365	710
105	92.5	H7RP105	10.0	34.3	0.231	2 3 3 3 3 3	6853	742
110	97.0	H7RP110	10.0	35.5	0.232	3	7356	784
115	101.5	H7RP115	10.0	36.7	0.232	3	7853	816
120	106.0	H7RP120	10.0	37.9	0.233	3	8369	859

H8RP (15,040#/9,400#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H8RP040	10.0	19.2	0.230	1	1712	301
45	38.5	H8RP045	10.0	20.4	0.231	1	1993	343
50	43.0	H8RP050	10.0	21.5	0.230	1	2295	385
55	47.5	H8RP055	10.0	22.2	0.222	2	2645	428
60	52.0	H8RP060	10.0	23.3	0.222	2	2968	471
65	56.5	H8RP065	10.0	24.4	0.222	2	3366	512
70	61.0	H8RP070	10.0	25.6	0.223	2	3726	556
75	65.5	H8RP075	10.0	26.8	0.224	2	4161	597
80	70.0	H8RP080	10.0	27.9	0.224	2	4553	642
85	74.5	H8RP085	10.0	29.1	0.225	2	4961	682
90	79.0	H8RP090	10.0	30.2	0.224	2	5385	727
95	83.5	H8RP095	10.0	30.9	0.220	3	5925	766
100	88.0	H8RP100	10.0	32.0	0.220	3	6331	814
105	92.5	H8RP105	10.0	33.2	0.221	3	6917	851
110	97.0	H8RP110	10.0	34.3	0.221	3	7404	900
115	101.5	H8RP115	10.0	35.4	0.221	3	8040	935
120	106.0	H8RP120	10.0	36.6	0.222	3	8560	986

H9RP (16,800#/10,500#)

	TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
	40	34.0	H9RP040	10.0	20.0	0.250	1	1754	315
	45	38.5	H9RP045	10.0	21.2	0.249	1	2050	383
	50	43.0	H9RP050	10.0	22.5	0.250	1	2364	420
	55	47.5	H9RP055	10.0	23.1	0.238	2	2740	478
	60	52.0	H9RP060	10.0	24.3	0.238	2 2	3085	526
	65	56.5	H9RP065	10.0	25.6	0.240	2	3477	572
	70	61.0	H9RP070	10.0	26.8	0.240	2	3853	621
	75	65.5	H9RP075	10.0	28.1	0.241	2 2	4314	667
	80	70.0	H9RP080	10.0	29.3	0.241	2	4728	716
	85	74.5	H9RP085	10.0	30.6	0.242	2	5175	761
	90	79.0	H9RP090	10.0	31.8	0.242	2	5607	812
	95	83.5	H9RP095	10.0	32.4	0.236	2 3 3	6153	856
	100	88.0	H9RP100	10.0	33.7	0.237		6625	908
	105	92.5	H9RP105	10.0	34.9	0.237	3	7240	950
er	110	97.0	H9RP110	10.0	36.2	0.238	3 3 3	7754	1004
	115	101.5	H9RP115	10.0	37.4	0.238	3	8401	1045
	120	106.0	H9RP120	10.0	38.7	0.239	3	8946	1100

(L x .10) + 2' 20.0" - 38.7" Base Diameter

ROHN

Embedment

OTM @ 5' = 130 ft-kips

PRODUCT DATA

H 1 0 R P (18,400# / 11,500#)

TOTAL LENGTH (FT) "L"	TIP AGL (FT)	PART NUMBER	TIP DIAMETER (IN)	BASE DIAMETER (IN)	SLOPE (IN/FT)	NO. SECTIONS	WEIGHT (LB)	OVERTURNING MOMENT CAPACITY (FT-KIP)
40	34.0	H10RP040	12.0	21.2	0.230	1	1945	368
45	38.5	H10RP045	12.0	22.4	0.231	1	2253	420
50	43.0	H10RP050	12.0	23.5	0.230	1	2581	472
55	47.5	H10RP055	12.0	25.1	0.238	2	3074	523
60	52.0	H10RP060	12.0	26.3	0.238	2	3440	576
65	56.5	H10RP065	12.0	27.6	0.240	2	3896	627
70	61.0	H10RP070	12.0	28.8	0.240	2	4304	680
75	65.5	H10RP075	12.0	30.1	0.241	2	4765	730
80	70.0	H10RP080	12.0	31.3	0.241	2	5210	785
85	74.5	H10RP085	12.0	32.6	0.242	2	5666	834
90	79.0	H10RP090	12.0	33.8	0.242	2	6148	890
95	83.5	H10RP095	12.0	34.4	0.236	3	6779	937
100	88.0	H10RP100	12.0	35.7	0.237	3	7282	995
105	92.5	H10RP105	12.0	36.9	0.237	3	7918	1041
110	97.0	H10RP110	12.0	38.2	0.238	3 3 3 3	8459	1100
115	101.5	H10RP115	12.0	39.4	0.238		9153	1141
120	106.0	H10RP120	12.0	40.7	0.239	3	9731	1206

)TM @ 5′ = 183 ft-kip


12.0" Tip

Design Notes:

- 1. Pole designs are in accordance with ASCE 48, "Design of Steel Transmission Pole Structures".
- 2. Pole sections are ASTM grade 65 material with a charpy impact value of 15 ft-lbs at -20 F.
- 3. Multiple section poles include slip splice joints with a minimum slip length equal to 1.5 times the inside diameter across flats of the outer section at the splice.
- 4. Galvanized poles are hot-dip galvanized in accordance with ASTM A123.
- 5. Tabulated weights assume galvanized poles.

Embedment (L x .10) + 2' 21.2" - 40.7" Base Diameter

PARTS & ACCESSORIES





TTFBH-C/P PROFESSIONAL HARNESS




6

SAFETY CABLE SLIDER WITH CARABINEER TT-WG-500-W/SMC

SAFETY CABLE SYSTEM

Part Number	Pole Height (AGL)
TT050TSP	30' - 50'
TT100TSP	60' - 100'
TT150TSP	110' - 150'





UTILITY STRUCTURES



GENERAL

ROHN has been a trusted name in quality engineered structures since 1948. Our extensive engineering capabilities include in-house structural and foundation design. We are able to design to both domestic and international standards. ROHN is one of the few tower designers and manufacturers able to provide drawings sealed by a Professional Engineer, to customers in 49 states as well as Washington DC and Puerto Rico. ROHN is able to fabricate even the most difficult projects with accuracy and reliability. ROHN can optimize pole designs based on individual customer requirements, manufacturing efficiencies and material availability. Our commitment to the Utility industry is to provide world class quality products with the shortest lead time.



CERTIFICATIONS

- CWB Certified Welding Fabricator
- AWS Certified Welding Fabricator, Inspectors and Educators
- Dual AISC Certified Steel Fabricator (Bridges & Highways)
- City of Los Angeles Certified Fabricator
- Clark County Certified Fabricator
- Multiple Vendor Certification

CAPABILITIES

- Heavy Duty Transmission & Distribution Poles
- Direct Embed & Base Plated Poles
- Lattice Structures
- Switches & Substation Steel
- Galvanized, Weathering Steel & Painted Finishes
- Tapered Slip Fit or Connection Flanged Poles

TRANSMISSION

ROHN fabricates transmission structures for projects ranging from light-duty in-line poles up to the largest diameter dead end structures. The structures are cut, formed, fabricated and galvanized on site at ROHN. ROHN can provide engineering, detailing and our AISC Certified fabrication facility can support large or small transmission projects across the globe.

DISTRIBUTION

ROHN provides structures to support electric power distribution in its many forms. ROHN offers both pre-engineered steel structures (wood pole equivalents) and larger distribution structures that can either be flanged at the base or direct embedded. ROHN also offers a wide selection of corrosion resistant coatings to guarantee the product life.

SUBSTATION STEEL

ROHN fabricates all forms of substation steel to allow the entire transmission and distribution build to be supplied by ROHN. We have hollow steel structures in stock to turn substation work around on time to keep pace with project schedules. ROHN can supply all cross arms, uprights, H-frames and any steel frame or support to complete the substation. Each substation item is hot-dip galvanized after fabrication for corrosion resistance.

SWITCHES

ROHN fabricates switch steel structures including all static masts, buss supports, arrestor structures, and all other steel components that make up the switch. The steel is fabricated by AWS and CWB welders in our AISC certified fabrication plant. From start to finish, we have your project covered.





TRANSPORTATION STRUCTURES





GENERAL

ROHN has been a trusted name in quality engineered structures since 1948. Our engineers study every aspect of a prospective job before designing a structure to fit your needs. We are able to design to both domestic and international standards. ROHN provides professional engineering certification for our designs. Our engineers are certified in 49 states as well as Washington DC and Puerto Rico. ROHN is able to fabricate the most difficult projects with accuracy and reliability. ROHN can optimize pole designs based on individual customer requirements, manufacturing efficiencies and material availability. Our commitment to the Transportation Industry is to provide world class quality products with the shortest lead time.

CERTIFICATIONS

- AISC Certified Steel Fabricator (Buildings & Simple Steel Bridges)
- AWS Certified Welders, Inspectors and Educators
- CWB Certified Welding Fabricator
- City of Los Angeles Certified Fabricator
- Clark County Certified Fabricator
- Multiple Vendor Certifications
- Manufactured to AASHTO Standards

CAPABILITIES

- Mast Arms
- Monotube Assemblies
- Steel Strain Poles
- High Past Poles
- Galvanized or Painted Finishes
- · Weathering Steel
- Sign Structures



MAST ARMS

ROHN is considered the quality leader to state, county and municipal buyers of mast arm structures. ROHN mast arms are in service at intersections as wide as 88'. Our designs conform to all AASHTO standards as well as local design codes. ROHN's mast arms can be hot-dip galvanized and can also be painted upon request.

HIGH MAST POLES

For years, ROHN has been a reliable manufacturer of high mast lighting poles for state D.O.T. projects, prisons, port authorities and other commercial projects across the country. These organizations and many others choose ROHN because of our proven quality in manufacturing and design, as well as our focus on finding the best possible value for our customers.

High mast lighting poles range in height from 60' to 150' and are designed to accommodate a number of lowering device manufacturers' equipment. High mast poles can be galvanized or painted based on customer requirements.

MONOTUBE ASSEMBLIES

In applications where a very long span is needed and a more decorative appearance is needed, some State Departments of Transportation will specify monotube assemblies for Tubular Signal Structures and Sign Bridge Applications.

All ROHN monotube assemblies are designed to AASHTO standards and comply with appropriate state specifications. These monotube assemblies can range from 20' to 200' and are designed to accommodate a number of various highway signs and signals. Monotube assemblies can be galvanized or painted based on customer requirements.

SIGN STRUCTURES

ROHN Products, LLC has the experience and expertise to address all of your metal fabrication needs. Through 60 years, ROHN has expanded into fabricated Sign Structures and now has the capabilities to design and build Steel Overhead Sign Trusses, Cantilever Structures, Butterfly Structures, and DMS Sign Structures. ROHN Products, LLC is certified by the American Institute of Steel Construction for both Steel Building Structures and Simple Steel Bridges. Our welders are qualified in accordance with the American Welding Society and various State DOT Requirements.







WIND TURBINE STRUCTURES



GENERAL

ROHN provides an extensive analysis on Wind Turbine structures that includes examination of extreme wind, extreme ice, yawing, fatigue, vibration and more. The dynamic nature of a wind turbine requires an additional investment in the analysis of the support structure to ensure the structures perform safely and efficiently.



CERTIFICATIONS

- AISC Certified Steel Fabricator (Buildings & Simple Steel Bridges)
- AWS Certified Welders, Inspectors and Educators
- CWB Certified Welding Fabricator
- City of Los Angeles Certified Fabricator
- Clark County Certified Fabricator
- Multiple Vendor Certifications

CAPABILITIES

- Pole, Self-Supporting Latticed and Guyed Mast Designs
- Fatigue Analysis
- Natural Frequency Analysis
- Preparation of Loading Documents
- Braking, Short Circuit, Shutdown Analysis
- Special Design Requests Considered

SELF-SUPPORTING TOWERS


ROHN Self-Supporting Towers provide an efficient design specific for each turbine's loading criteria. The towers are designed with tubular or solid legs and angle braces. The tower top flange is designed with a transition plate to receive the turbine base. ROHN lightweight towers have been designed with hinged bases to allow the tower to be slowly lowered for turbine maintenance and repairs.



POLES

ROHN designs both tapered slip joint poles and flanged poles to support Wind Turbines. ROHN turbine support poles have ranged from 30' in height to 140' in height supporting turbines up to 50 kW.








TELESCOPING MASTS




TELESCOPING MASTS FOR USE IN GUYED OR BRACKETED INSTALLATIONS



Guys, guy hardware, anchors and base mount must be ordered separately. Refer to pages 245-248 for standard kits and page 249 for individual components.

TELESCOPING MASTS H20|H30|H40|H50|9H50




INSTALLATION GUIDELINES

All Telescoping Mast kits include guys, connection hardware, anchors and ground mount.

Mast must be ordered separately.

3 Guy Wire Setup 29' TYP 120° TYP 18' TOP VIEW ELEVATION VIEW




H203WAYGUY

Actual Wire Required - 200′ 1 618 1000′ - 6 Strand/18 GA Wire 3 GAS4303 1/2″ x 30″ Screw Anchor 12 61820GRPL 618/620 Gripple 1 GTMBL Ground Mount

H204WAYGUY

Actual Wire Required - 250'		
618	1000' - 6 Strand/18 GA Wire	
GAS4303	1/2" x 30" Screw Anchor	
61820GRPL	618/620 Gripple	
GTMBL	Ground Mount	
	618 GAS4303 61820GRPL	

3 Guy Wire Setup 41' TYP 35' TYP 1 27' TYP TOP VIEW ELEVATION VIEW



H303WAYGUY

	Actual Wi	ire Required - 350'
	Actual VVI	iie nequiieu - 330
1	618	1000' - 6 Strand/18 GA Wire
3	GAS4303	1/2" x 30" Screw Anchor
18	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount

H304WAYGUY


Actual Wire Required - 450'		
1	618	1000' - 6 Strand/18 GA Wire
4	GAS4303	1/2" x 30" Screw Anchor
24	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount

INSTALLATION GUIDELINES

All Telescoping Mast kits include guys, connection hardware, anchors and ground mount.

Mast must be ordered separately.

3 Guy Wire Setup 54′ TYP 47′ TYP 43′ TYP 36′ TYP TOP VIEW ELEVATION VIEW




H403WAYGUY

Actual Wire Required - 550'		
1	618	1000' - 6 Strand/18 GA Wire
3	GAS4303	1/2" x 30" Screw Anchor
24	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount

H404WAYGUY

Actual Wire Required - 750'		
1	618	1000' - 6 Strand/18 GA Wire
4	GAS4303	1/2" x 30" Screw Anchor
32	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount

3 Guy Wire Setup | 64' TYP | 58' TYP | 49' TYP | 47' TYP | 43.5' | 120° TYP | 120° TYP



H503WAYGUY


	Actual W	fire Required - 850'
1	618	1000' - 6 Strand/18 GA Wire
3	GAS604	5/8" x 48" Screw Anchor
30	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount


H504WAYGUY

Actual Wire Required - 1100'			
2	618	1000' - 6 Strand/18 GA Wire	
4	GAS604	5/8" x 48" Screw Anchor	
40	61820GRPL	618/620 Gripple	
1	GTMBL	Ground Mount	

INSTALLATION GUIDELINES

All Telescoping Mast kits include guys, connection hardware, anchors and ground mount. Mast must be ordered separately.





9H503WAYGUY

Actual Wire Required - 650'		
1	618	1000' - 6 Strand/18 GA Wire
3	GAS604	5/8" x 48" Screw Anchor
30	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount


9H504WAYGUY

Actual Wire Required - 850'		
1	618	1000' - 6 Strand/18 GA Wire
4	GAS604	5/8" x 48" Screw Anchor
40	61820GRPL	618/620 Gripple
1	GTMBL	Ground Mount

INSTALLATION GUIDELINES

- 1. Installation or dismantling of telescoping masts require professional contractors experienced with guyed masts.
- 2. All installations must be bracketed or guyed.
- 3. The pictured guy layouts are for a typical installation. Individual installation requirements may vary.
- 4. Antenna load (top load) should not exceed an effective projected area (EPA) of 2 square feet (see your antenna specifications).

PARTS & ACCESSORIES



UNIVERSAL RIDGE MOUNT

Completely assembled for quick and easy flat or peaked roof installation. Allows tall masts to be swung up along the ridge of a roof.

UM20Holds masts to 1 1/2" O.D.UM30Holds masts to 1 3/4" O.D.UM40Holds masts to 2" O.D.UM50Holds masts to 2 1/4" O.D.


Roof mounting hardware not included.



GROUND MOUNT

Sturdy, galvanized, drive-in type mount for all ROHN telescoping masts, 1 1/4" tubing and 1 1/2" tubing.

Part No. Description
GTMBL Ground Mount



UNIVERSAL ROOF MOUNT

Features galvanized finish and heavy duty steel throughout. Completely assembled. Holds all ROHN telescoping masts, 1 1/4" tubing and 1 1/2" tubing.

Part No. Description ETMB Universal Mount

Roof mounting hardware not included.



GALVANIZED GUYS

Non-tangling interconnected coils. Packaged 1000' per box.

Part No. Description 618 6 strand, 18 GA



SCREW ANCHORS

Hot-dip galvanized screw anchor.

Part No. Description

GAS4303 1/2" dia. x 30" long with 4" auger **GAS604** 5/8" dia. x 48" long with 6" auger



GUY CONNECTIONS

Use for easy installation of 6 strand, 18 GA guys.

Part No. Description 61820GRPL Gripple Grip

Not to be used to suspend or lift personnel.

Refer to page 251 for roof mounts. Refer to page 275 for wall mounts.



	NOTES
40	
1	E Busch



ROOF MOUNTS



EFFECTIVE WIND VELOCITY FORMULA SHEET

ROHN recommends a minimum 75 mph Effective Wind Velocity be used for determining ballast requirements.

Refer to page 270 for ballast requirements and general notes.

$V_e = (C1) (C2) (V)$

V_e = Effective Wind Velocity at centerline of antenna for calculating required ballast.

C1 = Importance factor coefficient from Table 1.

C2 = Combined exposure and gust effect factor coefficient from Table 2.

V = Design ground wind speed for location, per ANSI/TIA-222-G.

	Table 1: Values of C1 Roof Height		
Class	Description for installing considering height, use or location	≤ 60 ft.	> 60 ft.
-	Low hazard to human life and/or damage to property, optional services provided.	1.29	0.93
II	Significant hazard to human life and/or damage to property, services available by other means.	1.38	1.00
III	Substantial hazard to human life and/or damage to property, essential services provided.	1.48	1.07

Exposure	Description of Surrounding Terrain
	Urban and suburban areas, wooded areas, or
	other terrain with numerous closely spaced
В	obstructions having the size of single-family
	dwellings or larger.
	Open terrain with scattered obstructions having
C	heights generally less than 30' [9.1m], including
	flat, open country and grasslands.
	Flat, unobstructed shorelines exposed to wind
D	flowing over open water, smooth mud flats, salt
	flats, and other similar terrain.

Example: 30' antenna elevation, 90 mph design ground wind speed, Class I, Exposure B	
$V_e = (1.29) (0.82) (90) = 95 \text{ mph}$	
The minimum Effective Wind Velocity for determining ballast requirements for this example would be 95 mph.	


This data sheet is provided to assist consumers in determining the minimum Effective Wind Velocity to be used for determining ballast requirements from a ROHN Non-Penetrating Roof Mount Ballast Chart. Higher velocities may be required for sites located on hills, escarpments or ridges (refer to ANSI/TIA-222-G). Potential increases in wind velocity due to channeling, roof projections and other obstructions must also be considered. The information shown should not be relied upon without competent professional examination and verification of its accuracy and suitability for a specific site or application.

Table 2: values of C2										
Antenna		Exposure								
Centerline	В	С	D							
Elevation Above Ground Level (ft.)	Urban or Wooded Areas	Open Country & Grasslands	Open Water or Smooth Terrain							
0-15	0.82	0.90	0.99							
20	0.82	0.92	1.01							
25	0.82	0.95	1.04							
30	0.82	0.96	1.05							
40	0.85	0.99	1.08							
50	0.88	1.02	1.10							
60	0.90	1.04	1.12							
70	0.92	1.05	1.13							
80	0.94	1.07	1.14							
90	0.95	1.09	1.16							
100	0.97	1.10	1.17							
120	0.99	1.12	1.19							
140	1.02	1.14	1.20							
160	1.04	1.15	1.21							
180	1.05	1.17	1.23							
200	1.07	1.18	1.24							
250	1.10	1.21	1.26							
300	1.13	1.23	1.28							
350	1.16	1.25	1.30							
400	1.18	1.27	1.31							
450	1.20	1.29	1.33							
500	1.22	1.30	1.34							

Table 2: Values of C2

FRM NON-PENETRATING

The FRM mount is a lightweight mount and is galvanized for corrosion protection. The FRM mount is easily shipped via UPS.



MAST SPECIFICATIONS

Mount Part No.	Mast Part No.	Mast Description & Height
FRM125	FY202	1.25" O.D. x 16 GA. x 5.0' (PG)
FRM150	FY203	1.50" O.D. x 16 GA. x 2.5' (PG)
FRM166	FY204	1.66" O.D. x 16 GA. x 2.5' (PG)
FRM238	FY205	2.38" O.D. x 0.154" wall x 2.5' (HDG)
FRM225	FY205SP	2.25" O.D. x 14 GA. x 5.0' (HDG)
FRM238SP5	FY253	2.38" O.D. x 0.154" wall x 5.0' (HDG)

PG = Pre-galvanized mast HDG = Hot-dip galvanized mast

FRM BALLAST REQUIREMENTS

	1 11 111	DALL	7131	IV L CZ C	,	ILIVI	,		
Effective Projecte	d Ballast	Zero Velocity	Vs	Vmax at centroid of projected area, (MPH)					
Area (EP		Load (PSF)	(MPH)	h=2 FT	h=3 FT	h=4 FT	h=5 FT		
1	100	12	140	135	110	96	85		
	200	24	198	188	153	133	119		
	300	36	242	222	182	157 (154)	141 (131)		
	400	48	280	269	219 (197)	190 (154)	170 (131)		
2	100	12	99	96	78	68	60		
	200	24	140	133	108	94	84		
	300	36	171	157	129	111	99 (93)		
	400	48	198	190	155 (139)	134(109)	120 (93)		
3	100	12	81	78	64	55	49		
	200	24	114	108	88	77	68		
	300	36	140	128	105	91 (89)	81 (76)		
	400	48	161	155	127 (114)	110 (89)	98 (76)		

h = Distance from support surface to centroid of EPA.


Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

Vmax = Effective wind velocity based on strength or overturning.

NOTE: The velocities in () apply to the FRM125 mount when the strength of the FRM125 mast governs.

JRM NON-PENETRATING

The JRM ships broken down on one skid and weighs approximately 50 lbs. when assembled. The JRM is galvanized for corrosion protection. The JRM is used in cellular, PCS, broadband and other applications.



MAST SPECIFICATIONS

Mount Part No.	Mast Part No.	Mast Description & Height
JRM23805	FZ1755	2.38" O.D. x 0.154" wall x 5.0' (HDG) (1 piece)
JRM23855	FZ1753/FZ1754	2.38" O.D. x 0.154" wall x 10.0' (HDG) (2 pieces)
JRM23810	FZ1756	2.38" O.D. x 0.154" wall x 10.0' (HDG) (1 piece)
JRM27505	FZ1757	2.88" O.D. x 0.203" wall x 5.0' (HDG) (1 piece)
JRM27555	FZ1758/FZ1759	2.88" O.D. x 0.203" wall x 10.0' (HDG) (2 pieces)
JRM27510	FZ1760	2.88" O.D. x 0.203" wall x 10.0' (HDG) (1 piece)
JRM35010	FZ1761	3.50" O.D. x 0.216" wall x 10.0' (HDG) (1 piece)

 $HDG = Hot-dip\ galvanized\ mast$



JRM BALLAST REQUIREMENTS

			ALL	. ^ 3 1	N L V	QUII	\ L V	EN I	3		
Effective Projected	Ballast (LBS)	Zero Velocity Load	Vs (MPH)		Г	Vmax at ce	entroid of p	orojected a	rea, (MPH)	T	
Area (EPA) (FT ²)	(LBS)	(PSF)	(IVIFI)	h=2 FT	h=3 FT	h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT
4	250 350 450 550 650 750 850 950 1050 1150	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	110 131 148 164 178 191 204 215 226 237 247	129 153 173 191 208 224 238 252 265 277 289	105 125 141 156 170 183 194 205 216 226 236	91 108 122 135 147 158 168 178 187 196 204	82 97 110 121 132 141 151 159 167 175 183	75 88 100 111 120 129 137 145 153 160	69 82 93 102 111 120 127 135 141 148 154	65 76 87 96 104 112 119 126 132 138 144	61 72 82 90 98 105 112 119 125 131
5	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	99 117 133 147 159 171 182 193 203 212 221	115 137 155 171 186 200 213 225 237 248 258	94 112 126 140 152 163 174 184 193 202 211	82 97 110 121 132 141 151 159 167 175 183	73 86 98 108 118 126 135 142 150 157	67 79 89 99 107 115 123 130 137 143 149	62 73 83 92 100 107 114 120 126 132 138	58 68 77 86 93 100 106 113 118 124 129	54 64 73 81 88 94 100 106 112 117
6	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	90 107 121 134 145 156 166 176 185 193 202	105 125 141 156 170 183 194 205 216 226 236	86 102 115 128 139 149 159 168 176 185	75 88 100 111 120 129 137 145 153 160 167	67 79 89 99 107 115 123 130 137 143 149	61 72 82 90 98 105 112 119 125 131	56 67 76 84 91 98 104 110 115 121	53 62 71 78 85 91 97 103 108 113	50 59 67 74 80 86 92 97 102 107
7	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	84 99 112 124 135 145 154 163 171 179 187	98 115 131 145 157 169 180 190 200 209 218	80 94 107 118 128 138 147 155 163 171 178	69 82 93 102 111 120 127 135 141 148 154	62 73 83 92 100 107 114 120 126 132 138	56 67 76 84 91 98 104 110 115 121	52 62 70 77 84 90 96 102 107 112	49 58 65 72 79 85 90 95 100 105 109	46 54 62 68 74 80 85 90 94 99
8	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	78 92 105 116 126 135 144 152 160 168 175	91 108 122 135 147 158 168 178 187 196 204	75 88 100 111 120 129 137 145 153 160 167	65 76 87 96 104 112 119 126 132 138 144	58 68 77 86 93 100 106 113 118 124 129	53 62 71 78 85 91 97 103 108 113	49 58 65 72 79 85 90 95 100 105	46 54 61 68 74 79 84 89 94 98	43 51 58 64 69 75 79 84 88 92 96
10	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	70 83 94 104 113 121 129 136 143 150	82 97 110 121 132 141 151 159 167 175 183	67 79 89 99 107 115 123 130 137 143 149	58 68 77 86 93 100 106 113 118 124 129	52 61 69 77 83 89 95 101 106 111	47 56 63 70 76 82 87 92 97 101	44 52 59 65 70 76 80 85 89 94	41 48 55 61 66 71 75 80 84 88 91	38 46 52 57 62 67 71 75 79 83 86

h = Distance from support surface to centroid of EPA.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

NOTE: Mast strength may govern antenna capacity.

JRM BALLAST REQUIREMENTS

			<u> </u>	<u>. A 5 1</u>	KE	QUII	K E IVI	<u> </u>	2		
Effective Projected	Ballast Velocity VS					Vmax at ce	entroid of p	rojected a	rea, (MPH)		
Area (EPA) (FT ²)	(LBS)	Load (PSF)	(MPH)	h=2 FT	h=3 FT	h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT
12	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	64 75 86 95 103 110 118 124 131 137 143	75 88 100 111 120 129 137 145 153 160 167	61 72 82 90 98 105 112 119 125 131	53 62 71 78 85 91 97 103 108 113	47 56 63 70 76 82 87 92 97 101	43 51 58 64 69 75 79 84 88 92 96	40 47 53 59 64 69 73 78 82 85	37 44 50 55 60 65 69 73 76 80 83	35 42 47 52 57 61 65 68 72 75
14	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	59 70 79 88 95 102 109 115 121 127	69 82 93 102 111 120 127 135 141 148 154	56 67 76 84 91 98 104 110 115 121	49 58 65 72 79 85 90 95 100 105	44 52 59 65 70 76 80 85 89 94	40 47 53 59 64 69 73 78 82 85	37 44 49 55 59 64 68 72 76 79 82	35 41 46 51 56 60 64 67 71 74	33 38 44 48 52 56 60 63 67 70 73
16	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	55 65 74 82 89 96 102 108 113 118	65 76 87 96 104 112 119 126 132 138 144	53 62 71 78 85 91 97 103 108 113	46 54 61 68 74 79 84 89 94 98	41 48 55 61 66 71 75 80 84 88 91	37 44 50 55 60 65 69 73 76 80 83	35 41 46 51 56 60 64 67 71 74	32 38 43 48 52 56 60 63 66 69 72	30 36 41 45 49 53 56 59 62 65 68
18	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	52 62 70 77 84 90 96 102 107 112	61 72 82 90 98 105 112 119 125 131	50 59 67 74 80 86 92 97 102 107	43 51 58 64 69 75 79 84 88 92 96	38 46 52 57 62 67 71 75 79 83 86	35 42 47 52 57 61 65 68 72 75	33 38 44 48 52 56 60 63 67 70 73	30 36 41 45 49 53 56 59 62 65 68	29 34 38 43 46 50 53 56 59 62 64
20	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	49 58 66 73 80 86 91 96 101 106 110	58 68 77 86 93 100 106 113 118 124 129	47 56 63 70 76 82 87 92 97 101	41 48 55 61 66 71 75 80 84 88 91	37 43 49 54 59 63 67 71 75 78	33 39 45 49 54 58 61 65 68 71	31 37 41 46 50 53 57 60 63 66	29 34 39 43 47 50 53 56 59 62 65	27 32 37 40 44 47 50 53 56 58 61
22	250 350 450 550 650 750 850 950 1050 1150 1250	10.0 14.0 18.0 22.0 26.0 30.0 34.0 38.0 42.0 46.0 50.0	47 56 63 70 76 82 87 92 97 101	55 65 74 82 89 95 102 107 113 118 123	45 53 60 67 72 78 83 88 92 96	39 46 52 58 63 67 72 76 80 83 87	35 41 47 52 56 60 64 68 71 75	32 38 43 47 51 55 59 62 65 68 71	29 35 39 44 47 51 54 57 60 63 66	28 33 37 41 44 48 51 54 56 59 62	26 31 35 38 42 45 48 51 53 56

h = Distance from support surface to centroid of EPA.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.


NOTE: Mast strength may govern antenna capacity.



BRM4 NON-PENETRATING

The BRM4 mount is hot-dip galvanized after fabrication for corrosion protection.

Order (1) optional BRM4MAT (1/8" thick) or (1) optional BRM4PAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/16" \times 150').



MAST SPECIFICATIONS


Mount Part No.	Mast Part No.	Mast Description & Height
BRM425	KY1590	2.38" O.D. x 0.154" wall x 3.0'
BRM430	KY1592	2.88" O.D. x 0.203" wall x 3.0'
BRM435	KY1594	3.50" O.D. x 0.216" wall x 3.0'
BRM440	KY1596	4.00" O.D. x 0.226" wall x 3.0'
BRM445	KY1598	4.50" O.D. x 0.237" wall x 3.0'
BRM455	KY1600	5.56" O.D. x 0.258" wall x 3.0'
BRM42510	KY2061	2.38" O.D. x 0.154" wall x 10.0'
BRM43510	KY2063	3.50" O.D. x 0.216" wall x 10.0'
BRM44510	KY2065	4.50" O.D. x 0.237" wall x 10.0'

BRM4 BALLAST REQUIREMENTS

			ALL	<u> </u>	RE(QUIF	REM	ENT	<u>S</u>		
Effective Projected Area (EPA)	Ballast	Zero Velocity	Vs (MPH)			Vmax at ce	entroid of p	projected a	rea, (MPH)	1	Г
Area (EPA) (FT ²)	(LBS)	Load (PSF)	(IVIPH)	h=2 FT	h=3 FT	h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT
2	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	171 221 261 296 328 356 383 407 431 453 474	242 313 370 416 448 478 506 533 558 583 604	198 256 302 340 366 391 414 435 456 476 493	171 221 262 294 317 338 358 377 395 412 427	153 198 234 263 284 302 320 337 353 369 382	140 181 214 240 259 276 292 308 322 336 349	130 167 198 223 240 256 271 285 299 312 323	121 157 185 208 224 239 253 267 279 291 302	114 148 175 196 211 225 239 251 263 275 285
4	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	121 156 185 210 232 252 271 288 305 320 335	171 221 262 294 317 328 358 377 395 412 427	140 181 214 240 259 276 292 308 322 336 349	121 157 185 208 224 239 253 267 279 291 302	108 140 166 186 201 214 226 238 250 261 270	99 128 151 170 183 195 207 218 228 238 247	92 118 140 157 169 181 191 201 211 220 228	86 111 131 147 159 169 179 188 197 206 213	81 104 123 139 149 159 169 178 186 194 201
6	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	99 128 151 171 189 206 221 235 249 261 274	140 181 214 240 259 276 292 308 322 336 349	114 148 175 196 211 225 239 251 263 275 285	99 128 151 170 183 195 207 218 228 238 247	89 114 135 152 164 175 185 195 204 213 220	81 104 123 139 149 159 169 178 186 194 201	75 97 114 128 138 148 156 165 172 180	70 90 107 120 129 138 146 154 161 168 174	66 85 101 113 122 130 138 145 152 159 164
8	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	86 110 131 148 164 178 191 204 215 226 237	121 157 185 208 224 239 253 267 279 291 302	99 128 151 170 183 195 207 218 228 238 247	86 111 131 147 159 169 179 188 197 206 213	77 99 117 132 142 151 160 169 177 184 191	70 90 107 120 129 138 146 154 161 168 174	65 84 99 111 120 128 135 142 149 156 161	61 78 93 104 112 120 127 133 140 146 151	57 74 87 98 106 113 119 126 132 137 142
10	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	77 99 117 133 147 159 171 182 193 203 212	108 140 166 186 201 214 226 238 250 261 270	89 114 135 152 164 175 185 195 204 213 220	77 99 117 132 142 151 160 169 177 184 191	69 89 105 118 127 135 143 151 158 165 171	63 81 96 107 116 123 131 138 144 150	58 75 89 100 107 114 121 127 134 139 144	54 70 83 93 100 107 113 119 125 130 135	51 66 78 88 95 101 107 112 118 123 127
12	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	70 90 107 121 134 145 156 166 176 185 193	99 128 151 170 183 195 207 218 228 238 247	81 104 123 139 149 159 169 178 186 194 201	70 90 107 120 129 138 146 154 161 168	63 81 96 107 116 123 131 138 144 150	57 74 87 98 106 113 119 126 132 137 142	53 68 81 91 98 104 111 116 122 127	49 64 76 85 92 98 103 109 114 119 123	47 60 71 80 86 92 97 103 107 112

h = Distance from support surface to centroid of EPA. **Vmax** = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.





BRM4BALLAST REQUIREMENTS

			ALL	_ A S I	ΝE			<u>ENI</u>			
Effective Projected	Ballast	Zero Velocity Load	Vs (MPH)		I	Vmax at ce	entroid of p	projected a	rea, (MPH)		
Area (EPA) (FT ²)	(LBS)	(PSF)		h=2 FT	h=3 FT	h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT
14	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	65 84 99 112 124 135 145 154 163 171 179	92 118 140 157 169 181 191 201 211 220 228	75 97 114 128 138 148 156 165 172 180 186	65 84 99 111 120 128 135 142 149 156	58 75 89 100 107 114 121 127 134 139 144	53 68 81 91 98 104 111 116 122 127 132	49 63 75 84 91 97 102 108 113 118	46 59 70 79 85 90 96 101 106 110	43 56 66 74 80 85 90 95 100 104
16	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	61 78 92 105 116 126 135 144 152 160 168	86 111 131 147 159 169 179 188 197 206 213	70 90 107 120 129 138 146 154 161 168 174	61 78 93 104 112 120 127 133 140 146	54 70 83 93 100 107 113 119 125 130 135	49 64 76 85 92 98 103 109 114 119 123	46 59 70 79 85 90 96 101 106 110	43 55 65 74 79 85 90 94 99 103 107	40 52 62 69 75 80 84 89 93 97
18	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	57 74 87 99 109 119 128 136 144 151	81 104 123 139 149 159 169 178 186 194 201	66 85 101 113 122 130 138 145 152 159 164	57 74 87 98 106 113 119 126 132 137 142	51 66 78 88 95 101 107 112 118 123 127	47 60 71 80 86 92 97 103 107 112	43 56 66 74 80 85 90 95 100 104 108	40 52 62 69 75 80 84 89 93 97	38 49 58 65 70 75 80 84 88 92 95
20	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	54 70 83 94 104 113 121 129 136 143 150	77 99 117 132 142 151 160 169 177 184 191	63 81 96 107 116 123 131 138 144 150	54 70 83 93 100 107 113 119 125 130 135	48 63 74 83 90 96 101 107 112 117 121	44 57 68 76 82 87 92 97 102 106 110	41 53 63 70 76 81 86 90 94 99	38 49 59 66 71 76 80 84 88 92 95	36 47 55 62 67 71 75 79 83 87 90
22	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	52 67 79 89 99 107 115 123 130 137	73 94 112 126 135 144 153 161 168 176 182	60 77 91 102 110 118 125 131 137 143 149	52 67 79 89 96 102 108 114 119 124	46 60 71 79 86 91 97 102 106 111	42 54 64 72 78 83 88 93 97 101 105	39 50 60 67 72 77 82 86 90 94 97	37 47 56 63 68 72 76 80 84 88 91	34 44 53 59 64 68 72 76 79 83 86
24	300 500 700 900 1100 1300 1500 1700 1900 2100 2300	7.1 11.8 16.6 21.3 26.0 30.8 35.5 40.2 45.0 49.7 54.4	49 64 75 86 95 103 110 118 124 131	70 90 107 120 129 138 146 154 161 168 174	57 74 87 98 106 113 119 126 132 137 142	49 64 76 85 92 98 103 109 114 119 123	44 57 68 76 82 87 92 97 102 106 110	40 52 62 69 75 80 84 89 93 97	37 48 57 64 69 74 78 82 86 90 93	35 45 53 60 65 69 73 77 81 84	33 43 50 57 61 65 69 73 76 79 82

h = Distance from support surface to centroid of EPA.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

NOTE: Mast strength may govern antenna capacity.




BRM6 NON-PENETRATING

The BRM6 mount is hot-dip galvanized after fabrication for corrosion protection.

Order (1) optional BRM6MAT (1/8" thick) or (1) optional BRM6PAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/16" x 150').

Optional additional inner ballast support angle kit available, order P/N BRM6ABK.

Refer to pages 261-263 for ballast requirements.



MAST SPECIFICATIONS

Mount Part No.	Mast Part No.	Mast Description & Height
BRM630M	KY2110	2.88" O.D. x 0.203" wall x 4.0'
BRM635M	KY1570	3.50" O.D. x 0.216" wall x 4.0'
BRM640M	KY1578	4.00" O.D. x 0.226" wall x 4.0'
BRM645M	KY1579	4.50" O.D. x 0.237" wall x 4.0'
BRM655M	KY1580	5.56" O.D. x 0.258" wall x 4.0'
BRM665M	KY1581	6.63" O.D. x 0.280" wall x 4.0'
BRM64510M	KY2043	4.50" O.D. x 0.237" wall x 10.0'

BRM6 4 FT. DISH ELEVATION BALLAST REQUIREMENTS

Dish	Zero Rallast Velocity		Ballast Velocity (MPH)					
Diameter	(LBS)	Load (PSF)	EL:	=0°	EL=	20°	EL=	40°
		(PSF)	Vmax	Vs	Vmax	Vs	Vmax	Vs
	500	5.0	87	67	103	75	112	92
	750	7.5	107	82	131	92	142	113
4'	1000	10.0	125	95	154	107	167	131
(1.2 m)	1250	12.5	139	106	169	119	189	146
(1.2 111)	1500	15.0	148	117	180	131	203	160
	1750	17.5	157	126	190	141	211	173
	2000	20.0	165	135	196	151	211	185
	500	5.0	58	45	65	50	69	61
	750	7.5	71	55	83	61	89	75
	1000	10.0	83	63	99	71	106	87
6'	1250	12.5	93	71	112	79	120	97
_	1500	15.0	99	78	120	87	129	107
(1.8 m)	1750	17.5	105	84	127	94	137	115
	2000	20.0	110	90	130	101	141	123
	2250	22.5	115	95	130	107	141	131
	2500	25.0	120	100	130	113	141	138
	2750	27.5	125	105	130	118	141	141
	3000	30.0	127	110	130	123	141	141
	750	7.5	53	41	57	46	60	56
	1000	10.0	62	47	69	53	73	65
	1250	12.5	69	53	79	59	84	73
0/	1500	15.0	74	58	85	65	90	80
8'	1750	17.5	78	63	91	70	96	86
(2.4 m)	2000	20.0	82	67	97	75	102	92
	2250	22.5	86	71	98	80	103	98
	2500	25.0	90	75	98	84	103	103
	2750	27.5	94	79	98	88	103	103
	3000	30.0	95	82	98	92	103	103

EL = Dish antenna azimuth angle with horizontal.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

NOTE: Mast strength may govern antenna capacity.


BRM6BALLAST REQUIREMENTS

		ΒA	<u>L L A :</u>	<u> </u>	<u>EQU</u>	IIRE	<u>M E N</u>	15		
Effective Projected Area (EPA)	Ballast (LBS)	Zero Velocity Load	Vs (MPH)		Vm	ax at centro	oid of projec	ted area, (N	ЛРН)	
(FT ²)		(PSF)		h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT	h=10 FT
10	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	99 121 140 156 171 185 198 210 221 232 242	128 156 180 202 218 230 242 254 265 275 280	114 140 161 180 195 206 217 227 237 246 250	104 128 147 165 178 188 198 207 216 225 228	96 118 136 152 165 174 183 192 200 208 211	90 110 128 143 154 163 171 179 187 195	85 104 120 134 145 154 162 169 176 183 186	81 99 114 128 138 146 153 160 167 174
15	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	81 99 114 128 140 151 161 171 180 189	104 128 147 165 178 188 198 207 216 225 228	93 114 132 147 159 168 177 185 193 201 204	85 104 120 134 145 154 162 169 176 183 186	79 96 111 125 134 142 150 157 163 170 173	74 90 104 116 126 133 140 147 153 159	69 85 98 110 119 125 132 138 144 150	66 81 93 104 113 119 125 131 137 142 144
20	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	70 86 99 110 121 131 140 148 156 164 171	90 110 128 143 154 163 171 179 187 195 198	81 99 114 128 138 146 153 160 167 174	74 90 104 116 126 133 140 147 153 159 161	68 84 96 108 116 123 130 136 141 147	64 78 90 101 109 115 121 127 132 138 140	60 74 85 95 103 109 114 120 125 130	57 70 81 90 97 103 108 113 118 123 125
25	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	63 77 88 99 108 117 125 133 140 147	81 99 114 128 138 146 153 160 167 174	72 88 102 114 123 130 137 144 150 156	66 81 93 104 113 119 125 131 137 142	61 75 86 96 104 110 116 121 127 132 134	57 70 81 90 97 103 108 113 118 123 125	54 66 76 85 92 97 102 107 112 116	51 63 72 81 87 92 97 101 106 110
30	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	57 70 81 90 99 107 114 121 128 134 140	74 90 104 116 126 133 140 147 153 159 161	66 81 93 104 113 119 125 131 137 142 144	60 74 85 95 103 109 114 120 125 130 132	56 68 79 88 95 101 106 111 115 120	52 64 74 82 89 94 99 104 108 112	49 60 69 78 84 89 93 98 102 106 108	47 57 66 74 80 84 89 93 97 100
35	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	53 65 75 84 91 99 106 112 118 124 129	68 84 96 108 116 123 130 136 141 147 149	61 75 86 96 104 110 116 121 127 132 134	56 68 79 88 95 101 106 111 115 120	52 63 73 82 88 93 98 103 107 111 113	48 59 68 76 82 87 92 96 100 104 106	45 56 64 72 78 82 86 90 94 98 100	43 53 61 68 74 78 82 86 89 93

EL = Dish antenna angle with horizontal.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.







BRM6 BALLAST REQUIREMENTS

Effective Projected Area (EPA)	Ballast (LBS)	Zero Velocity Load	Vs (MPH)		Vm	ax at centro	id of projec	cted area, (N	ЛРН)	
(FT ²)	(===)	(PSF)		h=4 FT	h=5 FT	h=6 FT	h=7 FT	h=8 FT	h=9 FT	h=10 FT
	500	5.0	49	64	57	52	48	45	43	40
	750	7.5	61	78	70	64	59	55	52	49
	1000	10.0	70	90	81	74	68	64	60	57
	1250	12.5	78	101	90	82	76	71	67	64
	1500	15.0	86	109	97	89	82	77	73	69
40	1750	17.5	92	115	103	94	87	81	77	73
	2000	20.0	99	121	108	99	92	86	81	77
	2250	22.5	105	127	113	104	96	90	85	80
	2500	25.0	110	132	118	108	100	94	88	84
	2750	27.5	116	138	123	112	104	97	92	87
	3000	30.0	121	140	125	114	106	99	93	88
	500	5.0	47	60	54	49	45	43	40	38
	750	7.5	57	74	66	60	56	52	49	47
	1000	10.0	66	85	76	69	64	60	57	54
	1250	12.5	74	95	85	78	72	67	63	60
4.5	1500	15.0	81	103	92	84	78	73	68	65
45	1750	17.5	87	109	97	89	82	77	72	69
	2000	20.0	93	114	102	93	86	81	76	72
	2250	22.5	99	120	107	98	90	85	80	76
	2500	25.0	104	125	112	102	94	88	83 86	79
	2750	27.5	109	130	116	106 108	98	92 93	88	82 83
	3000	30.0	114	132	118		100			
	500	5.0	44	57	51	47	43	40	38	36
	750	7.5	54	70	63	57	53	49	47	44 51
	1000	10.0	63	81	72	66	61	57	54	57
	1250	12.5	70	90	81	74	68 74	64 69	60 65	62
50	1500	15.0	77	97 103	87 92	80 84	74 78	73	69	65
	1750 2000	17.5 20.0	83 88	103	92	84 89	82	73	72	69
	2250	20.0	94	113	101	93	86	80	76	72
	2500	25.0	94	118	106	93	89	84	79	75
	2750	27.5	104	123	110	100	93	87	82	78
	3000	30.0	104	125	112	102	94	88	83	79
	3000	50.0	100	123		102				

EL = Dish antenna angle with horizontal.

Vmax = Effective wind velocity based on strength or overturning.


Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

 $\textbf{\textit{NOTE:}}\ \textit{Mast strength may govern antenna capacity}.$

NPPK NON-PENETRATING

The NPPK mount is a great solution for broadband antennas and satellite TV dishes. The adjustable mounting plate can be center mounted or to one side as needed to accommodate other satellite TV dish mounts. Our 1LG mount (located on page 276) with a base and 1-1/4" mounting tube can be attached to the NPPK. The mount comes standard with double ballast trays on each side to hold concrete blocks. The NPPK mount is hot-dip galvanized after fabrication for corrosion protection.

Order (2) optional FRMMAT (1/8" thick) or (2) optional FRMPAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/16" x 150').




25GBRM NON-PENETRATING

The 25GBRM mount is designed to support one or two 25G tower sections in a self-supporting application. The 25GBRM mount is galvanized after fabrication for corrosion protection.

Order (1) optional BRM6MAT (1/8" thick) or (1) optional BRM6PAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/16" x 150').

Refer to page 266 for ballast requirements.



25GBRMBALLAST REQUIREMENTS

		T				
Effective Projected Area (EPA) (FT ²)	Ballast (LBS)	Zero Velocity Load (PSF)	Vs One Section (MPH)	Vs Two Sections (MPH)	projected 1 Section	entroid of area, (MPH) 2 Sections
2	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	h=12.4 FT 131 160 185 207 227 245 250 250 250 250	h=22.4 FT 96 117 135 151 165 179 191 203 214 224 234	h=12.4 FT 111 136 157 176 190 201 211 221 231 240 244	h=22.4 FT 65 80 92 103 111 118 124 130 135 140 143
4	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	113 138 159 178 195 211 225 239 250 250	88 107 124 139 152 164 175 186 196 206 215	92 112 130 145 157 166 174 182 190 198 201	57 70 81 91 98 104 109 114 119 124 126
6	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	100 123 142 159 174 188 201 213 224 235 246	82 100 115 129 141 152 163 173 182 191 200	80 98 113 126 136 144 152 159 166 172 175	52 63 73 82 88 94 98 103 107 112 113
8	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	91 112 129 144 158 171 183 194 204 214 224	76 94 108 121 132 143 153 162 171 179 187	72 88 101 113 122 129 136 142 149 154	48 58 67 75 81 86 90 95 99 103 104
10	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	84 103 119 133 146 158 169 179 189 198 207	72 89 102 114 125 135 145 153 162 169 177	66 80 93 104 112 118 124 130 136 141	44 54 63 70 76 80 84 88 92 95 97
12	500 750 1000 1250 1500 1750 2000 2250 2500 2750 3000	5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0	79 97 112 125 137 148 158 167 176 185 193	69 84 97 109 119 128 137 146 154 161	61 74 86 96 104 110 115 121 126 131 133	42 51 59 66 71 75 79 83 86 90 91

Effective Projected	Ballast	Zero Velocity	Vs One Section	Vs Two Sections		entroid of area, (MPH)
Areá (EPA) (FT²)	(LBS)	Load (PSF)	(MPH) h=12.4 FT	(MPH) h=22.4 FT	1 Section h=12.4 FT	
	500	5.0	74	66	57	39
	750	7.5	91	80	70	48
	1000	10.0	105	93	80	56
	1250	12.5	117	104	90	62
	1500	15.0	129	114	97	67
14	1750	17.5	139	123	103	71
	2000	20.0	149	131	108	75
	2250	22.5	158	139	113	78
	2500	25.0	166	147	118	81
	2750	27.5	174	154	123	85
	3000	30.0	182	161	125	86
	500	5.0	70	63	54	37
	750	7.5	86	77	66	46
	1000	10.0	100	89	76	53
	1250	12.5	111	99	85	59
16	1500	15.0	122	109	92	64
16	1750	17.5	132	118	97	67
	2000	20.0	141	126	102	71
	2250	22.5	149	133	107	74
	2500	25.0	157	141 147	111 116	77 80
	2750 3000	27.5 30.0	165 172	154	118	80 82
		30.0	1/2		_	
	500	5.0	67	60	51	36
	750	7.5	82	74	62	44
	1000	10.0	95	86	72	50
	1250	12.5	106	96	81	56
18	1500	15.0	116	105 113	87 92	61 64
'0	1750 2000	17.5 20.0	126 134	121	92	68
	2000	20.0	142	121	101	71
	2500	25.0	150	135	106	74
	2750	27.5	157	142	110	77
	3000	30.0	164	148	112	78
	3000	30.0	101		–	

h = Distance from support surface to centroid of EPA.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.


Vmax = Effective wind velocity based on strength or overturning.

AAGM NON-PENETRATING

The AAGM mount is capable of supporting dishes with diameters up to 10 feet. The AAGM mount is hot-dip galvanized after fabrication for corrosion protection.

Order (1) optional AGMPAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/8" x 150').

Refer to page 268 for ballast requirements.



MAST SPECIFICATIONS

Mount Part No.	Mast Part No.	Mast Description & Height
AAGM35	FYS75X	3.50" O.D. x 0.216" wall x 4.5'
AAGM40	FYS76X	4.00" O.D. x 0.226" wall x 4.5'
AAGM45	FYS77X	4.50" O.D. x 0.237 wall x 4.5'
AAGM55	FYS78X	5.56" O.D. x 0.258" wall x 4.5'
AAGM6560	FYS96X	6.63" O.D. x 0.280" wall x 5.0'

AAGM 4.5 FT DISH ELEVATION BALLAST REQUIREMENTS

Dish Diameter	Ballast (LBS)	Zero Velocity Load	Vmax (MPH)		Vs (MPH)	
	(LDS)	(PSF)	(*******)	EL=0°	EL=20°	EL=40°
	1000	6.0	135	91	93	101
	1500	9.0	164	111	114	123
	2000	12.0	187	128	132	142
4'	2500	15.1	207	143	147	159
1 - 1	3000	18.1	225	157	161	174
(1.2 m)	3500	21.1	240	170	174	188
	4000	24.1	250	181	186	201
	5000	30.1	250	203	208	225
	6000	36.1	250	222	228	246
	1000	6.0	90	60	62	67
	1500	9.0	109	74	76	82
	2000	12.0	125	85	88	95
6'	2500	15.1	138	96	98	106
(1.8 m)	3000	18.1	150	105	108	116
(1.011.7)	3500	21.1	160	113	116	125
	4000	24.1	165	121	124	134
	5000	30.1	165	135	139	150
	6000	36.1	165	148	152	164
	1000	6.0	68	45	47	50
	1500	9.0	82	56	57	62
	2000	12.0	94	64	66	71
8'	2500	15.1	104	72	74	79
(2.4 m)	3000	18.1	112	79	81	87
	3500	21.1	120	85	87	94
	4000	24.1	125	91	93	101
	5000	30.1	125	101	104	112
	6000	36.1	125	111	114	123
	1000	6.0	46	31	33	40
	1500	9.0	56	38	40	49
	2000	12.0	64	44	46	57
10'	2500	15.1	71	49	52	64
(3.0 m)	3000	18.1	77	54	57	70
	3500	21.1	82	58	61	75
	4000	24.1	85	62	65	80
	5000	30.1	85	69	73	85
	6000	36.1	85	76	80	85

EL = Dish antenna azimuth angle with horizontal.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.


NOTE: Mast strength may govern antenna capacity.



PRM6 NON-PENETRATING

The PRM6 mount is capable of supporting dishes with diameters up to 6 feet. The mount is hot-dip galvanized after fabrication for corrosion protection. Th PRM6 mount is also UPS shippable.

Order (1) optional PRM6MAT (1/8" thick) or (1) optional PRM6PAD (3/8" thick) for a protective barrier between the mount and the roof. Order (1) optional SCK150 safety cable kit (3/16" x 150').



Dish	Ballast	Zero Velocity		Des	ign Win (Ml	d Veloc PH)	cities	
Diameter	(LBS)	Load´ (PSF)	EL:	=0°	EL=	20°	EL=	40°
		(P3F)	Vmax	Vs	Vmax	Vs	Vmax	Vs
	1600	17.2	145	122	180	137	198	168
4'	1800	19.4	154	130	184	146	198	179
	2000	21.5	162	137	187	154	198	188
(1.2 m)	2200	23.7	168	144	189	161	198	197
	2400	25.8	171	150	189	168	198	198
	1600	17.2	97	81	117	91	126	112
	1800	19.4	102	86	123	97	132	119
	2000	21.5	108	91	125	102	132	125
	2200	23.7	112	96	126	107	132	131
	2400	25.8	114	100	126	112	132	132
6'	2600	28.0	116	104	126	117	132	132
(1.8 m)	2800	30.1	118	108	126	121	132	132
	3000	32.3	120	112	126	125	132	132
	3200	34.4	122	115	126	126	132	132
	3400	36.6	124	119	126	126	132	132
	3600	38.7	125	122	126	126	132	132
	3800	40.9	125	125	126	126	132	132

MAST SPECIFICATIONS

Mount Part No.	Mast Part No.	Mast Description
PRM635	KY1672	3.50" O.D. x 0.216" wall
PRM640	KY1673	4.00" O.D. x 0.226" wall
PRM645	KY1674	4.50" O.D. x 0.237" wall
PRM655	KY1675	5.50" O.D. x 0.258" wall

EL = Dish antenna azimuth angle with horizontal.

Vmax = Effective wind velocity based on strength or overturning.

Vs = Effective wind velocity resulting in sliding on a flat surface with a .50 coefficient of friction.

NOTE: Mast strength may govern antenna capacity.



BALLAST REQUIREMENTS FOR ROOF MOUNTS

- 1. Ballast requirements are provided to assist consumers in determining the applicability of a non-penetrating roof mount for an antenna installation and to assist in determining the amount of ballast required. The ballast requirements should not be relied upon without competent local professional examination and verification of its accuracy and suitability for a specific site or application.
- 2. Specific antennas and/or other mounting configurations may require more stringent strength and ballast requirements and must be investigated for each installation. The load carrying requirements of the supporting surface, the mount and mast, the antenna and the antenna's connection to the mast must be investigated for each installation.
- 3. When antenna areas are indicated vs. specific antenna types, the areas tabulated are effective projected areas that include appropriate wind drag factors applied to the projected areas of the supported antennas and the exposed portions of the mount and ballast. The center of the effective projected area is assumed to be at the top of the mounting pipe or the height indicated in the ballast table. Unless otherwise indicated, tabulated ballast requirements assume that the effective projected areas are concentric to the mount and that uplift or download wind forces are insignificant.
- 4. The tabulated wind velocities are considered to occur at the centroid of the effective projected areas. The wind velocity appropriate for an installation must be determined on an individual site basis considering the location and elevation of the mount. The wind velocity at ground level must be multiplied by appropriate height escalation and gust factors. Potential increases in wind velocity due to channeling, roof projections, and other obstructions, must also be considered when determining ballast requirements.
- 5. The ballast weights indicated are assumed to be uniformly distributed on the mount. The weight of the mount and antenna may be considered as ballast. Mounts are assumed to be mounted on a flat supporting surface.
- 6. The zero velocity loads shown are equal to the tabulated ballast weights divided by the total area enclosed by the perimeter of the mount. This area is greater than the ballast contact area. Loads which must be investigated include reactions caused by wind forces and moments, live loads, ice loads, earthquake loads and the dead loads of ballast, mount, antenna, mounting hardware, miscellaneous equipment and roof pads.
- 7. The tabulated maximum wind velocities (Vmax) are based on a minimum 1.5 factor of safety against structural failure and overturning.
- 8. The tabulated wind velocities resulting in sliding (Vs) are based on a factor of safety equal to 1.0 and an effective coefficient of friction equal to 0.50 between the mount and a flat supporting surface. A 1.0 factor of safety was used assuming that at higher wind velocities, safety cables or other suitable attachments to the support structure would prevent sliding beyond a safe, designated area.
- 9. The appropriate coefficient of friction and factor of safety to determine wind velocities resulting in sliding must be determined on an individual site basis. The coefficient of friction may vary under changing moisture and temperature conditions. The minimum coefficient of friction must be used to evaluate sliding resistance. Wind speeds resulting in sliding for other factors of safety or for other coefficients of friction may be found by multiplying the tabulated values of Vs by the following modification factor:


Modification Factor = $[\mu / (.5 \text{ x FS})]^{1/2}$ μ = Coefficient of Friction FS = Factor of Safety

- 10. The values of Vs indicated do not apply for installations which are prevented from sliding by cables or other suitable attachments to the supporting structure.
- 11. Roof pads are recommended to prevent damage to roof membranes. Pads should be placed under all contact areas.
- 12. ROHN recommends that ballast material always be placed prior to mounting the antenna and that roof pads and mount be secured to prevent hazards from occurring under extreme wind loading conditions. Precautions should also be taken to prevent the inadvertent removal of ballast material after installation and to insure that all ballast material is fully supported by the mount (required for ballast to be effective in resisting overturning and sliding).
- 13. When adhesives are used to secure roof pads, the adhesive must be compatible with the supporting surface. Precautions should be taken to insure that damage to the supporting surface will not occur upon wind loading.
- 14. The installation, roof material and supporting structure must be capable of withstanding all loads imposed by the antenna system. Supporting surfaces, anchors and/or safety cables must be sufficient to resist the reactions from the antenna system. The installation must meet all applicable local, state and federal requirements.



URM

ROHN's Universal Roof Mount (URM) is capable of supporting most PCS, Cellular, and Microwave antennas. The URM adapts to various roof pitches and the fully adjustable rear-leg allows for use on a flat or up to a 12"/12" pitched roof. Installation is easy because of the quick adaptability, plus there's no need for concrete blocks. The URM is hot-dip galvanized after fabrication for corrosion protection, and can easily ship UPS.




Features:

- 1. URM mount can be used on a flat roof, sloped roof or over a roof peak.
- 2. URM mount can be used with 2.88" to 4.50" O.D. masts (order separately).
- 3. Bottom of mount pivots to match roof pitch.
- 4. Rear leg adjusts for extra length.
- 5. Mount base angles are pre-drilled to accept 1/2" diameter connectors.

SHRM

ROHN's Saw Horse Roof Mount (SHRM) is capable of supporting most PCS, Cellular, and Microwave antennas. The SHRM allows for placement of antennas on flat roofs or roof peaks with up to a 12"/12" pitch. The SHRM is also able to be installed on flat roofs. Installation is easy because of the quick adaptability, plus there's no need for concrete blocks. The SHRM is hot-dip galvanized after fabrication for corrosion protection, and can easily ship UPS.




Optional Masts	s - Ordered Separately
P2530	2.88" O.D. x 0.203" wall x 30" Long
P330	3.50" O.D. x 0.216" wall x 30" Long
P3530	4.00" O.D. x 0.226" wall x 30" Long
P430	4.50" O.D. x 0.237" wall x 30" Long

Features:

- 1. SHRM mount can be used on a flat roof or on a roof peak, up to 45 degrees maximum pitch.
- 2. SHRM mount can be used with 2.88" to 5.00" O.D. masts (ordered separately).
- 3. Bottom of mount pivots to match roof pitch.
- 4. Mount base angles are pre-drilled to accept 1/2" diameter connectors.

TRT36 / TRT60 / TRTAG2

The TRT is a Tripod Roof Tower, which comes fully assembled and snaps out into position for quick installation using up to 1/4" dia. connectors. The TRTAG2 mount comes with a 2 3/8" O.D. hot-dip galvanized mast, the TRT36 and TRT60 mounts accept masts up to 1 3/4" O.D. (ordered separately). The bolt-on swivel feet adjust to most any pitch roof. TRT mounts are galvanized for corrosion protection. All TRT mounts are UPS shippable.



SPECIFICATIONS

Part No.	Description
TRT36	3' tall, tube legs (PG)
TRT60	5' tall, tube legs (PG)
TRTAG2	5' tall, angle legs (HDG) with 2.38" O.D. x 0.154" wall x 3.5' long mast (HDG)

PG = Pre-galvanized HDG = Hot-dip galvanized








WALL MOUNTS




1 L G

The Universal One-Legged Mount (1LG) may be the one and only mount that can be installed on any part of any building. This mount is designed for many types of antennas – home, TV, MMDS, DBS and more. The mount has a 1-1/4" O.D. mounting pipe and includes (4) 1/4" dia. x 2" long lag screws for installation. The mount is galvanized for corrosion protection and goes together quickly. The mount is easily shipped via UPS.



P W M


The ROHN Pole Wall Mount (PWM) is designed to support most Satellite, PCS, Cellular, and Microwave antennas. The PWM allows you to vary the mounting pipe length and diameter, accepting 2 7/8" O.D. - 5" O.D. mounting tubes. The PWM is hot-dip galvanized after fabrication for corrosion protection, and can easily be shipped UPS.




Adjustable mast offset from wall at 16", 22" and 28"

WM4

The WM4 mount provides 3" clearance to the wall. The WM4 is hot-dip galvanized for corrosion protection. Masts are held in place with a unique "Anti-Twist" locking clamp. This mount includes (4) 1/4" dia. x 2" long lag screws for mounting.





W M 2 1 2

The WM212 mount provides 12" clearance to the wall. The WM212 is hot-dip galvanized for corrosion protection. Optional WMB12A diagonal is available to provide extra strength. Mount is pre-drilled to accept 1/2" dia. connectors.


2.38" O.D. x 0.154" wall

EXTENDED WALL MOUNT ASSEMBLIES

Single and double extended wall mount assemblies can be used on masonry, wood, metal, and other types of walls using up to 1/4" dia. lag screws or bolts. The Wall Mounts are versatile, coming in a variety of stand off lengths and supporting 7/8" to 2 3/4" O.D. masts. The mounts are available as single brackets or double brackets. Masts are held in place with a unique "Anti-Twist" locking clamp. Galvanized for durability, these Wall Mounts are UPS shippable.

Single:	Wall Clearance
WM6S	6" clearance
WM8S	8" clearance
WM12S	12" clearance
WM18S	18" clearance
WM24S	24" clearance
Double:	Wall Clearance
WM8D	8" clearance
14/44430	
WM12D	12" clearance
WM12D WM18D	12" clearance 18" clearance

NOTE: Connectors to wall not included.




G-SERIES WALL BRACKETS & BASE MOUNTS


The HBUTVRO provides lateral support for 25G, 45G and 55G bracketed towers.

The bracket is pre-drilled to accept 5/8" dia. connectors to wall at 16" or 24" spacing.

Adjustable to position tower 18" - 36" from wall.



25GWMFOR 25G WALL SUPPORTED TOWERS




The 25GWM upper bracket provides lateral support for 25G wall supported towers. The lower bracket provides both lateral and vertical support. The 25G base plate (P/N KH6775, not shown) is provided with mount to provide an adjustable 6" - 20" of clearance to wall.

The brackets are pre-drilled to accept 5/8" dia. connectors at 16" or 24" spacing. A minimum 5' separation between the top and bottom brackets is recommended.

The KH1014 bracket provides lateral support for 65G bracketed towers.

The brackets are pre-drilled to accept 3/4" dia. connectors to wall at various center-to-center spacings (4.75" increments).


Adjustable to position tower 18" - 30" from wall.



KH1014 FOR 65G BRACKETED TOWERS

All mounts shown are hot-dip galvanized.

NOTES





TOWER MODIFICATION MATERIAL






TOWER MODIFICATION MATERIAL - GUYED TOWERS

ROHN MODEL 80 GUYED TOWER

STANDARD GUY BRACKETS FOR 83 & 84 SECTIONS (2 3/8" & 2 7/8" O.D. LEGS)



	GA80 Bill of Material								
Item	em Qty. Part No. Description								
1	3	KC143	Bar Flat Bracket Guy .38 x 4.5 x4.5'						
2	3	KC145	Bar Flat TA 2.75 x .38 x 1.82'						
3	6	210047GA	Bolt Assembly 3/4 x 2 HSB A325						
4	9	210058GA	Bolt Assembly 3/4 x 5 HSB A325						


These guy brackets are designed for 5/8" EHS maximum guys at 80% guy radius. For use on ROHN Model 80 tower only, supported on brace clips.

For single braced standard sections, guy bracket must be used at the top of the section.

For double braced standard sections, guy brackets may be used at any panel point.

ROHN MODEL 80 GUYED TOWER

STANDARD GUY BRACKETS FOR 85 SECTIONS (3 1/2" O.D. LEGS)



	GA85 Bill of Material								
Item	Qty.	Part No.	Description						
1	3	KC144 Bar Flat Bracket Guy .38 x 5 x 4.5'							
2	3	KC465	Bar Flat TA .38 x 3.5 x1.83'						
3	6	210050GA	Bolt Assembly 3/4 x 2-3/4 HSB A325						
4	9	210059GA	Bolt Assembly 3/4 x 5-1/2 HSB A325						
5	3	KC441	Spacer Bracket Guy .63 x 3.13 x 4.5"						

These guy brackets are designed for 5/8" EHS maximum guys at 80% guy radius. For use on ROHN Model 80 tower only.

For single braced standard sections, guy bracket must be used at the top of the section.


For double braced standard sections, guy brackets may be used at any panel point.






TORQUE ARM

CHANNEL ASSEMBLY FOR 80 TOWERS



To order, provide leg size and desired channel size.




NOTE: For single braced sections, torque arm must bear on brace clips above flange plates. For double braced sections, torque arm must bear on brace clips at any panel point.






REINFORCEMENTS FOR 80 SERIES TOWERS

STANDARD PARTS AVAILABLE FOR TOWER MODIFICATIONS
AND FIELD REINFORCEMENT



To order, provide leg size and size of horizontal desired.



Added braces are shown as a bold line.






REINFORCEMENTS FOR 80 SERIES TOWERS

STANDARD PARTS AVAILABLE FOR TOWER MODIFICATIONS

AND FIELD REINFORCEMENT

Similar reinforcements available for 90 series towers.



)	X-Brace Lug Requirements (Pipe)									
Leg O.D.	Assy. P/N	Lug P/N (1)	U-Bolt Assy. (4)							
2.38"	KB497A	KB299	JR83A							
△ 2.38″	KB497ASP	KB299SP	JR84A							
2.88"	KB498A	KB489	JR84A							
* 2.88"	KB498ASP	KB489SP	JR88A							
**2.88"	KB498ASP1	KB489SP1	JR89A							
3.50"	KB499A	KB492	JR88A							

X-Brace Lug Requirements (Solid Rod)									
Leg O.D.	Assy. P/N	Lug P/N (1)	U-Bolt Assy. (4)						
2.25"	KB565A	KB555	JR83A						
2.50"	KB566A	KB556	JR83A						
2.75"	KB567A	KB557	JR84A						
3.00"	KB568A	KB558	JR84A						
3.25"	KB569A	KB559	JR88A						


Standard Bracing Available

Light Bracing (16 GA)							
Part No.	Description						
KB35R	1.50" Tube, 16GA Diagonal						
KB36R	1.50" Tube, 16GA Horizontal						
210018GA 1/2 x 1-1/2 A325 Bolt Assy.							

Heavy Bracing (11 GA)							
Part No. Description							
KB37R	1.50" Tube, 11GA Diagonal						
KB38R	1.50" Tube, 11GA Horizontal						
210019GA 1/2 x 1-3/4 A325 Bolt Assy.							

- ${\ }^{\ }$ Use w/ 2.88"O.D. X .203" Wall Split Pipe on one side
- * Use w/ 3.50"O.D. X .300" Wall Split Pipe on one side
- ** Use w/ 3.88"O.D. X .500" Wall Split Pipe on one side

Standard and Heavy Duty replacement braces are available. To order heavy duty braces, specify leg size and desired brace size.




Added braces are shown as a bold line.






SELF-SUPPORTING REINFORCEMENTS

STANDARD PARTS AVAILABLE FOR TOWER MODIFICATIONS AND FIELD REINFORCEMENT




Bolt on brackets are available for all SSV towers.






SSMW SELF-SUPPORTING REINFORCEMENTS

STANDARD PARTS AVAILABLE FOR TOWER MODIFICATIONS
AND FIELD REINFORCEMENT



Bolt-on brackets are available for all SSMW legs and internal braces.






TOWER MODIFICATION MATERIAL

GUY ANCHOR SELECTION CHART

GU	JYS	TURNB	UCKLES							
SIZE & TYPE	ULTIMATE STRENGTH (LBS)	SIZE	ULTIMATE STRENGTH (LBS)	ANG	CHOR ROI	DS COMP	ATIBLE W	ITH TURN	IBUCKLE:	SIZE
3/16EHS	3990	3/8	6000		GAC					
1/4EHS	6650	1/2	11000	GAR	GAC	GAC34				
5/16EHS	11200	5/8	17500	GAR	GAC	GAC34	GAC56			
3/8EHS	15400	5/8	17500	GAR		GAC34	GAC56			
7/16EHS	20800	3/4	26000	GAR		GAC34	GAC56	GAC57		
1/2EHS	26900	7/8	36000				GAC56	GAC57		
9/16EHS	35000	7/8	36000				GAC56	GAC57		
5/8EHS	42400	1	50000					GAC57	GAC58	GAC59
3/4EHS	58300	1-1/4	76000						GAC58	GAC59

ANCHOR RODS

Туре	L	A	В	С	D	Т	Part No.	Weight (lbs.)
GAR	84"	1″	-	2″	5/8"	-	GAR30	9
GAC	84"	2"	-	1"	5/8"	3/16"	GAC303	13
GAC	84"	2"	-	1"	5/8"	3/16"	GAC305	14
GAC34	84"	2″	12"	1"	3/4"	3/8"	GAC3455TOP	25
GAC56	120"	2-1/2"	12"	1-1/4"	1-1/4"	1/2"	GAC5655TOP	65
GAC57	168"	3″	12"	1-3/8"	1-7/16"	3/4"	GAC5755TOP	125
GAC58	192"	4"	12"	1-3/4"	1-1/4"	1″	GAC5855TOP	220
GAC59	240"	4"	18"	1-3/4"	1-7/16"	1″	GAC5955TOP	310





NOTE: GAC303 + GAC305 Anchors require use of eye and eye turnbuckles. All other anchors are for use with eye and jaw turnbuckles. Refer to page 297.


HARDWARE







GRADE 5 BOLT ASSEMBLIES, GALVANIZED [HEX BOLTS, NUT & LOCKING DEVICE]



Dia. x Length (inches)	Assembly Part No.	Weight (lbs./100pcs)
5/16 x 2-3/8	210003GA	7/100
3/8 x 1-1/4	210005GA	10/100
3/8 x 1-1/2	210008GA	10/100
3/8 x 2	210009GA	12/100
3/8 x 2-1/2	210011GA	13/100
3/8 x 2-1/2 (Full Thread)	210176GA	13/100
3/8 x 4	210014GA	18/100
3/8 x 4 (Full Thread)	210013GA	18/100
7/16 x 2-1/2	210016GA	17/100
5/8 x 1-3/4	210146GA	35/100
5/8 x 2	210140GA	38/100
5/8 x 3-1/4	210036GA	51/100
5/8 x 3-3/4	210038GA	53/100
3/4 x 4-1/2	210091GA	91/100
7/8 x 3	210062GA	103/100

Pal nuts included with assembly P/N shown. See table below for other nut locking devices.

NUT LOCKING DEVICE OPTIONS [ADD SUFFIX AFTER BOLT ASSEMBLY PART NUMBER]

Suffix	Nut Locking Device		
-	Pal Nut		
AN	Anco Nut		
TLN	Tri-Loc Nut		
LW	Split Ring Washer		

Example:


For 3/8" x 1-1/2" bolt assembly with a split ring lock washer used for a nut locking device, in place of a pal nut, order part number: **210011GALW**

NOTE: To order bolts or other hardware in this catalog without nuts and nut locking devices, remove the "A" from the end of the assembly part number.






U-BOLTS, ROUND BEND, GALVANIZED A36



[Dimensions (inches)			Accus Dout No	Weight
Α	В	С	D	Assy. Part No.	(lbs./100pcs)
1/4	1-1/4	2-1/4	1-3/8	JR45GA	12/100
5/16	1-1/2	2-5/8	1-1/4	JR51A	15/100
5/16	1-1/2	2	1-1/4	JR55A	14/100
5/16	1-11/6	2-1/4	1	JR54A	15/100
3/8	13/16	1-5/8	7/8	JR69A	21/100
3/8	1	2-1/4	1-1/4	JR67A	23/100
3/8	1-1/4	2-3/4	1-5/8	JR66A	31/100
3/8	1-1/2	3	1-3/4	JR65A	29/100
3/8	2-1/8	3	1-1/4	JR68A	31/100
3/8	2-1/2	4	2	JR60A	35/100
3/8	2-1/2	3-1/2	1-1/2	JR61A	33/100
3/8	3-1/2	4-5/8	1-5/8	JR64A	41/100
3/8	4	6	2-1/4	JR62A	42/100
3/8	4-1/2	6-1/2	2-1/4	JR63A	52/100
1/2	3/4	3-1/2	2-1/2	JR81A	60/100
1/2	2	3-3/4	1-3/4	JR810A	63/100
1/2	2-1/4	4-1/2	2-1/4	JR82A	71/100
1/2	2-1/2	4-1/2	2-1/2	JR83A	71/100
1/2	3	5-5/8	3	JR84A	84/100
1/2	3	4-1/8	1-1/2	JR84SA	73/100
1/2	3-1/2	6	3	JR88A	88/100
1/2	4	6-1/2	3-1/2	JR89A	98/100
1/2	4-1/2	6	2-1/4	JR85A	91/100
1/2	5-5/8	8	3-1/4	JR86A	114/100
1/2	6-3/4	9	3-1/4	JR87A	127/100
1/2	8-3/4	11-1/8	2-1/2	JR90SA	188/100
1/2	10-7/8	13	2-1/2	JR110A	198/100
1/2	12-7/8	15	2-1/2	JR120A	243/100
3/4	3	5-3/4	3	JR121A	199/100
3/4	3-1/2	6-1/4	2-3/4	JR122A	263/100
3/4	4	6-3/4	2-1/2	JR123A	284/100
3/4	4-1/2	7-1/4	2-1/2	JR124A	280/100
3/4	5-5/8	8-5/16	2-1/2	JR125A	318/100
3/4	6-3/4	10	3-1/2	JR126STA	390/100
3/4	8-3/4	11-3/8	2-1/2	JR128A	424/100
3/4	10-7/8	13-3/8	2-5/8	JR1210A	517/100
3/4	12-3/4	15	2-1/2	JR1212A	591/100
D / .		uith accom			


Pal nuts included with assembly P/N shown. Add suffix from page 288 for other nut locking device.



J-BOLTS, GALVANIZED A36


D	imensio	ns (inches)	Acor Dout No	W-:
Α	В	C	D	Assy. Part No.	Weight (lbs./100pcs)
3/8	5/8	4	2-5/8	J44AA	16/100
3/8	5/8	5-11/16	2-3/4	J51A	23/100
3/8	5/8	7-9/16	5-1/2	J170A	35/100
3/8	3/4	2	1-1/2	J167A	10/100

Pal nuts included with assembly P/N shown. Add suffix from page 288 for other nut locking device.



U-BOLTS, DOUBLE BEND, GALVANIZED A36

Description	Assy. Part No.	Weight (lbs./100pcs)
5/16" dia. (18 THD) For 1-1/4" Tubing	TB5125BA	54/100




BASE BOLT, GALVANIZED

Description	Part No.	Weight (lbs.)
1/2" x 12" + 2" (Hook)	1/2X12BB	1/2 ea.
5/8" x 12"	260145G	1 ea.



STEP BOLT, GALVANIZED


Description	Part No.	Weight (lbs./100pcs)
5/8" x 7" (2-1/2" THD Length)	210042G	84/100
5/8" x 7" (2-1/2" THD Length) With 2 Heavy Hex Nuts	5/8STEP	108/100



J-BOLTS, GALVANIZED A36


Dimensions (inches)		Acor Dout No	W-:		
Α	В	C	D	Assy. Part No.	Weight (lbs./100pcs)
3/8	5/8	4	2-5/8	J44AA	16/100
3/8	5/8	5-11/16	2-3/4	J51A	23/100
3/8	5/8	7-9/16	5-1/2	J170A	35/100
3/8	3/4	2	1-1/2	J167A	10/100

Pal nuts included with assembly P/N shown. Add suffix from page 288 for other nut locking device.



U-BOLTS, DOUBLE BEND, GALVANIZED A36

Description	Assy. Part No.	Weight (lbs./100pcs)
5/16" dia. (18 THD) For 1-1/4" Tubing	TB5125BA	54/100



BASE BOLT, GALVANIZED

Description	Part No.	Weight (lbs.)
1/2" x 12" + 2" (Hook)	1/2X12BB	1/2 ea.
5/8" x 12"	260145G	1 ea.



STEP BOLT, GALVANIZED

Description	Part No.	Weight (lbs./100pcs)
5/8" x 7" (2-1/2" THD Length)	210042G	84/100
5/8" x 7" (2-1/2" THD Length) With 2 Heavy Hex Nuts	5/8STEP	108/100



BEVELED WASHERS, GALVANIZED



Description	Part No.	Weight (lbs/100pcs.)
3/8"	110398	7/100
1/2″	110399	7/100
5/8"	110400	15/100
3/4"	110551	14/100
7/8"	250062G	31/100
1"	110686	28/100

ROHN GUY MATERIALS

THIMBLES, GALVANIZED



Description	Assy. Part No.	Weight (lbs./100pcs.)
1/4" Standard thimble, open for 1/8" to 3/16" guys	1/4TH	4/100
5/16" Heavy duty thimble, open for 3/16" guys	5/16THH	12/100
3/8" Heavy duty thimble, open for 1/4" guys	3/8THH	25/100
7/16" Heavy duty thimble, open for 5/16" guys	7/16THH	30/100
1/2" Heavy duty thimble, open for 3/8" guys	1/2THH	51/100
9/16" Heavy duty thimble, open for 7/16" guys	9/16THH	51/100
5/8" Heavy duty thimble, open for 1/2" or 9/16" guys	5/8THH	75/100
3/4" Heavy duty thimble, open for 5/8" guys	3/4THH	147/100
7/8" Heavy duty thimble, open for 3/4" guys	7/8THH	175/100
1" Heavy duty thimble, open for 7/8" guys	1THH	275/100

ROHN GUY MATERIALS

CABLE CLAMPS, FORGED, GALVANIZED



Description	Part No.	Weight (lbs./100pcs.)
3/16" Cable Clamp, Forged	3/16 CCF	10/100
1/4" Cable Clamp, Forged	1/4 CCF	20/100
5/16" Cable Clamp, Forged	5/16 CCF	30/100
3/8" Cable Clamp, Forged	3/8 CCF	47/100

NUT & PIN TYPE SHACKLES, HEAT TREATED, GALVANIZED



Description	Part No.	Weight (lbs./100pcs.)
3/8" (13,200 lbs. ultimate strength)	3/85	25/100
1/2" (26,400 lbs. ultimate strength)	1/25	70/100
5/8" (42,000 lbs. ultimate strength)	5/8S	150/100
3/4" (67,700 lbs. ultimate strength)	3/45	232/100
7/8" (85,800 lbs. ultimate strength)	7/85	340/100
1" (112,200 lbs. ultimate strength)	15	500/100
1-1/8" (125,400 lbs. ultimate strength)	1-1/85	700/100
1-1/4" (158,400 lbs. ultimate strength)	1-1/45	975/100

BIG GRIP END SLEEVES, GALVANIZED



Description	Part No.	Weight (lbs./100pcs.)
3/16"	GC65303	3/100
1/4"	GC65136	3/100
5/16"	GG65128	3/100
3/8"	GC65264	5/100
7/16"	GC65265	7/100
1/2"	GC65266	10/100
9/16"	GC65267	11/100
5/8″	GC65268	14/100
3/4"	GC65269	21/100
7/8"	GC65270	27/100
1"	GC65271	32/100

NOTES:



^{1.} Oversized heavy duty thimbles must be used with all Big-Grips.

ROHN GUY MATERIALS

BIG-GRIPS, GALVANIZED [BIG-GRIP WITH END SLEEVE]

Description	Part No.	Weight (lbs./100pcs.)
3/16"	BG2142	33/100
1/4"	BG2144	50/100
5/16"	BG2146	82/100
3/8"	BG2147	112/100
7/16"	BG2148	188/100
1/2"	BG2115	315/100
9/16"	BG2116	480/100
5/8"	BG2111	650/100
3/4"	BG2112	1080/100
7/8"	BGMS7023	1125/100

TURNBUCKLES, HEAT-TREATED, GALVANIZED

Eye & Jaw (EJ)	
	Eye & Eye (EE)

Thread Diameter x Take Up	Туре	Part No.	Weights (lbs.)
3/8" x 6" (6,000 lbs. ultimate strength)	EE	3/8TBE&E	1
3/8" x 6" (6,000 lbs. ultimate strength)	EJ	3/8TBE&J	1
1/2" x 12" (11,000 lbs. ultimate strength)	EE	1/2TBE&E	2
1/2" x 12" (11,000 lbs. ultimate strength)	EJ	1/2TBE&J	2
5/8" x 12" (17,500 lbs. ultimate strength)	EJ	5/8TBE&J	4
3/4" x 12" (26,000 lbs. ultimate strength)	EJ	3/4TBE&J	5
7/8" x 12" (36,000 lbs. ultimate strength)	EJ	7/8TBE&J	8
1" x 12" (50,000 lbs. ultimate strength)	EJ	1TBE&J	11
1-1/4" x 18" (76,000 lbs. ultimate strength)	EJ	11/4X18TB	24
1-1/2" x 18" (107,000 lbs. ultimate strength)	EJ	11/2X18TB	35
1-3/4" x 18" (140,000 lbs. ultimate strength)	EJ	13/4X18TB	54

EYE BOLT, GALVANIZED

Description	Part No.	Weight (lbs.)
5/8" x 18" Eye Bolt with Nuts	260004P	2



SCREW ANCHOR, GALVANIZED

Description	
1/2" dia. x 30" long (4" auger)	
5/8" dia. x 48" long (6" auger)	

ROHN GUY MATERIALS



GUYS, GALVANIZED

Description	Part No.	Weight (lbs.)
6 Strand, 18GA - 1,000' coil (610 lbs. ultimate strength)	618	42
3/16" - 500' coil (3,990 lbs. ultimate strength)	3/16EHS500	36
3/16" - 1,000' coil (3,990 lbs. ultimate strength)	3/16EHS1000	73
3/16" - cut length* (3,990 lbs. ultimate strength)	3/16EHS	73/MFT
1/4" - 500' coil (6,650 lbs. ultimate strength)	1/4EHS500	60
1/4" - 1,000' coil (6,650 lbs. ultimate strength)	1/4EHS1000	120
1/4" - cut length* (6,650 lbs. ultimate strength)	1/4EHS	120/MFT
5/16" - cut length* (11,200 lbs. ultimate strength)	142265	205/MFT
3/8" - cut length* (15,400 lbs. ultimate strength)	142261	279/MFT
7/16" - cut length* (20,800 lbs. ultimate strength)	142260	399/MFT
1/2" - cut length* (26,900 lbs. ultimate strength)	142259	517/MFT
9/16" - cut length* (35,000 lbs. ultimate strength)	142258	671/MFT
5/8" - cut length* (42,400 lbs. ultimate strength)	142264	813/MFT
3/4" - cut length* (58,300 lbs. ultimate strength)	142257	1155/MFT
7/8" - cut length* (79,700 lbs. ultimate strength)	142256	1581/MFT
1" - cut length* (122,000 lbs. ultimate strength)	1BS	2100/MFT

^{*}Please provide desired guy length with order. MFT = 1,000 FT





GUY STRAIN INSULATORS, PORCELAIN


Description	Part No.	Weight (lbs.)
10,000 lbs. ultimate strength	502	1
12,000 lbs. ultimate strength	504	1.5
20,000 lbs. ultimate strength	506	3



GRIPPLE GRIP

Description	Part No.
Gripple Grip for 6 strand, 18 GA guy installation	61820GRPL


ROHN REV G GROUNDING



Tower Type	Description	Kit Part No.	No. of Kits Required
	80 & 90 Tower Base Grounding Kit	BGK1GGX	3 per tower
	55G & 65G Base Grounding Kit	BGK2GGX	3 per tower
	25G & 45G Base Grounding Kit	BGK3GGX	3 per tower
Guyed Masts	Guy Anchor Grounding Kit	AGK1GGX	1 per each anchor radius
Guyeu Masts	Guy Anchor Clamp for 1/2" - 3/4" O.D. Rods	CPC.5/.75	1 per anchor
	Guy Anchor Clamp for 1" - 1-1/4" O.D. Rods	CPC1/1.25	1 per anchor
	Guy Anchor Clamp for 1-1/2" - 2" O.D. Rods	CPC1.5/2	1 per anchor
	Guy Anchor Clamp for Angle Anchor Rods	213	1 per anchor
	1/2" Anchor Bolt Grounding Kit	BGK4GGX	3 per tower/pole
	5/8" Anchor Bolt Grounding Kit	BGK5GGX	3 per tower/pole
Self-Supporting Structures	3/4" Anchor Bolt Grounding Kit	BGK6GGX	3 per tower/pole
5.1.5.501.65	7/8" Anchor Bolt Grounding Kit	BGK7GGX	3 per tower/pole
	1" Anchor Bolt Grounding Kit	BGK8GGX	3 per tower/pole



STEEL TUBING




ROHN offers both swaged and expanded 16 GA. tubing, commonly used with our roof and wall mounts.

Swaged - This tubing has a locking joint. When tubing is swaged, the metal is compressed and made thicker so that the joint is stronger than the original material. Swaging also eliminates the "joint bulge" common with expanded tubing.

Expanded - A tube with an expanded end used along with a tube with a plain end.

ROHN tubing is offered in two types of finishes, hot-dip galvanized and pre-galvanized. ROHN's hot-dip galvanized tubing is fabricated from high strength steel, then immersed in molten zinc giving all surfaces, including the interior, an even coating of zinc for maximum corrosion protection. There are no seams, holes or edges left uncoated. Pre-galvanized tubing is made from a coil of steel which is galvanized at the steel mill, cut into strips, and then formed into a piece of tubing. Where the tubing is welded, zinc is sprayed over the weld to give it protection. It has a slightly uncoated seam on the inside and ends.



TUBING SPECIFICATIONS

Tubing Part No.	End Type	Description	Finish
160505GHS	Swaged	1-1/4" O.D. x 16 GA. x 5' long	Hot-Dip Galvanized
160505PHS	Swaged	1-1/4" O.D. x 16 GA. x 5' long	Pre-Galvanized
160506PLX	Expanded	1-1/2" O.D. x 16 GA. x 5' long	Pre-Galvanized
161005GHS	Swaged	1-1/4" O.D. x 16 GA. x 10' long	Hot-Dip Galvanized
161005PHS	Swaged	1-1/4" O.D. x 16 GA. x 10' long	Pre-Galvanized



MOUNTING TUBES HOT-DIP GALVANIZED

Standard

Description	Length	Part Number	Weight (lbs.)
2.38" O.D. x 0.154" wall	5'	KH275	20
2.38" O.D. x 0.154" wall	6'	KH1256	24
2.38" O.D. x 0.154" wall	6' 8"	KH281	26
2.38" O.D. x 0.154" wall	8'	KY1304	30
2.38" O.D. x 0.154" wall	10'	KH287	39
2.38" O.D. x 0.154" wall	12'	KH365	47
2.38" O.D. x 0.154" wall	14'	KH2805	55
2.38" O.D. x 0.154" wall	16′	KH2806	62
2.38" O.D. x 0.154" wall	18′	KH2807	70
2.88" O.D. x 0.203" wall	5'	KH276	31
2.88" O.D. x 0.203" wall	6'	KH2576	37
2.88" O.D. x 0.203" wall	6' 8"	KH282	41
2.88" O.D. x 0.203" wall	8'	KH2541	50
2.88" O.D. x 0.203" wall	10'	KH288	62
2.88" O.D. x 0.203" wall	12'	KH366	74
2.88" O.D. x 0.203" wall	14'	KH2802	86
2.88" O.D. x 0.203" wall	16'	KH2803	99
2.88" O.D. x 0.203" wall	18'	KH2804	111
2.88" O.D. x 0.203" wall	20'	KH4813	123
4.50" O.D. x 0.237" wall	5'	KH279	58
4.50" O.D. x 0.237" wall	6' 8"	KH285	77
4.50" O.D. x 0.237" wall	8'	KH2447	92
4.50" O.D. x 0.237" wall	10'	KH291	115
4.50" O.D. x 0.237" wall	12'	KH369	138
4.50" O.D. x 0.237" wall	14'	KH2509	161

Extra Heavy

Description	Length	Part Number	Weight (lbs.)
2.38" O.D. x 0.218" wall	5'	KH1193	27
2.38" O.D. x 0.218" wall	6' - 8"	KH1194	36
2.38" O.D. x 0.218" wall	8'	KH2229	43
2.88" O.D. x 0.276" wall	5'	KH1200	41
2.88" O.D. x 0.276" wall	6' - 8"	KH1201	55
2.88" O.D. x 0.276" wall	8'	KH2987	65
2.88" O.D. x 0.276" wall	10'	KH1202	82
2.88" O.D. x 0.276" wall	12'	KH1203	98
2.88" O.D. x 0.276" wall	14'	KH5768	114
4.50" O.D. x 0.337" wall	5'	KH1221	80
4.50" O.D. x 0.337" wall	6' - 8"	KH1222	106
4.50" O.D. x 0.337" wall	8'	KH1977	127
4.50" O.D. x 0.337" wall	10'	KH1223	159
4.50" O.D. x 0.337" wall	12'	KH1224	191
4.50" O.D. x 0.337" wall	16'	KH3614	254
4.50" O.D. x 0.337" wall	18'	KH5627	286



MISCELLANEOUS



PAINT

Description	Part No.	Weight (lbs.)
Tower Paint, Orange, Acrylic Latex	PNTNPO5	11/gal.
Tower Paint, White, Acrylic Latex	PNTNPW9	11/gal.






COLD GALVANIZE

Description	Part No.	Weight (lbs.)
Cold Galvanize, Spray	380063	1/can
Cold Galvanize, Gallon	380147	1/gal.

NOTES






TOWER LIGHTING GUIDELINES



FAA STYLE "A" SERIES RED OBSTRUCTION






Day Protection = Aviation Orange/White Paint Night Protection = 2,000cd Red Beacon and Sidelights



🛕 L-810 (Obstruction Light)




FAA STYLE "B" SERIES HIGH INTENSITY



L-856 (High Intensity Strobe 3 Flashheads required per level for 360° coverage

Day Protection = 200,000cd White Strobe Twilight Protection = 20,000cd White Strobe Night Protection = 2,000cd White Strobe

FAA STYLE "C" SERIES HIGH INTENSITY





L-865 (Medium Intensity Strobe) Required for appurtenances of 40' or greater




L-856 (High Intensity Strobe) 3 Flashheads required per level for 360° coverage Day Protection = 200,000cd White Strobe Twilight Protection = 20,000cd White Strobe Night Protection = 2,000cd White Strobe






FAA STYLE "D" SERIES MEDIUM INTENSITY WHITE




FAA STYLE "E" SERIES MEDIUM INTENSITY DUAL





FAA STYLE "F" SERIES DUAL HIGH INTENSITY





L-864 (Red Beacon)



L-810 (Obstruction Light)



L-856 (High Intensity Strobe) 3 Flashheads required per level for 360° coverage Day Protection = 200,000cd White Strobe
Twilight Protection = 20,000cd White Strobe
Night Protection = 2,000cd Red Beacon and Sidelights



ROHN CONSTRUCTION SERVICES



ROHN CONSTRUCTION SERVICES

ROHN's Construction Group has direct and immediate access to company management, engineering, production and shipment to provide you with the highest quality products and a wide range of services to help you complete your project. This direct and simple line of communication saves time and eliminates long distance contact between the manufacturer and installer. It enables us to answer questions internally before they have the chance to grow into costly delays.

We employ professionals with the expertise required to provide you a full turnkey communication project. We understand your needs, and when your job becomes a ROHN Construction project, we assign a single staff member to take charge. This one point of contact provides you the answers from scope changes to shipping schedules. At any time, you can be assured of the updated status of all phases of your project without having to contact multiple manufacturers and contractors.

ROHN's Construction Group, in addition to our in-house staff, has a network of suppliers, consultants and contractors to provide:

- Certified Tower Design Drawings
- Zoning and Permitting Assistance
- Environmental Studies
- Geotechnical Services
- Site Preparation
- Civil Construction
- Tower Foundations
- Equipment Shelter Foundations
- Tower Erection
- Equipment Shelter Installation
- Provide and Install Antennas and Transmission Lines
- System Testing
- Security Fencing
- Maintenance and Inspection

With over 60 years experience, what company could be more qualified to provide single source turnkey installation services more quickly and efficiently than ROHN? Nobody knows the products and installation methods the way ROHN does. Rest assured, ROHN is there to fulfill all your requirements.

CONSIDERATIONS, RECOMMENDATIONS & SAFETY INFORMATION



CONSIDERATIONS IN ERECTING TOWERS & SIMILAR PRODUCTS

Your local municipality or development may have established height and building standards governing the use of towers and similar products. Height restrictions are found in zoning ordinances and private deed restrictions. Building standards may be found in local building codes. Complying with these requirements is usually easy and will help to provide many years of safe and trouble free operation of your installation.

Zoning ordinances, building codes and private deed restrictions are complex legal documents. If you question whether they apply to you, consult a local attorney. Five minutes spent in advance may save hours later.

Zoning ordinances, building codes and deed restrictions are local. If you move from city to city, these restrictions may change.

Zoning ordinances are concerned with the type of buildings or other structures you can erect in your neighborhood. In terms of towers and similar products, zoning laws will tell you if your property is zoned for such items, and if so, what height limitations, if any are involved.

Building codes are concerned with the safety of buildings or other structures permitted by local zoning ordinances. Building codes will tell you where on your property you can put the installation and the type of loading you will need to consider.

Both zoning and building codes are usually administered by the same governmental agency, often known as the Department of Building and Safety or the Zoning Board.

The following steps will help make sure you have a safe, legal installation.

- 1. Check with the local governmental agency. Ask whether your home is zoned for the type of product you wish to install.
- 2. Look at the actual zoning ordinances. Pay special attention to the definitions. Many zoning ordinances distinguish between "buildings" and "structures". Others distinguish between towers physically attached to the house, either by guy wires or mounting and towers that are not attached.
- 3. See if a building permit is required. If so, be sure to get one. They are usually quite inexpensive, often less than one percent of the cost of the tower. As part of the building permit, a local inspector will check and make sure that the base, guy wires, etc. meet local safety requirements. Properly manufactured commercially made towers are extremely safe and have a large safety margin, but only if you install them according to the directions! If a permit is required and not obtained, your home-owner's insurance may not insure the tower and you have given neighbors, who might object, a reason to require you to take the tower down.
- 4. In a limited number of cases, you may need either a zoning variance or a conditional use permit to erect a structure higher than the local zoning board requirements. If so, it is far easier to apply in advance than to put up the structure and apply later. Most local governments are quite cooperative if you apply in advance and follow their rules. Variance provisions are used to provide flexibility from dimensional regulations such as setback or height restrictions. Conditional use permits are used where towers or antennas are not otherwise allowed. A public hearing is usually required before such permits are issued.
- 5. In addition to local ordinances, real estate developers or homeowners' associations may impose their own requirements in a subdivision. These requirements are usually known as deed restrictions or Conditions, Covenants and Restrictions (CC&R).

If you are thinking of moving into a new area, ask for a copy of the deed restrictions in advance of signing an offer to purchase the property. If you already own a home, a local realtor, title insurance company or lawyer can obtain copies of the deed restrictions, if any, for you. Don't take the word of the realtor who may be wrong.

If there are no deed restrictions, you need only be concerned with local zoning and building codes. If there are deed restrictions, read them carefully. Look at the definitions. See if there are any restrictions on outside structures or if a local architectural control committee must pass on any additions or changes to your property.

Deed restrictions are legal documents. A local lawyer familiar with real estate law can read the restrictions in only a few minutes and advise you. Even if the deed restrictions prohibit or restrict the size of towers and similar products, they may be unenforceable if many of your neighbors have erected such products and no objections have been raised.



- COMMUNICATION TOWER SPECIFICATIONS-



RECOMMENDATIONS FOR SPECIFYING COMMUNICATION STRUCTURES

The basic standard for the design of steel antenna supporting structures is ANSI/TIA-222-G. Prior to issuing a specification, the specifying authority must have a working familiarity with this standard and its requirements. The following information is presented as the basis for preparing a tower specification.

Location: The tower is to be installed at	(include site name, state and county).
Tower Requirements: The structure is to be guyed/self-support/pole (circle of feet. The tower is to be designed for a mph wind speed	
Ice loading shall be considered at inches per ANSI/TIA-222-G and _	mph wind speed.
The tower shall be designed to accommodate the following antenna loads: (A and transmission line requirements, providing as specific detail as possible. The frequencies.)	
Owner shall define structure class, exposure and topographic category (see pa	nges 14-16).
The structure should be oriented on the property with one leg at orientation required due to property restrictions or desired by the purchaser.	•

The following appurtenances shall be incorporated into design as required by ANSI/TIA-222-G. (Note which appurtenances are to be provided with the structure.)

- 1. Climbing Ladder
- 2. Safety Device
- 3. Rest/Working Platforms
- 4. Transmission Line Support Ladders/Brackets
- 5. Obstruction Warning Lights and/or Paint
- 6. Antenna Mounts
- 7. Ice Shields
- 8. Grounding Materials
- 9. Waveguide Bridge
- 10. Port Size / Location for Poles

ROHN recommends the following requirements be included in specifications for the benefit of the purchaser:

The vendor shall be a manufacturer, primarily and continuously involved in the design and production of communication towers for at least ten years.

In order to specifically define responsibilities, the vendor shall maintain in-house control over the design and fabricating functions. Subcontracting of these responsibilities will be cause for rejection of a vendor's proposal.

Each structural member shall be identified by a part number and all parts with the same part number must be interchangeable. This will result in tower sections capable of being installed in any 120 degree rotation. Match marking requirements of tower sections by the manufacturer, for proper assembly, shall not be acceptable.

Tower leg members shall utilize a 50 KSI minimum yield strength. Tubular leg members with flange splices shall maintain an open interior diameter through the flange plate at least as large as the inside diameter of the tube and shall be welded externally and internally. Flange leg connections shall utilize a minimum of four bolts per leg.

All fabricated tower members shall be hot-dip galvanized after fabrication per ASTM Standard A123. Hardware shall be galvanized per ASTM Standard A153 and B695. Other types of coatings are not acceptable.

Four sets of tower assembly drawings illustrating all component part numbers and their respective locations shall be provided. As a minimum, assembly drawing shall be accompanied by a letter sealed by a registered professional engineer licensed in the state in which construction is to be performed, certifying that the tower meets all design requirements per ANSI/TIA-222-G.

The tower manufacturer shall be an AISC Certified Fabricator and shall maintain the highest quality steel manufacturing standards for production. Only AWS Certified Welders shall be employed for tower fabrication. A fully qualified quality control department shall be employed with a quality control manual maintained to establish minimum acceptable fabrication standards, procedures and requirements for documentation.

With the use of ANSI/TIA-222-G and the procurement and user guidelines (Annex A), accompanied by the commentary noted above, a thorough specification can be developed.

ROHN®

GUIDELINES FOR THE PREPARATION OF A GEOTECHNICAL REPORT

I. PURPOSE AND INTENT

- a) The intended purpose of these guidelines is to assist the customer and/or owner to retain the services of a Geotechnical Engineer.
- b) It is not ROHN's purpose or intent to supercede the Geotechnical Engineer's knowledge, judgement and/or experience. It is the Geotechnical Engineer's responsibility to add or delete from these items, based on local site conditions and other factors.
- c) Additional information is provided in ANSI/TIA-222-G Annex G "Geotechnical Investigations".

II. DISCLAIMER

a) ROHN will not accept any liability, either expressed or implied, for the use of, and omissions in, these guidelines.

III. EXPLORATORY BORINGS

- a) Borings should be taken at tower legs for self-supporting towers and at the base and anchor points for guyed towers. For small self-supporting towers, two borings may suffice. For large self-supporting towers, one boring should be taken at each tower leg. A "small" self-supporting tower is assumed to have a face width less than 20 feet and a compression load less than 50 kips per leg. For pole structures, one boring may suffice.
- b) The minimum boring depth should be 30 feet for pole structures, self-supporting towers and guyed tower bases. For guyed tower anchors, the minimum depth should be 15 feet. The actual depth of boring must be determined by the Geotechnical Engineer based on reactions, soil conditions and the type of foundation recommended.
- c) If borings cannot be advanced to the desired depth, rock corings should be taken. Rock Quality Designation (RQD) values and compressive strengths should be determined.

IV. GEOTECHNICAL REPORT

- a) The following properties, for each soil layer encountered, should be determined by field or laboratory testing and summarized in the geotechnical report:
 - 1. Soil classification and elevations
 - 2. Standard penetration values
 - 3. Unconfined compression strength
 - 4. Angle of internal friction
 - 5. Cohesion
 - 6. "In-Situ" soil density and moisture content
 - 7. Rock quality designation (RQD) and percent rock sample recovered
 - 8. Other properties unique to site conditions
- b) The following items should be discussed in the geotechnical report:
 - 1. Geological description of site
 - 2. Observed and expected ground water conditions
 - 3. Expected frost penetration depth
 - 4. Corrosion potential of soil and corrosion protection recommendations
 - 5. Site access and potential construction difficulties
 - 6. Dewatering or site drainage requirements
 - 7. Backfill material recommendations
 - 8. Settlement considerations
 - 9. Additional information to aid foundation designer
 - 10. Recommended types of foundations
 - 11. Design parameters for uplift, download and lateral load
 - 12. Factor of safety considered when allowable vs. ultimate design parameters are provided
 - 13. Recommended construction techniques and inspections



SAFETY INFORMATION

This information may save you from death or injury. Do not attempt to install or dismantle any ROHN products until you have read and understood the information in this document.

<u>Do not</u> attempt to install or dismantle ROHN products near any type of power line. Should your installation come into contact with power lines, you can be killed! Be sure your installation is out of falling distance of any overhead wires – including the lead to any building. Read all instructions carefully before you begin, or better yet, call a professional – it may save your life.



ROHN's ACWS sign must be attached to all poles, towers, guyed mast bases in a location which is conspicuous and readable from the ground so that all personnel are notified and warned. Aluminum wire is furnished for attaching signs. ROHN recommends you check frequently to make sure the sign has not been removed. These 6" x 9" signs may be ordered, specify part number ACWS.

Tower Erectors – Please see that these signs are attached per the instructions above before leaving the site.

Guyed and bracketed towers are not self-supporting at any height. When installing or dismantling a guyed tower always consult your local tower installer. The condition of a used tower is difficult to determine and in the process of dismantling you could be killed or injured. Dismantling and installation may require the use of temporary steel guys.

General Information & Precautions

ROHN field technicians, warning labels, catalogs, guy charts, etc. are available from ROHN. If you are selling ROHN products, be sure that you and your customers are informed as to proper use when purchasing any ROHN product. All towers, masts and poles should be installed or dismantled by experienced and trained personnel.

Mixing of Products

The mixing of so-called interchangeable copies of ROHN products with ROHN products is dangerous and voids all engineering or warranty data supplied by ROHN. Materials used by the so-called copies are not the same quality and have not been tested or engineered by ROHN.

Who should install or Dismantle ROHN Products?

Installing, dismantling and rigging ROHN products requires specialized skills and experience. Information supplied by ROHN assumes that all products will be installed or dismantled by personnel having these skills and having worked with similar products before. No one should attempt to install or dismantle ROHN products without these skills and experience. ROHN assumes no liability if faulty or dangerous practices are used. There are available trained and experienced personnel to assist in installation, maintenance, and disassembly. Contact your local installer if consultation or assistance is required.

What about used material?

ROHN does not recommend or warrant in any way the use of used materials. The use of used materials voids all warranties set forth by ROHN because no one knows if the used material has been misused, overloaded, or damaged. If, for some reason, materials are re-used, all new, galvanized, high strength bolt assemblies must be used.

General Precautions

Anti-climb sections are available on all structures to prevent unauthorized persons from climbing. Installation and dismantling may require the use of temporary steel guys. All installations must be grounded per local and national codes. All types of installations must be thoroughly inspected by qualified personnel and re-marked with hazard and warning labels at least twice a year to ensure safety and proper performance. ROHN makes available many items, which may or may not be required for your particular installation. Some items available in various types and sizes are: safety climbing devices, ladders, safety cages, anti-climb devices, work platforms, F.A.A. painting and lighting, grounding, and fencing. Special product services and special packaging are also available. Based on local, state, or federal laws and building codes for your area, it may be necessary for your particular installation to have special items or be given special consideration. If there are any special requirements for your particular installation, be sure to include them in your request for quotation and on your order form. ROHN cannot be responsible for any omission at any time.

SAFETY INFORMATION

About OSHA

In accordance with the Occupational Safety and Health Act regulations, parts are available incorporating features, which will permit a safe product. It is a policy of ROHN Products to design and make our products safe to use without hazards to people and/or property. We ask that you list specific requirements you wish us to comply with in accordance with the intended use of a product. These requirements may or may not affect the price of the materials and equipment under consideration for purchase. We would be happy to answer any additional questions you may have.

About Step Bolts

Structures may or may not include step bolts. Step bolts are supplied as a convenience during construction. Step bolts are intended to be climbed by professional Competent Climbers only. 100% Fall protection is required at all times. Climber safety devices are required on all structures 10 ft. or greater in height. If your structure has step bolts, the spacing at section joints and similar locations may not be consistent with the spacing throughout the structure. Flange plates, guys, attachments to legs, appurtenances, etc. may be an obstruction to continuous climbing. Climbing step bolts is dangerous and can cause serious injury or death. Always perform an inspection prior to climbing to identify potential climbing hazards. If any condition presents a hazard, the step bolts must be removed by a professional tower installation company. ROHN will not be responsible for the use of step bolts. If you wish to use step bolts, the responsibility for their use will be totally yours or your customers.

Installation & Dismantling Safety Instructions

Each year people are killed, mutilated, or receive severe permanent injuries when attempting to install or dismantle towers, poles, and other structures. In many of these cases, the victim was aware of the dangers of electrocution but did not take adequate steps to avoid the hazard. Good practice is to install your products away from power lines and obstructions. Your dealer carries a complete line of installation and grounding hardware. For your safety and to help you achieve a safe installation, please read and follow the safety precautions below. They may save your life! Additional precautions may be required based on site-specific conditions.

- 1. If you are not experienced in installing or dismantling, please, for your own safety as well as others, seek professional assistance. Consult your dealer.
- 2. Select your installation site with safety, as well as performance, in mind. REMEMBER: Power lines and phone lines look alike. For your safety, assume that any overhead lines can kill you.
- 3. Call your power company. Tell them your plans and ask them to look at your site. This is little inconvenience, considering your life is at stake.
- 4. Before you begin, plan your installation or dismantling procedure carefully. Successful installation or dismantling is largely a matter of coordination. Each person should be assigned to a specific task and should know what to do and when to do it. One person should be designated as the "boss" to call out instructions and watch for signs of trouble.
- 5. When installing or dismantling, REMEMBER: Do not use a metal ladder. Do not work on a wet or windy day or if a thunderstorm is approaching. Do dress properly shoes with rubber soles and heels, rubber gloves, long sleeve shirt or jacket, and a hard hat and safety glasses.
- 6. If the assembly starts to drop, get away from it and let it fall. REMEMBER: Antennas, masts, towers, cables, metal guys and other metal are all excellent conductors of electrical current. Even the slightest touch of any of these parts to a power line completes an electrical path through the installer!
- 7. If any part of the assembly should contact a power line Don't touch it or try to remove it yourself. Call your local power company. They will remove it safely.
- 8. If an electrical accident should occur don't grab hold of the person in contact with the power line or you too may be electrocuted. Use a dry board, stick or rope to push or pull the victim away. Have someone call for medical help.



TERMS & CONDITIONS



- 1. All quotation, proposals, prices, or other terms are made for acceptance within 30 days (after 30 days, prices in effect at time of shipment will apply) and shipment within 30 days of purchase order date, unless otherwise stated. They are subject to change without notice; however, ROHN invites your request for an extension. They are also subject to Credit and Marketing Department approval prior to acceptance. No other price protection is available.
- 2. Every effort will be made to maintain shipping schedules, either on ROHN equipment or via common carrier. ROHN cannot be responsible for delays in shipping caused by state or local agencies with regard to permits, routing, weather, detours, etc. All deliveries and schedules are contingent on availability of raw materials, fuel, and transportation. ROHN will not be liable for damages on account of any delays or abnormalities caused in shipping due to causes beyond our reasonable control. ROHN reserves the right to make partial shipments and to submit invoices accordingly.
- 3. Changes or modifications to orders can be made only by written agreement executed by all parties affected thereby, which agreement shall include any price modification.
- 4. ROHN's responsibility ceases upon delivery of all shipments to the carrier. The unloading of all shipments is the responsibility of the Buyer, not the carrier or ROHN. Buyer is warned against receipting for merchandises until careful inspection has been made. Any claim made against ROHN must be made within 90 days after receipt of merchandise. All merchandise leaving ROHN's factory has been carefully inspected and ROHN does not assume responsibility for damages or shortages which occur in transit. Buyer must make all claims and report all damages and losses to the delivering transportation company.
- 5. No federal, state, or local taxes are included in quoted prices. All quotations, proposals, prices, or other terms are subject to increase without notification by the amount of any sales, excise, or other tax levied or charged to seller by any governmental agency and any such tax will be passed onto purchaser as a tax or as an addition to the selling price. This also applies to all costs incurred due to local statutes or governmental regulations.
- 6. Orders are not subject to cancellation by Buyer except by written agreement with seller. Any order canceled, after any work has been done by ROHN, such as drawings, production, etc., will have a cancellation charge, to be determined solely at the discretion of ROHN for whatever work has been performed with a minimum of 25% of the purchase order price. If Buyer so chooses, he shall have the right to receive the material already performed at time of cancellation at the quoted price. If an order is canceled before any work has been done by ROHN, a \$200 cancellation charge will apply.
- 7. Material received may not be returned by Buyer except by written agreement with seller. In all cases, permission must be secured from ROHN prior to the returning of any goods for credit. All returned goods are subject to a minimum service charge of 25%, plus all transportation charges, and are subject to inspection by ROHN. Returned goods will be offered and paid for only upon proof of purchase (i.e. invoice no.) and credit will be issued against invoice value. ROHN reserves the sole right to determine amount of credit to be issued on all goods returned for credit. Only standard, currently manufactured ROHN products may be considered for return and credit. Unsaleable products will be scrapped and no credit will be received. If returned goods are determined to have no value and Buyer wishes them returned, the Buyer will be charged return freight. Safety equipment, erection equipment, insulators, transformers, nuts and bolts are not returnable.
- 8. ROHN warrants the commercial items of its manufacture only, to be reasonably fit for the purpose for which they are manufactured and sold, provided, however, that this warranty shall be effective only if purchaser installs all material according to ROHN's recommendations and specifications and that purchaser during the warranty period shall regularly, not less than semi-annually, inspect and properly maintain all items. Any item found unfit for its purpose within 12 months from date of delivery will be repaired or replaced free of charge, F.O.B. ROHN's plant. ROHN shall be immediately notified in writing of such unfitness. ROHN reserves the sole right to determine if any material is to be repaired or replaced free of charge or to be supplied at ROHN's standard prices. Such obligation shall be limited to parts returned for inspection, properly packed and expenses prepaid, and providing inspection shall satisfactorily indicate defects. The warranty herein made is in lieu of all other warranties and, except as expressly stated herein, ROHN does not make and there are no warranties or obligations of any kind or nature whatsoever either expressed or implied including, but not restricted to, warranty or obligations as to product, material, workmanship, or manufacture or as to the use of the items covered hereby. ROHN shall not under any circumstances be liable to third persons for any claims for damages including direct, special, indirect, or consequential damages for any reason. The Buyer agrees to indemnify and to hold ROHN harmless for, of, and from any loss, claims, damages, expenses and attorney's fees, including but not limited to, any fines, penalties and corrective measures ROHN may sustain by reason of Buyer's failure to comply with said laws, rules, and regulations in connection with the performance of this sale. The above warranty warranted applies only to items manufactured by ROHN. Items not manufactured by ROHN are guaranteed only to the extent and in the manner warranted and guaranteed to ROHN by the manufacturer of

such items and then only to the extent ROHN is liable to enforce such warranty or guarantee. ROHN will assume no responsibility for the adequacy of any product if material is used which is not totally supplied by ROHN. The above sets forth the only warranty made by ROHN in connection with items manufactured or sold by it, and any provisions in any proposals, specifications, advertising, or other provisions hereof, are merely descriptive and are not to be construed as warranties made by ROHN. All warranties are void on drawings made by others, whether by a professional engineer, sealed or not, that are not rechecked by ROHN and approved by ROHN. ROHN assumes no liability for the adequacy of the drawings or the product. Without limiting the generality of the foregoing, the Buyer hereby indemnifies ROHN and hold ROHN harmless from any and all claims and/or damages (including direct, special, indirect or consequential damages, attorneys' fees and costs) relating to or arising out of any highway structure or component not designed by ROHN. ROHN hereby disclaims any and all warranties, including express or implied warranties of merchantability and fitness for any particular purpose, relating to or arising out of metal fatigue.

- ROHN reserves the right to change or modify the product and construction of any product manufactured by ROHN and to substitute material equal to or superior to that originally specified.
- 10. Buyer agrees not to disclose or make available to any third party processes, drawings, specifications, reports, photographs, data and other technical or proprietary information relating to ROHN products without obtaining prior written consent of ROHN.
- 11. No proposal, order, quotation, or acceptance may be changed or varied by verbal agreement, and all orders are accepted only under the provisions set forth herein.
- 12. Purchase orders and requests for quotations must be submitted in writing to ROHN. It is the responsibility of the Buyer or Buyer Representative to provide ROHN design criteria (environmental loads, equipment loads, operational limitations, geotechnical information, etc.) based on site-specific data. In designing the product for the Buyer, ROHN is relying solely and entirely on design criteria provided by the Buyer to ROHN. Without limiting the generality of the indemnities in these Terms & Conditions, the Buyer hereby indemnifies ROHN and holds ROHN harmless from and against any and all claims and/or damages (including direct, special, indirect or consequential damages, attorneys' fees and costs) relating to or arising out of any inaccuracy or incompleteness in design criteria provided to ROHN by the Buyer, and the Buyer waives all claims against ROHN for same.
- 13. If outside source inspection, assembly, etc. is required prior to shipment of an order, \$50.00 per man hour (plus equipment time, if applicable) is chargeable, with \$300.00 as a minimum.
- 14. Any welding inspection required by Buyer or Buyer's specifications must be done at ROHN's plant prior to packing and shipment of material from ROHN's plant.
- 15. A minimum charge of \$25.00 will be billed for special handling and preparation of material for air shipments.
- 16. ROHN reserves the right to apply all remittances and credit memos to the oldest outstanding balance in your account. No credits will be issued for any reason against a purchase order whose billing is more than 90 days old. Buyer corrections or complaints must be made within this period of time.
- 17. Standard catalog prices do not include special drawings or product evaluations. If any are required, there will be a charge.
- 18. ROHN at all times reserves the right to take pictures of any or all of its products after installation for advertising purposes, except those which are under classified governmental control.
- 19. The Buyer will be responsible for any extra charges incurred on prepaid shipments.
- 20. A service charge not to exceed 2% per month or maximum allowable per State law will be billed on all accounts not paid within 30 days of invoice date.
- 21. Minimum total net worth of merchandise which can be ordered is \$100.00. Any orders placed for less will be billed at \$100.00.
- 22. Storage charges will be .02% of invoice amount per day with a minimum charge of \$8.00 a day. These charges will be invoiced on a monthly basis for material requested to be withheld from shipment starting 30 days from the initial notification from ROHN, that the material was available for shipment.
- 23. All CIA requirements must be met with certified checks or money orders to insure prompt shipment.
- 24. All expenses incurred by ROHN during any collection effort shall be charged to the Buyer.
- 25. There will be a minimum of a \$100 fee per truck or container, for ROHN to receive, handle and pack for reshipment, any material not purchased through ROHN, but drop shipped to ROHN for shipment with a ROHN structure. This includes light kits, platforms, mounts, rigging equipment, etc. that is provided by others. There will be a minimum \$250 per truck or container for those drop shipped items that must be handled with ROHN forklifts or other mechanical device.





The information contained in this catalog does not purport to cover all details or variations in equipment nor provide for every possible contingency to be met in connection with installation, operation or maintenance. ROHN assumes no obligation to revise any of the information contained in this catalog if changes are made in criteria or evaluation techniques at a later date. Should particular situations arise which are not covered sufficiently herein for the purchasers' purposes, the matter should be deferred to ROHN.

All towers, poles and masts must be installed and dismantled by experienced and trained personnel.

All installations must be thoroughly inspected by qualified personnel and remarked as required with hazard and warning labels at least twice a year to ensure safety and proper performance.

All installations must be grounded per local and national codes.

The mixing of so-called interchangeable copies of ROHN products is dangerous and voids all data or warranty supplied by ROHN. Materials used by others are not the same quality and have not been tested or checked by ROHN to conform to the same quality standards. Mixing of non-ROHN items may endanger lives and cause serious failures and financial misfortune for all concerned.

Corporate Headquarters

#1 Fairholm Avenue Peoria, IL 61603

Mailing Address:

PO Box 5999 Peoria, IL 61601-5999

Phone:

(309) 566-3000 (800) 727-ROHN (7646)

Fax:

(309) 566-3079

Web:

www.rohnnet.com

Email:

sales@rohnnet.com

SAFETY FIRST!





Corporate Headquarters

#1 Fairholm Avenue Peoria, IL 61603, USA

www.rohnnet.com

Mail To:

PO Box 5999 Peoria, IL 61601-5999

Phone: (800) 727-ROHN(7646)

(309) 566-3000